



Aeris
TRITTON OPERATIONS

Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

February 2017

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

FEBRUARY 2017 – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

| Licensee: TRITTON RESOURCES LIMITED | | | | | |
|-------------------------------------|----------------------|-------------------------|-------------------|-------------|--------------------|
| EPL No. 11254 | | | | | |
| Sample Point | Monitoring Frequency | Date | Parameter | Measurement | Unit |
| EPA ID No. 12 - PZH001 | Quarterly | Sampled: 10/2/17 | Arsenic | 0.001 | mg/L ¹ |
| | | | Barium | 0.032 | mg/L |
| | | | Beryllium | <0.001 | mg/L |
| | | Obtained: 27/2/17 | Cadmium | 0.0004 | mg/L |
| | | | Chloride | 3940 | mg/L |
| | | | Chromium | 0.002 | mg/L |
| | | Published: 2/03/2017 | Cobalt | 0.002 | mg/L |
| | | | Conductivity (EC) | 16700 | µS/cm ² |
| | | | Copper | 0.014 | mg/L |
| | | | Iron | 0.27 | mg/L |
| | | | Lead | <0.001 | mg/L |
| | | | Manganese | 0.028 | mg/L |
| | | | Mercury | <0.0001 | mg/L |
| | | | Nickel | 0.008 | mg/L |
| | | | pH | 7.51 | pH Unit |
| | | | Sulfate | 1940 | mg/L |
| | | | Vanadium | <0.01 | mg/L |
| Zinc | 0.053 | mg/L | | | |
| SWL | 11.33 | m ³ | | | |
| EPA ID No. 13 - PZH002 | Quarterly | Sampled: 10/2/17 | Arsenic | 0.003 | mg/L |
| | | | Barium | 0.018 | mg/L |
| | | | Beryllium | <0.001 | mg/L |
| | | Obtained: 27/2/17 | Cadmium | <0.0001 | mg/L |
| | | | Chloride | 3270 | mg/L |
| | | | Chromium | <0.001 | mg/L |
| | | Published: 2/03/2017 | Cobalt | <0.001 | mg/L |
| | | | Conductivity (EC) | 13500 | µS/cm |
| | | | Copper | 0.006 | mg/L |
| | | | Iron | 4.91 | mg/L |
| | | | Lead | <0.001 | mg/L |
| | | | Manganese | 0.202 | mg/L |
| | | | Mercury | <0.0001 | mg/L |
| Nickel | <0.001 | mg/L | | | |
| pH | 7.03 | pH Unit | | | |

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

| | | | | | |
|------------------------------|-----------|-------------------------|-------------------|---------|---------|
| | | | Sulfate | 1730 | mg/L |
| | | | Vanadium | <0.01 | mg/L |
| | | | Zinc | 0.016 | mg/L |
| | | | SWL | 26.58 | m |
| EPA ID No. 14 - PZH003 | Quarterly | Sampled: 10/2/17 | Arsenic | <0.001 | mg/L |
| | | | Barium | 0.016 | mg/L |
| | | Obtained: 27/2/17 | Beryllium | <0.001 | mg/L |
| | | | Cadmium | 0.0006 | mg/L |
| | | | Chloride | 4800 | mg/L |
| | | | Chromium | <0.001 | mg/L |
| | | Published: 2/03/2017 | Cobalt | <0.001 | mg/L |
| | | | Conductivity (EC) | 21000 | µS/cm |
| | | | Copper | 0.022 | mg/L |
| | | | Iron | 0.12 | mg/L |
| | | | Lead | 0.001 | mg/L |
| | | | Manganese | 0.021 | mg/L |
| | | | Mercury | <0.0001 | mg/L |
| | | | Nickel | 0.008 | mg/L |
| | | | pH | 7.01 | pH Unit |
| | | | Sulfate | 2250 | mg/L |
| Vanadium | <0.01 | mg/L | | | |
| Zinc | 0.097 | mg/L | | | |
| SWL | 63.51 | m | | | |
| EPA ID No. 15 - PZH004 | Quarterly | Sampled: 10/2/17 | Arsenic | DRY | mg/L |
| | | | Barium | | mg/L |
| | | Obtained: 27/2/07 | Beryllium | | mg/L |
| | | | Cadmium | | mg/L |
| | | | Chloride | | mg/L |
| | | | Chromium | | mg/L |
| | | Published: 2/03/2017 | Cobalt | | mg/L |
| | | | Conductivity (EC) | | µS/cm |
| | | | Copper | | mg/L |
| | | | Iron | | mg/L |
| | | | Lead | | mg/L |
| | | | Manganese | | mg/L |
| | | | Mercury | | mg/L |
| | | | Nickel | | mg/L |
| | | | pH | | pH Unit |
| | | | Sulfate | | mg/L |
| Vanadium | | mg/L | | | |
| Zinc | | mg/L | | | |
| SWL | | m | | | |
| EPA ID No. 16 - PZH005 | Quarterly | Sampled: 10/2/17 | Arsenic | 0.003 | mg/L |
| | | | Barium | 0.018 | mg/L |
| | | Obtained: | Beryllium | <0.001 | mg/L |
| | | | Cadmium | 0.0006 | mg/L |

| | | | | | |
|------------------------------|-----------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | 27/2/17 Published: 2/03/2017 | Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL | 4670 <0.001 0.002 18700 0.027 0.07 0.003 0.036 <0.0001 0.03 7.05 1280 <0.01 0.094 9.76 | mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m |
| EPA ID No. 17 - PZH006 | Quarterly | Sampled: 10/2/17 Obtained: 27/2/17 Published: 2/03/2017 | Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL | <0.001 0.03 <0.001 <0.0001 2820 0.001 0.006 11800 0.01 0.39 0.01 0.116 <0.0001 0.007 7.03 1830 <0.01 0.036 30.97 | mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m |

FEBRUARY 2017 – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

| Licensee: TRITTON RESOURCES LIMITED | | | | | |
|-------------------------------------|----------------------|-------------------------|-------------------|-------------|---------|
| EPL No. 4501 | | | | | |
| Sample Point | Monitoring Frequency | Date | Parameter | Measurement | Unit |
| EPA ID No. 2 - GIP224 | Monthly | Sampled: 8/2/17 | Arsenic | <0.010 | mg/L |
| | | | Barium | 0.025 | mg/L |
| | | | Beryllium | <0.010 | mg/L |
| | | Obtained: 16/2/17 | Cadmium | <0.0010 | mg/L |
| | | | Chloride | 8440 | mg/L |
| | | | Chromium | <0.010 | mg/L |
| | | Published: 2/03/2017 | Cobalt | <0.010 | mg/L |
| | | | Conductivity (EC) | 34800 | µS/cm |
| | | | Copper | 0.027 | mg/L |
| | | | Iron | <0.10 | mg/L |
| | | | Lead | <0.010 | mg/L |
| | | | Manganese | 0.093 | mg/L |
| | | | Mercury | <0.0001 | mg/L |
| | | | Nickel | 0.021 | mg/L |
| | | | pH | 6.86 | pH Unit |
| | | | Sulfate | 3790 | mg/L |
| | | | Vanadium | <0.10 | mg/L |
| Zinc | 0.068 | mg/L | | | |
| SWL | 4.02 | m | | | |
| EPA ID No. 3 - GIP225 | Monthly | Sampled: 8/2/17 | Arsenic | <0.010 | mg/L |
| | | | Barium | <0.010 | mg/L |
| | | | Beryllium | <0.010 | mg/L |
| | | Obtained: 16/2/17 | Cadmium | <0.0010 | mg/L |
| | | | Chloride | 5390 | mg/L |
| | | | Chromium | <0.010 | mg/L |
| | | Published: 2/03/2017 | Cobalt | <0.010 | mg/L |
| | | | Conductivity (EC) | 38100 | µS/cm |
| | | | Copper | 0.023 | mg/L |
| | | | Iron | <0.10 | mg/L |
| | | | Lead | <0.010 | mg/L |
| | | | Manganese | 0.06 | mg/L |
| | | | Mercury | <0.0001 | mg/L |
| | | | Nickel | <0.010 | mg/L |
| | | | pH | 6.41 | pH Unit |
| | | | Sulfate | 14000 | mg/L |
| | | | Vanadium | <0.10 | mg/L |
| Zinc | <0.050 | mg/L | | | |
| SWL | 10.46 | m | | | |

| | | | | | |
|-----------------------------|-----------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| EPA ID No. 4 - GIP234 | Quarterly | Sampled: 6/2/17 Obtained: 6/2/17 Published: 2/03/2017 | SWL | 24.91 | m |
| EPA ID No. 5 - GIP273 | Quarterly | Sampled: 6/2/17 Obtained: 6/2/17 Published: 2/03/2017 | SWL | 16.85 | m |
| EPA ID No. 7 - GIP274 | Monthly | Sampled: 14/2/17 Obtained: 27/2/17 Published: 2/03/2017 | Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL | <0.010 0.012 <0.010 <0.0010 9020 <0.010 <0.010 35700 0.029 <0.10 <0.010 0.041 <0.0001 <0.010 6.92 3100 <0.10 <0.050 17.24 | mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m |
| EPA ID No. 6 - GIP276 | Quarterly | Sampled: 6/2/17 Obtained: 6/2/17 Published: 2/03/2017 | SWL | 20.75 | m |
| EPA ID No. 8 - GIP277 | Quarterly | Sampled: 6/2/17 | SWL | 16.67 | m |

| | | | | | |
|-------------------------------|-----------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | <p>Obtained: 6/2/17</p> <p>Published: 2/03/2017</p> | | | |
| EPA ID No. 9 - GIP278 | Quarterly | <p>Sampled: 6/2/17</p> <p>Obtained: 6/2/17</p> <p>Published: 2/03/2017</p> | SWL | 24.95 | m |
| EPA ID No. 10 - GIP279A | Quarterly | <p>Sampled: 6/2/17</p> <p>Obtained: 6/2/17</p> <p>Published: 2/03/2017</p> | SWL | 24.01 | m |
| EPA ID No. 11 - GIP280A | Quarterly | <p>Sampled: 6/2/17</p> <p>Obtained: 6/2/17</p> <p>Published: 2/03/2017</p> | SWL | 21.7 | m |
| EPA ID No. 12 - GIP290 | Monthly | <p>Sampled: 14/2/17</p> <p>Obtained: 27/2/17</p> <p>Published: 2/03/2017</p> | <p>Arsenic</p> <p>Barium</p> <p>Beryllium</p> <p>Cadmium</p> <p>Chloride</p> <p>Chromium</p> <p>Cobalt</p> <p>Conductivity (EC)</p> <p>Copper</p> <p>Iron</p> <p>Lead</p> <p>Manganese</p> <p>Mercury</p> <p>Nickel</p> <p>pH</p> <p>Sulfate</p> <p>Vanadium</p> | <p><0.001</p> <p>0.015</p> <p><0.001</p> <p>0.0335</p> <p>3350</p> <p><0.001</p> <p>0.183</p> <p>19200</p> <p>0.198</p> <p>0.2</p> <p>0.004</p> <p>12.1</p> <p><0.0001</p> <p>0.033</p> <p>6.44</p> <p>4310</p> <p><0.01</p> | <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>μS/cm</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>pH Unit</p> <p>mg/L</p> <p>mg/L</p> |

| | | | | | |
|--------------------------------|---------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | | Zinc SWL | 0.473 14.77 | mg/L m |
| EPA ID No. 13 - GIP291 | Monthly | Sampled: 8/2/17 Obtained: 16/2/17 Published: 2/03/2017 | Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL | <0.010 0.026 <0.010 0.0023 7690 <0.010 <0.010 30800 0.014 <0.10 <0.010 0.1 <0.0001 <0.010 6.57 2750 <0.10 0.078 9.13 | mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m |
| EPA ID No. 14 - GIP292A | Monthly | Sampled: 14/2/17 Obtained: 27/2/17 Published: 2/03/2017 | Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL | 0.043 <0.010 0.082 3 1860 0.325 45 36700 210 72.6 <0.010 488 <0.0001 15.1 4.04 31600 <0.10 190 5.12 | mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m |
| EPA ID No. 16 - GIP292AS | Monthly | Sampled: 14/2/17 Obtained: 27/2/17 | Arsenic Barium Beryllium Cadmium Chloride Chromium | 0.208 <0.010 0.448 6.99 1340 0.181 | mg/L mg/L mg/L mg/L mg/L mg/L |

| | | | | | |
|------------------------------|---------|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| | | Published: 2/03/2017 | Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL | 90.3 38000 714 1410 <0.010 652 0.0001 29 3.71 44100 1.22 431 5.08 | mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m |
| EPA ID No. 17 - GIP293 | Monthly | Sampled: 1/2/17 Obtained: 16/2/17 Published: 2/03/2017 | Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL | 0.046 <0.010 0.025 2.94 3880 <0.010 42.4 45000 91.6 0.54 0.03 622 0.001 14.3 3.98 41200 <0.10 164 12.33 | mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m |
| EPA ID No. 18 - GIP294 | Monthly | Sampled: 1/2/17 Obtained: 16/2/17 Published: 2/03/2017 | Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel | <0.010 <0.010 <0.010 2.72 1690 <0.010 33.8 52400 148 <0.10 <0.010 243 0.0007 11.2 | mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L |

| | | | | | |
|------------------------------|---------|-------------------------|-------------------|---------|---------|
| | | | pH | 5.28 | pH Unit |
| | | | Sulfate | 43000 | mg/L |
| | | | Vanadium | <0.10 | mg/L |
| | | | Zinc | 174 | mg/L |
| | | | SWL | 11.23 | m |
| EPA ID No. 19 - GIP295 | Monthly | Sampled: 2/2/17 | Arsenic | <0.010 | mg/L |
| | | | Barium | 0.049 | mg/L |
| | | | Beryllium | <0.010 | mg/L |
| | | Obtained: 16/2/17 | Cadmium | 0.0041 | mg/L |
| | | | Chloride | 8840 | mg/L |
| | | | Chromium | <0.010 | mg/L |
| | | Published: 2/03/2017 | Cobalt | <0.010 | mg/L |
| | | | Conductivity (EC) | 34100 | µS/cm |
| | | | Copper | 0.026 | mg/L |
| | | | Iron | <0.10 | mg/L |
| | | | Lead | <0.010 | mg/L |
| | | | Manganese | 0.581 | mg/L |
| | | | Mercury | <0.0001 | mg/L |
| | | | Nickel | <0.010 | mg/L |
| | | | pH | 6.7 | pH Unit |
| Sulfate | 2570 | mg/L | | | |
| Vanadium | <0.10 | mg/L | | | |
| Zinc | <0.050 | mg/L | | | |
| SWL | 18.01 | m | | | |
| EPA ID No. 20 - GIP296 | Monthly | Sampled: 1/2/17 | Arsenic | <0.010 | mg/L |
| | | | Barium | 0.013 | mg/L |
| | | | Beryllium | <0.010 | mg/L |
| | | Obtained: 16/2/17 | Cadmium | 0.0023 | mg/L |
| | | | Chloride | 1320 | mg/L |
| | | | Chromium | <0.010 | mg/L |
| | | Published: 2/03/2017 | Cobalt | 0.012 | mg/L |
| | | | Conductivity (EC) | 21000 | µS/cm |
| | | | Copper | 0.108 | mg/L |
| | | | Iron | <0.10 | mg/L |
| | | | Lead | <0.010 | mg/L |
| | | | Manganese | 0.105 | mg/L |
| | | | Mercury | <0.0001 | mg/L |
| | | | Nickel | <0.010 | mg/L |
| | | | pH | 6.71 | pH Unit |
| Sulfate | 7190 | mg/L | | | |
| Vanadium | <0.10 | mg/L | | | |
| Zinc | 0.099 | mg/L | | | |
| SWL | 6.81 | m | | | |
| EPA ID No. 21 - GIP297 | Monthly | Sampled: 2/2/17 | Arsenic | <0.010 | mg/L |
| | | | Barium | 0.07 | mg/L |
| | | | Beryllium | <0.010 | mg/L |

| | | | | | |
|------------------------------|---------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | <p>Obtained: 16/2/17</p> <p>Published: 2/03/2017</p> | <p>Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL</p> | <p>0.0036 8520 <0.010 0.024 32700 0.098 0.14 <0.010 1.99 <0.0001 0.015 6.71 2550 <0.10 <0.050 25.21</p> | <p>mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m</p> |
| EPA ID No. 22 - GIP298 | Monthly | <p>Sampled: 2/2/17</p> <p>Obtained: 16/2/17</p> <p>Published: 2/03/2017</p> | <p>Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL</p> | <p><0.010 0.015 <0.010 <0.0010 9420 <0.010 <0.010 35400 0.055 0.88 <0.010 0.403 <0.0001 <0.010 6.67 2810 <0.10 <0.050 20.63</p> | <p>mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m</p> |
| EPA ID No. 23 - GIP299 | Monthly | <p>Sampled: 2/2/17</p> <p>Obtained: 16/2/17</p> <p>Published: 2/03/2017</p> | <p>Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead</p> | <p><0.010 <0.010 <0.010 0.0021 7170 <0.010 <0.010 35200 0.01 <0.10 <0.010</p> | <p>mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L</p> |

| | | | | | |
|------------------------------|---------|-------------------------------------------------------------------------------|-------------------|---------|---------|
| | | | Manganese | 0.054 | mg/L |
| | | | Mercury | <0.0001 | mg/L |
| | | | Nickel | <0.010 | mg/L |
| | | | pH | 6.51 | pH Unit |
| | | | Sulfate | 8430 | mg/L |
| | | | Vanadium | <0.10 | mg/L |
| | | | Zinc | <0.050 | mg/L |
| | | | SWL | 28.17 | m |
| EPA ID No. 24 - GIP300 | Monthly | Sampled: 2/2/17 Obtained: 16/2/17 Published: 2/03/2017 | Arsenic | <0.010 | mg/L |
| | | | Barium | 0.022 | mg/L |
| | | | Beryllium | <0.010 | mg/L |
| | | | Cadmium | 0.0017 | mg/L |
| | | | Chloride | 5470 | mg/L |
| | | | Chromium | <0.010 | mg/L |
| | | | Cobalt | <0.010 | mg/L |
| | | | Conductivity (EC) | 39000 | µS/cm |
| | | | Copper | <0.010 | mg/L |
| | | | Iron | <0.10 | mg/L |
| | | | Lead | <0.010 | mg/L |
| | | | Manganese | <0.010 | mg/L |
| | | | Mercury | 0.0001 | mg/L |
| | | | Nickel | <0.010 | mg/L |
| | | | pH | 6.47 | pH Unit |
| | | | Sulfate | 19000 | mg/L |
| | | | Vanadium | <0.10 | mg/L |
| | | | Zinc | <0.050 | mg/L |
| | | | SWL | 19.09 | m |
| EPA ID No. 25 - GIP301 | Monthly | Sampled: 2/2/17 Obtained: 16/2/17 Published: 2/03/2017 | Arsenic | <0.010 | mg/L |
| | | | Barium | 0.04 | mg/L |
| | | | Beryllium | <0.010 | mg/L |
| | | | Cadmium | <0.0010 | mg/L |
| | | | Chloride | 5470 | mg/L |
| | | | Chromium | <0.010 | mg/L |
| | | | Cobalt | 0.02 | mg/L |
| | | | Conductivity (EC) | 24400 | µS/cm |
| | | | Copper | 0.011 | mg/L |
| | | | Iron | <0.10 | mg/L |
| | | | Lead | <0.010 | mg/L |
| | | | Manganese | 0.931 | mg/L |
| | | | Mercury | <0.0001 | mg/L |
| | | | Nickel | <0.010 | mg/L |
| | | | pH | 6.73 | pH Unit |
| | | | Sulfate | 2090 | mg/L |
| | | | Vanadium | <0.10 | mg/L |
| | | | Zinc | <0.050 | mg/L |
| | | | SWL | 14.25 | m |

| | | | | | |
|------------------------------|---------|-------------------------|-------------------|---------|---------|
| EPA ID No. 26 - GIP302 | Monthly | Sampled: 1/2/17 | Arsenic | <0.010 | mg/L |
| | | | Barium | 0.022 | mg/L |
| | | | Beryllium | <0.010 | mg/L |
| | | Obtained: 16/2/17 | Cadmium | 0.0054 | mg/L |
| | | | Chloride | 6100 | mg/L |
| | | | Chromium | <0.010 | mg/L |
| | | Published: 2/03/2017 | Cobalt | 0.159 | mg/L |
| | | | Conductivity (EC) | 33600 | µS/cm |
| | | | Copper | 0.053 | mg/L |
| | | | Iron | 0.14 | mg/L |
| | | | Lead | <0.010 | mg/L |
| | | | Manganese | 22.3 | mg/L |
| | | | Mercury | <0.0001 | mg/L |
| | | | Nickel | 0.168 | mg/L |
| | | | pH | 6.26 | pH Unit |
| | | | Sulfate | 9630 | mg/L |
| Vanadium | <0.10 | mg/L | | | |
| Zinc | 0.054 | mg/L | | | |
| SWL | 15.22 | m | | | |