



Tritton and Girilambone Operations

Monthly Environmental Monitoring
Report

February 2015

FEBRUARY 2015 – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 11254					
Sample Point	Monitoring Frequency	Sampled	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Monthly	03/02/2015	Arsenic	0.002	mg/L
			Barium	0.027	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	0.0002	mg/L
			Chloride	3830	mg/L
			Chromium	0.002	mg/L
			Cobalt	0.002	mg/L
			Conductivity (EC)	14700	µS/cm
			Copper	0.016	mg/L
			Iron	0.40	mg/L
			Lead	0.002	mg/L
			Manganese	0.112	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.007	mg/L
			pH	7.93	pH Unit
			Sulfate	2050	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.059	mg/L
SWL	21.02	m			
EPA ID No. 13 - PZH002	Monthly	02/02/2015	Arsenic	0.003	mg/L
			Barium	0.019	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	<0.0001	mg/L
			Chloride	3060	mg/L
			Chromium	0.002	mg/L
			Cobalt	<0.001	mg/L
			Conductivity (EC)	12300	µS/cm
			Copper	0.005	mg/L
			Iron	3.96	mg/L
			Lead	<0.001	mg/L
			Manganese	0.158	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.93	pH Unit
			Sulfate	1660	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.015	mg/L

			SWL	37.21	m
EPA ID No. 14 - PZH003	Monthly	02/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	<0.001 0.026 <0.001 0.0003 4690 0.003 0.002 18100 0.014 0.67 0.002 0.023 <0.0001 0.013 7.81 2880 <0.01 0.047 72.3	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Monthly			DRY	
EPA ID No. 16 - PZH005	Monthly	03/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.002 0.045 <0.001 0.0022 4720 0.002 0.046 16900 0.059 0.46 0.006 0.644 <0.0001 0.076 7.89 1560 <0.01 0.352 17.81	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Monthly	03/02/2015	Arsenic Barium Beryllium	0.001 0.049 <0.001	mg/L mg/L mg/L

			Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.0007 3610 0.003 0.008 13300 0.028 0.50 0.044 0.167 <0.0001 0.009 7.67 1590 <0.01 0.116 39.64	mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Monthly	03/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.130 <0.001 0.0005 3180 0.007 0.023 12900 0.094 0.61 0.014 0.781 <0.0001 0.026 7.87 1810 <0.01 0.065 42.82	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Monthly	02/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron	0.010 0.022 <0.001 <0.0001 3790 0.006 <0.001 14300 0.016 0.59	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L

			Lead	<0.001	mg/L
			Manganese	0.054	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.87	pH Unit
			Sulfate	1730	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.035	mg/L
			SWL	26.91	m
EPA ID No. 20 - PZH009	Monthly	02/02/2015	Arsenic	<0.001	mg/L
			Barium	0.048	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	<0.0001	mg/L
			Chloride	4720	mg/L
			Chromium	<0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	18100	µS/cm
			Copper	0.078	mg/L
			Iron	0.15	mg/L
			Lead	<0.001	mg/L
			Manganese	0.326	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.88	pH Unit
			Sulfate	2400	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.028	mg/L
			SWL	22.35	m
EPA ID No. 22 - PZH013	Monthly			DRY	
EPA ID No. 23 - PZH014	Monthly	03/02/2015	Arsenic	0.001	mg/L
			Barium	0.016	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	0.0002	mg/L
			Chloride	4040	mg/L
			Chromium	<0.001	mg/L
			Cobalt	<0.001	mg/L
			Conductivity (EC)	15400	µS/cm
			Copper	0.015	mg/L
			Iron	0.43	mg/L
			Lead	<0.001	mg/L
			Manganese	0.015	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.004	mg/L

			pH	7.76	pH Unit
			Sulfate	1710	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.022	mg/L
			SWL	54.74	m
EPA ID No. 24 - PZH015	Monthly	03/02/2015	Arsenic	0.011	mg/L
			Barium	0.056	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	4520	mg/L
			Chromium	0.006	mg/L
			Cobalt	0.013	mg/L
			Conductivity (EC)	17400	µS/cm
			Copper	0.028	mg/L
			Iron	9.04	mg/L
			Lead	0.008	mg/L
			Manganese	0.686	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.009	mg/L
			pH	7.76	pH Unit
			Sulfate	2370	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.044	mg/L
			SWL	56.77	m
EPA ID No. 25 - PZH017	Monthly	03/02/2015	Arsenic	<0.001	mg/L
			Barium	0.041	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	<0.0001	mg/L
			Chloride	2920	mg/L
			Chromium	<0.001	mg/L
			Cobalt	<0.001	mg/L
			Conductivity (EC)	11400	µS/cm
			Copper	0.002	mg/L
			Iron	2.20	mg/L
			Lead	<0.001	mg/L
			Manganese	0.157	mg/L
			Mercury	<0.0001	mg/L
			Nickel	<0.001	mg/L
			pH	8.09	pH Unit
			Sulfate	924	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.008	mg/L
			SWL	56.61	m
EPA ID No. 27 -	Monthly	03/02/2015	Arsenic	0.010	mg/L
			Barium	0.028	mg/L

PZH019			Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	<0.001 <0.0001 2700 <0.001 <0.001 10500 0.003 1.92 <0.001 0.032 <0.0001 <0.001 7.94 868 <0.01 0.012 105.43	mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Monthly	03/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	<0.001 0.026 <0.001 0.0003 3240 <0.001 <0.001 12600 0.017 0.25 <0.001 0.029 <0.0001 0.004 8.10 1240 <0.01 0.090 72.4	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Monthly	03/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper	0.002 0.095 <0.001 <0.0001 4050 0.002 <0.001 15100 0.008	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L

			Iron	11.4	mg/L
			Lead	<0.001	mg/L
			Manganese	2.55	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.93	pH Unit
			Sulfate	1580	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.028	mg/L
			SWL	59.27	m
EPA ID No. 30 - PZH022	Monthly			DRY	
EPA ID No. 31 - PZH023	Monthly			DRY	

**FEBRUARY 2015 – GROUNDWATER MONITORING REPORT
 GIRILAMBONE OPERATIONS LICENCE NO.4501**

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Sampled	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	10/02/2015	Arsenic	<0.001	mg/L
			Barium	0.026	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	0.0002	mg/L
			Chloride	9160	mg/L
			Chromium	0.003	mg/L
			Cobalt	<0.001	mg/L
			Conductivity (EC)	30600	µS/cm
			Copper	0.031	mg/L
			Iron	0.09	mg/L
			Lead	0.002	mg/L
			Manganese	0.064	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.016	mg/L
			pH	7.66	pH Unit
			Sulfate	3640	mg/L
			Vandium	<0.01	mg/L
Zinc	0.064	mg/L			
SWL	4.48	m			

EPA ID No. 3 - GIP225	Monthly	11/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vandium Zinc SWL	<0.001 0.007 <0.001 0.0006 6300 0.006 0.008 32400 0.045 0.26 0.001 0.364 <0.0001 0.013 7.19 12100 <0.01 0.085 10.72	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 4 - GIP234	Quarterly	23/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vandium Zinc SWL	<0.001 0.027 <0.001 0.0027 6860 <0.001 0.011 25200 0.092 <0.05 0.054 0.186 <0.0001 0.038 7.48 2630 <0.01 0.222 24.93	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	23/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt	0.001 0.031 <0.001 0.0006 9300 0.002 0.005	mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			pH	7.35	pH Unit
			Sulfate	3160	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.074	mg/L
			SWL	21.18	m
EPA ID No. 8 - GIP277	Quarterly	23/02/2015	Arsenic	<0.001	mg/L
			Barium	0.012	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	888	mg/L
			Chromium	<0.001	mg/L
			Cobalt	<0.001	mg/L
			Conductivity (EC)	5190	µS/cm
			Copper	0.017	mg/L
			Iron	0.11	mg/L
			Lead	0.007	mg/L
			Manganese	0.015	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.74	pH Unit
			Sulfate	483	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.032	mg/L
			SWL	17.39	m
EPA ID No. 9 - GIP278	Quarterly	23/02/2015	Arsenic	0.006	mg/L
			Barium	0.019	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	0.0003	mg/L
			Chloride	7400	mg/L
			Chromium	0.005	mg/L
			Cobalt	<0.001	mg/L
			Conductivity (EC)	27000	µS/cm
			Copper	0.005	mg/L
			Iron	0.06	mg/L
			Lead	0.004	mg/L
			Manganese	0.005	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.017	mg/L
			pH	7.21	pH Unit
			Sulfate	2600	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.023	mg/L
			SWL	25.19	m
EPA ID No. 10 -	Quarterly	23/02/2015	Arsenic	<0.001	mg/L
			Barium	0.043	mg/L

GIP279A			Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	<0.001 0.0004 7930 <0.001 0.003 27900 0.070 0.16 <0.001 0.050 <0.0001 0.006 7.56 2800 <0.01 0.055 24.25	mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	23/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	<0.001 0.044 <0.001 <0.0001 5290 <0.001 <0.001 19400 0.002 <0.05 <0.001 0.015 <0.0001 0.002 7.78 1940 <0.01 0.033 21.61	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	27/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper	<0.001 0.016 <0.001 0.0200 3290 <0.001 0.085 15800 0.056	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L

			Iron Lead Manganese Mercury Nickel pH Sulfate Vandium Zinc SWL	<0.05 0.004 7.46 <0.0001 0.012 7.02 3600 <0.01 0.269 15.26	mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	27/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vandium Zinc SWL	<0.001 0.026 <0.001 0.0046 7170 0.005 0.063 26700 0.245 0.28 0.004 0.605 <0.0001 0.030 7.33 2940 <0.01 0.283 9.56	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 14 - GIP292A	Monthly	05/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate	0.033 <0.010 0.096 2.88 2670 0.044 61.6 32600 271 182 <0.010 620 <0.0001 14.1 3.90 29400	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vandium	0.12	mg/L
			Zinc	250	mg/L
			SWL	5.18	m
EPA ID No. 16 - GIP292AS	Monthly	05/02/2015	Arsenic	0.180	mg/L
			Barium	<0.010	mg/L
			Beryllium	0.323	mg/L
			Cadmium	6.65	mg/L
			Chloride	1480	mg/L
			Chromium	0.060	mg/L
			Cobalt	91.6	mg/L
			Conductivity (EC)	29900	µS/cm
			Copper	898	mg/L
			Iron	1370	mg/L
			Lead	<0.010	mg/L
			Manganese	681	mg/L
			Mercury	0.0003	mg/L
			Nickel	18.4	mg/L
			pH	3.28	pH Unit
			Sulfate	37500	mg/L
			Vandium	0.42	mg/L
			Zinc	440	mg/L
			SWL	5.43	m
EPA ID No. 17 - GIP293	Monthly	27/02/2015	Arsenic	0.007	mg/L
			Barium	0.008	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	0.637	mg/L
			Chloride	4540	mg/L
			Chromium	0.002	mg/L
			Cobalt	9.16	mg/L
			Conductivity (EC)	37800	µS/cm
			Copper	3.17	mg/L
			Iron	0.07	mg/L
			Lead	0.007	mg/L
			Manganese	182	mg/L
			Mercury	<0.0001	mg/L
			Nickel	3.28	mg/L
			pH	6.46	pH Unit
			Sulfate	24900	mg/L
			Vandium	<0.01	mg/L
			Zinc	22.0	mg/L
			SWL	12.15	m
EPA ID No. 18 - GIP294	Monthly	27/02/2015	Arsenic	0.004	mg/L
			Barium	0.014	mg/L
			Beryllium	0.003	mg/L
			Cadmium	0.384	mg/L

			Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	1910 0.001 5.46 30900 10.4 0.06 0.002 29.8 0.0002 1.80 6.66 18800 <0.01 21.8 12.27	mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	10/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.057 <0.001 <0.0001 9750 0.002 0.004 29700 0.047 0.66 <0.001 0.856 <0.0001 0.007 7.32 2430 <0.01 0.024 18.47	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - GIP296	Monthly	27/02/2015	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead	<0.001 0.014 <0.001 0.0005 2540 <0.001 0.005 18500 0.034 <0.05 <0.001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L

			Manganese	0.055	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.007	mg/L
			pH	7.54	pH Unit
			Sulfate	5990	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.049	mg/L
			SWL	7.19	m
EPA ID No. 21 - GIP297	Monthly	24/02/2015	Arsenic	0.006	mg/L
			Barium	<0.001	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	<0.0001	mg/L
			Chloride	89	mg/L
			Chromium	<0.001	mg/L
			Cobalt	<0.001	mg/L
			Conductivity (EC)	1090	µS/cm
			Copper	0.009	mg/L
			Iron	0.09	mg/L
			Lead	<0.001	mg/L
			Manganese	0.007	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.92	pH Unit
			Sulfate	188	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.013	mg/L
			SWL	25.4	m
EPA ID No. 22 - GIP298	Monthly	24/02/2015	Arsenic	0.001	mg/L
			Barium	0.005	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	0.0003	mg/L
			Chloride	8780	mg/L
			Chromium	<0.001	mg/L
			Cobalt	<0.001	mg/L
			Conductivity (EC)	31500	µS/cm
			Copper	0.004	mg/L
			Iron	0.17	mg/L
			Lead	<0.001	mg/L
			Manganese	0.075	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.39	pH Unit
			Sulfate	3180	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.014	mg/L

			SWL	21.06	m
EPA ID No. 23 - GIP299	Monthly	24/02/2015	Arsenic	0.002	mg/L
			Barium	0.022	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	0.0013	mg/L
			Chloride	4460	mg/L
			Chromium	0.001	mg/L
			Cobalt	<0.001	mg/L
			Conductivity (EC)	20100	µS/cm
			Copper	0.011	mg/L
			Iron	0.09	mg/L
			Lead	<0.001	mg/L
			Manganese	0.013	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.003	mg/L
			pH	7.33	pH Unit
			Sulfate	4770	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.032	mg/L
			SWL	26.99	m
EPA ID No. 24 - GIP300	Monthly	24/02/2015	Arsenic	<0.001	mg/L
			Barium	0.050	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	0.0030	mg/L
			Chloride	8540	mg/L
			Chromium	0.006	mg/L
			Cobalt	0.036	mg/L
			Conductivity (EC)	34300	µS/cm
			Copper	0.097	mg/L
			Iron	0.10	mg/L
			Lead	0.001	mg/L
			Manganese	1.53	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.071	mg/L
			pH	7.46	pH Unit
			Sulfate	5420	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.153	mg/L
			SWL	18.91	m
EPA ID No. 25 - GIP301	Monthly	24/02/2015	Arsenic	<0.001	mg/L
			Barium	0.024	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	<0.0001	mg/L
			Chloride	3710	mg/L
			Chromium	<0.001	mg/L

			Cobalt	0.003	mg/L
			Conductivity (EC)	15300	µS/cm
			Copper	0.003	mg/L
			Iron	<0.05	mg/L
			Lead	<0.001	mg/L
			Manganese	0.348	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.004	mg/L
			pH	7.63	pH Unit
			Sulfate	1770	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.010	mg/L
			SWL	14.06	m
EPA ID No. 26 - GIP302	Monthly	24/02/2015	Arsenic	<0.001	mg/L
			Barium	0.033	mg/L
			Beryllium	<0.001	mg/L
			Cadmium	0.0093	mg/L
			Chloride	7510	mg/L
			Chromium	0.002	mg/L
			Cobalt	0.096	mg/L
			Conductivity (EC)	31200	µS/cm
			Copper	0.299	mg/L
			Iron	0.13	mg/L
			Lead	<0.001	mg/L
			Manganese	2.03	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.079	mg/L
			pH	7.44	pH Unit
			Sulfate	5990	mg/L
			Vandium	<0.01	mg/L
			Zinc	0.554	mg/L
			SWL	14.68	m