



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[March] [2019]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[MARCH] [2019] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L ¹ mg/L mg/L mg/L mg/L mg/L mg/L μS/cm ² mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m ³
EPA ID No. 13 - PZH002	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled: D/M/Y Obtained:	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		D/M/Y Published: 24/04/2019	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: 6/3/19 Obtained: 27/3/19 Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese	0.004 0.181 0.001 0.0014 3180 0.018 0.02 12100 0.17 7.88 0.029 0.371	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury	0.0001	mg/L
			Nickel	0.072	mg/L
			pH	7.84	pH Unit
			Sulfate	1720	mg/L
			Vanadium	0.02	mg/L
			Zinc	0.252	mg/L
			SWL	45.43	m
EPA ID No. 19 - PZH008	Quarterly	Sampled: 7/3/19	Arsenic	0.011	mg/L
			Barium	0.021	mg/L
			Beryllium	0.001	mg/L
		Obtained: 27/3/19	Cadmium	0.0001	mg/L
			Chloride	4100	mg/L
			Chromium	0.001	mg/L
		Published: 24/04/2019	Cobalt	0.001	mg/L
			Conductivity (EC)	14300	µS/cm
			Copper	0.018	mg/L
			Iron	0.35	mg/L
			Lead	0.001	mg/L
			Manganese	0.061	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.61	pH Unit
			Sulfate	1800	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.028	mg/L
			SWL	19.18	m
EPA ID No. 20 - PZH009	Quarterly	Sampled: 7/3/19	Arsenic	0.001	mg/L
			Barium	0.052	mg/L
			Beryllium	0.001	mg/L
		Obtained: 27/3/19	Cadmium	0.0011	mg/L
			Chloride	5350	mg/L
			Chromium	0.002	mg/L
		Published: 24/04/2019	Cobalt	0.003	mg/L
			Conductivity (EC)	17900	µS/cm
			Copper	0.047	mg/L
			Iron	0.46	mg/L
			Lead	0.001	mg/L
			Manganese	0.106	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.016	mg/L
			pH	7.72	pH Unit
			Sulfate	2320	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.089	mg/L
			SWL	15.68	m
EPA ID	Quarterly	Sampled:	Arsenic		mg/L

No. 22 - PZH013		7/3/19 Obtained: Published: 24/04/2019	Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: 6/3/19 Obtained: 27/3/19 Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.006 0.001 0.0002 4680 0.001 0.001 15500 0.008 0.17 0.001 0.003 0.0001 0.004 7.46 1800 0.01 0.014 47.06	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: 6/3/19 Obtained: 27/3/19 Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper	0.001 0.013 0.001 0.0004 5290 0.084 0.001 18100 0.03	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L

			Zinc SWL		mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: Obtained: Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: Obtained: Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: Obtained: Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium		mg/L mg/L mg/L mg/L mg/L

			Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			<p>pH</p> <p>Sulfate</p> <p>Vanadium</p> <p>Zinc</p> <p>SWL</p>		<p>pH Unit</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>m</p>
--	--	--	---	--	---

[MARCH] [2019] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 26/3/19	Arsenic	0.01	mg/L
			Barium	0.026	mg/L
			Beryllium	0.01	mg/L
		Obtained: 9/4/19	Cadmium	0.0011	mg/L
			Chloride	7950	mg/L
			Chromium	0.01	mg/L
		Published: 24/04/2019	Cobalt	0.01	mg/L
			Conductivity (EC)	29400	µS/cm
			Copper	0.039	mg/L
			Iron	0.13	mg/L
			Lead	0.01	mg/L
			Manganese	0.141	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.038	mg/L
			pH	7.53	pH Unit
			Sulfate	4080	mg/L
			Vanadium	0.1	mg/L
Zinc	0.112	mg/L			
SWL	8.13	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 18/3/19	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 27/3/19	Cadmium	0.001	mg/L
			Chloride	6480	mg/L
			Chromium	0.01	mg/L
		Published: 24/04/2019	Cobalt	0.01	mg/L
			Conductivity (EC)	32500	µS/cm
			Copper	0.029	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.189	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.011	mg/L
			pH	7.35	pH Unit
			Sulfate	12500	mg/L
			Vanadium	0.1	mg/L
Zinc	0.052	mg/L			
SWL	12.05	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: Obtained: Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: Obtained: Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 26/3/19 Obtained: 9/4/19 Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.01 0.011 0.01 0.001 9170 0.01 0.01 30900	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.1 0.01 0.01 0.0001 0.01 7.47 2240 0.1 0.05 18.95	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 6 - GIP276	Quarterly	Sampled: Obtained: Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: Obtained: Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL		mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: Obtained: Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: Obtained: Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: Obtained: Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

			Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 26/3/19 Obtained: 9/4/19 Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.014 0.001 0.0803 3450 0.001 0.438 16900 0.065 0.05 0.001 21.4 0.0001 0.034 6.62 4860 0.01 0.89 15.82	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 26/3/19 Obtained: 9/4/19 Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.01 0.026 0.01 0.0039 7380 0.01 0.039 25500 0.069 0.1 0.01 0.579 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.016	mg/L
			pH	7.27	pH Unit
			Sulfate	2510	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.155	mg/L
			SWL	12.05	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 26/3/19 Obtained: 9/4/19 Published: 24/04/2019	Arsenic	0.044	mg/L
			Barium	0.01	mg/L
			Beryllium	0.124	mg/L
			Cadmium	4.21	mg/L
			Chloride	1980	mg/L
			Chromium	0.169	mg/L
			Cobalt	64.6	mg/L
			Conductivity (EC)	32100	µS/cm
			Copper	292	mg/L
			Iron	173	mg/L
			Lead	0.01	mg/L
			Manganese	569	mg/L
			Mercury	0.0001	mg/L
			Nickel	22.2	mg/L
			pH	3.62	pH Unit
			Sulfate	37200	mg/L
			Vanadium	0.2	mg/L
			Zinc	307	mg/L
			SWL	11.73	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 26/3/19 Obtained: Published: 24/04/2019	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	10.39	m
EPA ID No. 17 -	Monthly	Sampled: 27/3/19	Arsenic	0.014	mg/L
			Barium	0.018	mg/L

GIP293		Obtained: 9/4/19 Published: 24/04/2019	Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.012 1.84 4520 0.028 23.7 38600 42.3 0.48 0.012 393 0.0001 8.44 4.35 34300 0.1 89.4 17.06	mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L mg/L m
EPA ID No. 18 - GIP294	Monthly	Sampled: 27/3/19 Obtained: 9/4/19 Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.01 0.01 2.42 1690 0.03 28 47800 123 0.48 0.01 243 0.0002 10.1 5.38 52900 0.1 151 15.91	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	Sampled: 26/3/19 Obtained: 9/4/19 Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron	0.01 0.044 0.01 0.0033 8710 0.01 0.002 28500 0.025 0.1	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L

			Lead	0.01	mg/L
			Manganese	0.275	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.005	mg/L
			pH	7.55	pH Unit
			Sulfate	1970	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.057	mg/L
			SWL	17.48	m
EPA ID No. 20 - GIP296	Monthly	Sampled: 26/3/19 Obtained: 9/4/19 Published: 24/04/2019	Arsenic	0.001	mg/L
			Barium	0.015	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0003	mg/L
			Chloride	1700	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.003	mg/L
			Conductivity (EC)	14700	µS/cm
			Copper	0.038	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.063	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.005	mg/L
			pH	7.38	pH Unit
			Sulfate	5230	mg/L
			Vanadium	0.01	mg/L
Zinc	0.037	mg/L			
SWL	12.05	m			
EPA ID No. 21 - GIP297	Monthly	Sampled: 26/3/19 Obtained: 9/4/19 Published: 24/04/2019	Arsenic	0.006	mg/L
			Barium	0.001	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	132	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	1060	µS/cm
			Copper	0.013	mg/L
			Iron	0.07	mg/L
			Lead	0.001	mg/L
			Manganese	0.008	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.86	pH Unit
			Sulfate	108	mg/L
			Vanadium	0.01	mg/L
Zinc	0.014	mg/L			

			SWL	27.42	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 26/3/19	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 9/4/19	Cadmium	0.001	mg/L
			Chloride	8950	mg/L
			Chromium	0.01	mg/L
		Published: 24/04/2019	Cobalt	0.01	mg/L
			Conductivity (EC)	29900	µS/cm
			Copper	0.054	mg/L
			Iron	0.22	mg/L
			Lead	0.01	mg/L
			Manganese	0.07	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.43	pH Unit
			Sulfate	1830	mg/L
			Vanadium	0.1	mg/L
Zinc	0.054	mg/L			
SWL	22.71	m			
EPA ID No. 23 - GIP299	Monthly	Sampled: 27/3/19	Arsenic	0.01	mg/L
			Barium	0.021	mg/L
			Beryllium	0.01	mg/L
		Obtained: 9/4/19	Cadmium	0.0035	mg/L
			Chloride	6310	mg/L
			Chromium	0.01	mg/L
		Published: 24/04/2019	Cobalt	0.036	mg/L
			Conductivity (EC)	28900	µS/cm
			Copper	0.027	mg/L
			Iron	3.45	mg/L
			Lead	0.01	mg/L
			Manganese	7.16	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.014	mg/L
			pH	7.32	pH Unit
			Sulfate	10100	mg/L
			Vanadium	0.1	mg/L
Zinc	0.058	mg/L			
SWL	32.45	m			
EPA ID No. 24 - GIP300	Monthly	Sampled: 27/3/19	Arsenic	0.01	mg/L
			Barium	0.038	mg/L
			Beryllium	0.01	mg/L
		Obtained: 9/4/19	Cadmium	0.003	mg/L
			Chloride	9340	mg/L
		Published:	Chromium	0.01	mg/L
			Cobalt	0.01	mg/L

		24/04/2019	Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	32900 0.022 0.1 0.01 0.297 0.0001 0.021 7.26 3670 0.1 0.05 21.94	µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 27/3/19 Obtained: 9/4/19 Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.012 0.001 0.0047 1820 0.001 0.001 9710 0.04 0.08 0.001 0.465 0.0001 0.015 7.88 1130 0.01 0.147 16.84	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 28/3/19 Obtained: 9/4/19 Published: 24/04/2019	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH	0.01 0.01 0.01 0.255 5600 0.651 4.45 25000 35.7 5.8 0.01 28.1 0.0001 2.54 4.75	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

			Sulfate	9660	mg/L
			Vanadium	0.1	mg/L
			Zinc	24.2	mg/L
			SWL	19.89	m