



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[September] [2020]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[SEPTEMBER] [2020] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: Obtained: Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L ¹ mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm ² mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m ³
EPA ID No. 13 - PZH002	Quarterly	Sampled: Obtained: Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH		mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled: Obtained: Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled: Obtained:	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		Published: 27/10/2020	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: Obtained: Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: 28/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese	0.002 0.115 0.001 0.001 2670 0.001 0.007 9640 0.048 0.38 0.006 0.149	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury	0.0001	mg/L
			Nickel	0.036	mg/L
			pH	7.8	pH Unit
			Sulfate	1490	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.097	mg/L
			SWL	46.36	m
EPA ID No. 19 - PZH008	Quarterly	Sampled: 28/9/20	Arsenic	0.011	mg/L
			Barium	0.019	mg/L
			Beryllium	0.001	mg/L
		Obtained: 9/10/20	Cadmium	0.0001	mg/L
			Chloride	4010	mg/L
			Chromium	0.001	mg/L
		Published: 27/10/2020	Cobalt	0.001	mg/L
			Conductivity (EC)	14000	µS/cm
			Copper	0.013	mg/L
			Iron	0.12	mg/L
			Lead	0.001	mg/L
			Manganese	0.013	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.67	pH Unit
			Sulfate	1770	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.03	mg/L
			SWL	20.02	m
EPA ID No. 20 - PZH009	Quarterly	Sampled: 28/9/20	Arsenic	0.001	mg/L
			Barium	0.047	mg/L
			Beryllium	0.001	mg/L
		Obtained: 9/10/20	Cadmium	0.0009	mg/L
			Chloride	5080	mg/L
			Chromium	0.001	mg/L
		Published: 27/10/2020	Cobalt	0.004	mg/L
			Conductivity (EC)	18100	µS/cm
			Copper	0.068	mg/L
			Iron	0.07	mg/L
			Lead	0.001	mg/L
			Manganese	0.242	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.017	mg/L
			pH	7.73	pH Unit
			Sulfate	2270	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.094	mg/L
			SWL	16.47	m
EPA ID	Quarterly	Sampled:	Arsenic		mg/L

No. 22 - PZH013		28/9/20 Obtained: DRY Published: 27/10/2020	Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: 29/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.005 0.001 0.0002 4530 0.003 0.001 15400 0.012 0.09 0.001 0.008 0.0001 0.002 7.62 1800 0.01 0.014 47.68	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: 29/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper	0.001 0.008 0.001 0.0002 4980 0.025 0.001 18100 0.013	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L

			Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.25 0.002 0.025 0.0002 0.004 7.68 2790 0.01 0.005 50.52	mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L

			Zinc SWL		mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: D/M/Y Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride Chromium		mg/L mg/L mg/L mg/L mg/L mg/L

		Published: 27/10/2020	Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			<p>pH</p> <p>Sulfate</p> <p>Vanadium</p> <p>Zinc</p> <p>SWL</p>		<p>pH Unit</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>m</p>
--	--	--	---	--	---

[SEPTEMBER] [2020] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 7/9/20	Arsenic	0.01	mg/L
			Barium	0.023	mg/L
		Obtained: 9/10/20 Published: 27/10/2020	Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	8710	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	30900	µS/cm
			Copper	0.03	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.242	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.018	mg/L
			pH	7.53	pH Unit
		Sulfate	3720	mg/L	
		Vanadium	0.1	mg/L	
Zinc	0.099	mg/L			
SWL	10.22	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 7/9/20	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
		Obtained: 9/10/20 Published: 27/10/2020	Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	6690	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	32800	µS/cm
			Copper	0.028	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.217	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.32	pH Unit
		Sulfate	12100	mg/L	
		Vanadium	0.1	mg/L	
Zinc	0.05	mg/L			
SWL	13.69	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: 28/9/20 Obtained: Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.02	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 28/9/20 Obtained: Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	17.46	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 14/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.01 0.012 0.01 0.001 10700 0.01 0.01 32400	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Vanadium Zinc SWL	18.35	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 28/9/20 Obtained: Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 28/9/20 Obtained: Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 28/9/20 Obtained:	Arsenic Barium Beryllium Cadmium Chloride	25	mg/L mg/L mg/L mg/L mg/L

		Published: 27/10/2020	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	22.97	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 8/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.012 0.001 0.0341 3620 0.001 0.169 16400 0.048 0.09 0.002 8.41 0.0001 0.017 7.23 3600 0.01 0.372 17.02	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 8/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.001 0.028 0.001 0.0002 8120 0.006 0.026 27000 0.011 1.17 0.001 0.753 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.014	mg/L
			pH	7.47	pH Unit
			Sulfate	2590	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.031	mg/L
			SWL	13.87	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 8/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic	0.058	mg/L
			Barium	0.01	mg/L
			Beryllium	0.107	mg/L
			Cadmium	4.04	mg/L
			Chloride	2400	mg/L
			Chromium	0.235	mg/L
			Cobalt	58.6	mg/L
			Conductivity (EC)	33500	µS/cm
			Copper	253	mg/L
			Iron	145	mg/L
			Lead	0.01	mg/L
			Manganese	561	mg/L
			Mercury	0.0001	mg/L
			Nickel	20.3	mg/L
			pH	3.69	pH Unit
			Sulfate	36900	mg/L
			Vanadium	0.18	mg/L
			Zinc	278	mg/L
			SWL	11.13	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 8/9/20 Obtained: DRY Published: 27/10/2020	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	10.32	m
EPA ID No. 17 -	Monthly	Sampled: 15/9/20	Arsenic	0.018	mg/L
			Barium	0.01	mg/L

GIP293		Obtained: 9/10/20 Published: 27/10/2020	Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.016 1.94 5130 0.015 21.7 41500 37.8 0.22 0.01 402 0.0002 8.45 4.23 27400 0.1 86.3 17.73	mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 18 - GIP294	Monthly	Sampled: 14/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.036 0.01 0.978 2500 0.01 9.98 33500 25.1 0.16 0.01 76 0.0001 3.65 6.92 19700 0.1 54.4 19.15	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	Sampled: 8/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron	0.001 0.043 0.001 0.0001 8950 0.001 0.003 30500 0.008 0.05	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L

			Lead	0.001	mg/L
			Manganese	0.479	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.006	mg/L
			pH	7.51	pH Unit
			Sulfate	2690	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.012	mg/L
			SWL	19.14	m
EPA ID No. 20 - GIP296	Monthly	Sampled: 8/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic	0.001	mg/L
			Barium	0.014	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0015	mg/L
			Chloride	1740	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.02	mg/L
			Conductivity (EC)	14800	µS/cm
			Copper	0.099	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.208	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.82	pH Unit
			Sulfate	4610	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.139	mg/L
			SWL	10.34	m
EPA ID No. 21 - GIP297	Monthly	Sampled: 28/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic	0.005	mg/L
			Barium	0.001	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0003	mg/L
			Chloride	102	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.004	mg/L
			Conductivity (EC)	1090	µS/cm
			Copper	0.043	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.049	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.74	pH Unit
			Sulfate	231	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.046	mg/L

			SWL	28.02	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 28/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic	0.001	mg/L
			Barium	0.004	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0003	mg/L
			Chloride	9820	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	31800	µS/cm
			Copper	0.013	mg/L
			Iron	0.06	mg/L
			Lead	0.001	mg/L
			Manganese	0.093	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.54	pH Unit
			Sulfate	2820	mg/L
			Vanadium	0.01	mg/L
Zinc	0.005	mg/L			
SWL	23.35	m			
EPA ID No. 23 - GIP299	Monthly	Sampled: 15/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0026	mg/L
			Chloride	6840	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	33300	µS/cm
			Copper	0.01	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.347	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.48	pH Unit
			Sulfate	12600	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	33.19	m			
EPA ID No. 24 - GIP300	Monthly	Sampled: 15/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic	0.01	mg/L
			Barium	0.034	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0011	mg/L
			Chloride	9640	mg/L
			Chromium	0.201	mg/L
Cobalt	0.01	mg/L			

			Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	31800 0.027 0.26 0.01 0.196 0.0001 0.678 7.72 3180 0.1 0.08 23.98	µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 15/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.016 0.001 0.0011 1410 0.001 0.001 6970 0.026 0.05 0.001 0.035 0.0001 0.004 7.67 1290 0.01 0.07 17.83	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 15/9/20 Obtained: 9/10/20 Published: 27/10/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH	0.01 0.01 0.01 0.0362 6500 0.056 0.2 29800 0.537 0.28 0.01 13.2 0.0001 0.689 7.43	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

			Sulfate	9640	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.567	mg/L
			SWL	22.09	m