



# Tritton and Girilambone Operations

## Monthly Environmental Monitoring Report

[April] [2021]

---

### **Environmental Protection License 11254**

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

*<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>*

### **Environmental Protection License 4501**

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

*<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>*

**[APRIL] [2021] – GROUNDWATER MONITORING REPORT**  
**TRITTON OPERATIONS LICENCE NO.11254**

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled:  Obtained:  Published: 5/10/2021	Arsenic		mg/L <sup>1</sup>
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm <sup>2</sup>
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL		m <sup>3</sup>			
EPA ID No. 13 - PZH002	Quarterly	Sampled  Obtained:  Published: 5/10/2021	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit

<sup>1</sup> Milligrams per litre

<sup>2</sup> Microsiemens per centimetre

<sup>3</sup> Metres

			Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled:  Obtained:  Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled:  Obtained:  Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled:  Obtained: 11/12/18	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		Published: 5/10/2021	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled:  Obtained:  Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled:  Obtained:  Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled:  Obtained:  Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled:  Obtained:  Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m

EPA ID No. 22 - PZH013	Quarterly	Sampled:  Obtained:  Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled:  Obtained:  Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled:  Obtained:  Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: 27/04/2021 Obtained: 12/5/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.031 0.001 0.0001 3360 0.001 0.001 12100 0.002 1.78 0.001 0.068 0.0001 0.001 7.93 907 0.01 0.005 45.31	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: 27/04/2021 Obtained: 12/5/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate	0.001 0.032 0.001 0.0001 8040 0.001 0.002 25700 0.006 0.52 0.001 0.442 0.0001 0.003 7.8 2580	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium	0.01	mg/L
			Zinc	0.014	mg/L
			SWL	20.48	m
EPA ID No. 27 - PZH019	Quarterly	Sampled: 27/04/2021 Obtained: 12/5/21 Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.03	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	5720	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.002	mg/L
			Conductivity (EC)	18900	µS/cm
			Copper	0.008	mg/L
			Iron	0.63	mg/L
			Lead	0.001	mg/L
			Manganese	0.242	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.8	pH Unit
			Sulfate	1700	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.015	mg/L
			SWL	96.59	m
EPA ID No. 28 - PZH020	Quarterly	Sampled: 27/04/2021 Obtained: 12/5/21 Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.01	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	3590	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	13000	µS/cm
			Copper	0.003	mg/L
			Iron	0.07	mg/L
			Lead	0.001	mg/L
			Manganese	0.014	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.67	pH Unit
			Sulfate	1090	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.013	mg/L
			SWL	72.98	m
EPA ID No. 29 - PZH021	Quarterly	Sampled: 27/04/2021 Obtained: 12/5/21 Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.069	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	4700	mg/L



			Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.001 16000 0.001 6.69 0.001 1.29 0.0001 0.001 7.74 1500 0.01 0.005 48.11	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
--	--	--	--	--	--

**[MARCH] [2021] – GROUNDWATER MONITORING REPORT**  
**GIRILAMBONE OPERATIONS LICENCE NO.4501**

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 14/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.07	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0009	mg/L
			Chloride	5870	mg/L
			Chromium	0.062	mg/L
			Cobalt	0.006	mg/L
			Conductivity (EC)	20500	µS/cm
			Copper	0.034	mg/L
			Iron	0.33	mg/L
			Lead	0.003	mg/L
			Manganese	0.167	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.152	mg/L
			pH	7.79	pH Unit
			Sulfate	2650	mg/L
			Vanadium	0.01	mg/L
Zinc	0.066	mg/L			
SWL	8.34	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 14/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	7020	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	32400	µS/cm
			Copper	0.022	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.264	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.5	pH Unit
			Sulfate	11300	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	13.19	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: 15/04/2021 Obtained: 12/5/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.009 0.001 0.0003 8230 0.001 0.016 26400 0.009 0.28 0.014 0.035 0.0001 0.022 7.76 2390 0.01 0.29 24.66	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 13/04/2021 Obtained: 12/5/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.023 0.01 0.0013 10600 0.01 0.015 33200 0.093 0.78 0.094 0.207 0.0001 0.013 7.71 3340 0.1 0.217 17.41	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 21/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.01 0.01 0.01 0.001 10200 0.01 0.01 32200	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper	0.01	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.025	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.68	pH Unit
			Sulfate	3160	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	19.51	m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 13/04/2021 Obtained: 12/5/21 Published: 5/10/2021	Arsenic	0.01	mg/L
			Barium	0.021	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0022	mg/L
			Chloride	8980	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	28500	µS/cm
			Copper	0.145	mg/L
			Iron	0.46	mg/L
			Lead	0.052	mg/L
			Manganese	0.118	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.015	mg/L
			pH	7.75	pH Unit
			Sulfate	2820	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.213	mg/L
			SWL	21.36	m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 20/04/2021 Obtained: 12/5/21 Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.049	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0002	mg/L
			Chloride	24	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.004	mg/L
			Conductivity (EC)	482	µS/cm
			Copper	0.014	mg/L
			Iron	1.81	mg/L
			Lead	0.024	mg/L
			Manganese	0.228	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.003	mg/L
			pH	7.05	pH Unit
			Sulfate	1	mg/L

			Vanadium	0.01	mg/L
			Zinc	0.128	mg/L
			SWL	18.25	m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 20/04/2021 Obtained: 12/5/21 Published: 5/10/2021	Arsenic	0.006	mg/L
			Barium	0.017	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0003	mg/L
			Chloride	8330	mg/L
			Chromium	0.006	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	26600	µS/cm
			Copper	0.006	mg/L
			Iron	0.1	mg/L
			Lead	0.003	mg/L
			Manganese	0.004	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.018	mg/L
			pH	7.61	pH Unit
			Sulfate	2570	mg/L
			Vanadium	0.01	mg/L
Zinc	0.018	mg/L			
SWL	25.77	m			
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 13/04/2021 Obtained: 12/5/21 Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.029	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0004	mg/L
			Chloride	8890	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	27400	µS/cm
			Copper	0.027	mg/L
			Iron	0.11	mg/L
			Lead	0.001	mg/L
			Manganese	0.016	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.003	mg/L
			pH	7.67	pH Unit
			Sulfate	2650	mg/L
			Vanadium	0.01	mg/L
Zinc	0.048	mg/L			
SWL	25.02	m			
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 13/04/2021 Obtained: 12/5/21 Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.035	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0006	mg/L
			Chloride	5490	mg/L

			Chromium	0.001	mg/L
			Cobalt	0.004	mg/L
			Conductivity (EC)	18200	µS/cm
			Copper	0.041	mg/L
			Iron	0.38	mg/L
			Lead	0.001	mg/L
			Manganese	0.075	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.006	mg/L
			pH	7.94	pH Unit
			Sulfate	1680	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.165	mg/L
			SWL	22.55	m
EPA ID No. 12 - GIP290	Monthly	Sampled: 26/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.018	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.025	mg/L
			Chloride	3680	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.16	mg/L
			Conductivity (EC)	16600	µS/cm
			Copper	0.151	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	7.63	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.017	mg/L
			pH	7.36	pH Unit
			Sulfate	4080	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.333	mg/L
			SWL	15.48	m
EPA ID No. 13 - GIP291	Monthly	Sampled: 26/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.028	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0028	mg/L
			Chloride	8260	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.025	mg/L
			Conductivity (EC)	26600	µS/cm
			Copper	0.04	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.441	mg/L
			Mercury	0.0001	mg/L

			Nickel	0.014	mg/L
			pH	7.53	pH Unit
			Sulfate	2870	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.107	mg/L
			SWL	11.69	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 15/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.054	mg/L
			Barium	0.01	mg/L
			Beryllium	0.12	mg/L
			Cadmium	3.89	mg/L
			Chloride	2280	mg/L
			Chromium	0.236	mg/L
			Cobalt	57.6	mg/L
			Conductivity (EC)	32500	µS/cm
			Copper	243	mg/L
			Iron	151	mg/L
			Lead	0.01	mg/L
			Manganese	528	mg/L
			Mercury	0.0001	mg/L
			Nickel	20.5	mg/L
			pH	3.57	pH Unit
			Sulfate	42800	mg/L
			Vanadium	0.19	mg/L
			Zinc	277	mg/L
			SWL	9.97	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 15/04/2021 Obtained: DRY Published: 5/10/2021	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	10.32	m



EPA ID No. 17 - GIP293	Monthly	Sampled: 20/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.028	mg/L
			Barium	0.01	mg/L
			Beryllium	0.015	mg/L
			Cadmium	2.17	mg/L
			Chloride	4650	mg/L
			Chromium	0.022	mg/L
			Cobalt	26.6	mg/L
			Conductivity (EC)	42000	µS/cm
			Copper	44.7	mg/L
			Iron	0.47	mg/L
			Lead	0.01	mg/L
			Manganese	440	mg/L
			Mercury	0.0002	mg/L
			Nickel	10.5	mg/L
			pH	4.14	pH Unit
			Sulfate	43400	mg/L
			Vanadium	0.1	mg/L
Zinc	106	mg/L			
SWL	16.81	m			
EPA ID No. 18 - GIP294	Monthly	Sampled: 20/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.01	mg/L
			Barium	0.013	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.614	mg/L
			Chloride	2480	mg/L
			Chromium	0.01	mg/L
			Cobalt	7.13	mg/L
			Conductivity (EC)	32300	µS/cm
			Copper	17.2	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	48.2	mg/L
			Mercury	0.0002	mg/L
			Nickel	2.68	mg/L
			pH	6.95	pH Unit
			Sulfate	18900	mg/L
			Vanadium	0.1	mg/L
Zinc	36.9	mg/L			
SWL	15.38	m			
EPA ID No. 19 - GIP295	Monthly	Sampled: 15/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.01	mg/L
			Barium	0.043	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	9320	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
Conductivity (EC)	29900	µS/cm			

			Copper	0.014	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.42	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.82	pH Unit
			Sulfate	2820	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	19.02	m
EPA ID No. 20 - GIP296	Monthly	Sampled: 15/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.018	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0038	mg/L
			Chloride	1720	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.05	mg/L
			Conductivity (EC)	14900	µS/cm
			Copper	0.146	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.736	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.026	mg/L
			pH	7.88	pH Unit
			Sulfate	5650	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.243	mg/L
			SWL	9.64	m
EPA ID No. 21 - GIP297	Monthly	Sampled: 26/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.005	mg/L
			Barium	0.002	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0002	mg/L
			Chloride	105	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.002	mg/L
			Conductivity (EC)	1140	µS/cm
			Copper	0.03	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.066	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	8.02	pH Unit
			Sulfate	216	mg/L

			Vanadium	0.01	mg/L
			Zinc	0.043	mg/L
			SWL	25.86	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 27/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	9830	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	30700	µS/cm
			Copper	0.011	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.08	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.79	pH Unit
			Sulfate	2940	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	22.22	m			
EPA ID No. 23 - GIP299	Monthly	Sampled: 21/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0027	mg/L
			Chloride	6630	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	32800	µS/cm
			Copper	0.01	mg/L
			Iron	0.19	mg/L
			Lead	0.01	mg/L
			Manganese	0.274	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.59	pH Unit
			Sulfate	12400	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	33.78	m			
EPA ID No. 24 - GIP300	Monthly	Sampled: 21/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.01	mg/L
			Barium	0.039	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0023	mg/L
			Chloride	10700	mg/L

			Chromium	0.029	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	34000	µS/cm
			Copper	0.028	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.119	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.378	mg/L
			pH	7.99	pH Unit
			Sulfate	3590	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.058	mg/L
			SWL	22.87	m
EPA ID No. 25 - GIP301	Monthly	Sampled: 20/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.012	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0005	mg/L
			Chloride	1350	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	7250	µS/cm
			Copper	0.013	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.005	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	8.08	pH Unit
			Sulfate	1180	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.044	mg/L
			SWL	15.59	m
EPA ID No. 26 - GIP302	Monthly	Sampled: 20/04/2021 Obtained: 11/5/21 Published: 5/10/2021	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0256	mg/L
			Chloride	7410	mg/L
			Chromium	0.034	mg/L
			Cobalt	0.178	mg/L
			Conductivity (EC)	29600	µS/cm
			Copper	0.49	mg/L
			Iron	0.28	mg/L
			Lead	0.01	mg/L
			Manganese	8.2	mg/L
			Mercury	0.0001	mg/L

			Nickel	0.291	mg/L
			pH	7.68	pH Unit
			Sulfate	7520	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.521	mg/L
			SWL	19.19	m