



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[August] [2021]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[AUGUST] [2021] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: 10/8/21	Arsenic	0.001	mg/L ¹
			Barium	0.01	mg/L
		Obtained: 31/8/21	Beryllium	0.001	mg/L
			Cadmium	0.0002	mg/L
			Chloride	3650	mg/L
			Chromium	0.001	mg/L
		Published: 5/10/2021	Cobalt	0.001	mg/L
			Conductivity (EC)	14200	µS/cm ²
			Copper	0.012	mg/L
			Iron	0.1	mg/L
			Lead	0.001	mg/L
			Manganese	0.002	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.73	pH Unit
			Sulfate	2190	mg/L
Vanadium	0.01	mg/L			
Zinc	0.036	mg/L			
SWL	13.98	m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled: 10/8/21	Arsenic	0.001	mg/L
			Barium	0.015	mg/L
		Obtained: 31/8/21	Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	3090	mg/L
			Chromium	0.001	mg/L
		Published: 5/10/2021	Cobalt	0.001	mg/L
			Conductivity (EC)	12400	µS/cm
			Copper	0.003	mg/L
			Iron	0.23	mg/L
			Lead	0.001	mg/L
			Manganese	0.2	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.61	pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate	1950	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.011	mg/L
			SWL	34.33	m
EPA ID No. 14 - PZH003	Quarterly	Sampled: 10/8/21	Arsenic	0.001	mg/L
			Barium	0.022	mg/L
		Obtained: 31/8/21	Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	5020	mg/L
			Chromium	0.001	mg/L
		Published: 5/10/2021	Cobalt	0.002	mg/L
			Conductivity (EC)	17700	µS/cm
			Copper	0.001	mg/L
			Iron	0.58	mg/L
			Lead	0.001	mg/L
			Manganese	0.28	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.6	pH Unit
			Sulfate	2270	mg/L
Vanadium	0.01	mg/L			
Zinc	0.019	mg/L			
SWL	62.79	m			
EPA ID No. 15 - PZH004	Quarterly	Sampled: 10/8/21	Arsenic		mg/L
			Barium		mg/L
		Obtained: DRY	Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 5/10/2021	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
Vanadium		mg/L			
Zinc		mg/L			
SWL		m			
EPA ID No. 16 - PZH005	Quarterly	Sampled: 10/8/21	Arsenic	0.002	mg/L
			Barium	0.012	mg/L
		Obtained:	Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L

		31/8/21 Published: 5/10/2021	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	4480 0.001 0.002 14800 0.013 0.07 0.001 0.132 0.0001 0.034 7.51 1190 0.01 0.023 14.27	mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: 10/8/21 Obtained: 31/8/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.005 0.023 0.001 0.0001 2570 0.001 0.008 10300 0.012 0.09 0.002 0.238 0.0001 0.006 7.17 2130 0.01 0.032 38.69	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID	Quarterly	Sampled:	Arsenic		mg/L

No. 22 - PZH013		D/M/Y Obtained: D/M/Y Published: 5/10/2021	Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L

			Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L

			Zinc SWL		mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: D/M/Y Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride Chromium		mg/L mg/L mg/L mg/L mg/L mg/L

		Published: 5/10/2021	Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			<p>pH</p> <p>Sulfate</p> <p>Vanadium</p> <p>Zinc</p> <p>SWL</p>		<p>pH Unit</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>m</p>
--	--	--	---	--	---

[AUGUST] [2021] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 16/8/21	Arsenic	0.006	mg/L
			Barium	0.045	mg/L
			Beryllium	0.001	mg/L
		Obtained: 31/8/21	Cadmium	0.0009	mg/L
			Chloride	5490	mg/L
			Chromium	0.016	mg/L
		Published: 5/10/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	20000	µS/cm
			Copper	0.032	mg/L
			Iron	0.11	mg/L
			Lead	0.002	mg/L
			Manganese	0.198	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.245	mg/L
			pH	7.89	pH Unit
			Sulfate	2700	mg/L
Vanadium	0.01	mg/L			
Zinc	0.077	mg/L			
SWL	8.52	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 17/8/21	Arsenic	0.013	mg/L
			Barium	0.004	mg/L
			Beryllium	0.001	mg/L
		Obtained: 31/8/21	Cadmium	0.0005	mg/L
			Chloride	6380	mg/L
			Chromium	0.001	mg/L
		Published: 5/10/2021	Cobalt	0.008	mg/L
			Conductivity (EC)	30600	µS/cm
			Copper	0.054	mg/L
			Iron	0.18	mg/L
			Lead	0.003	mg/L
			Manganese	0.231	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.005	mg/L
			pH	7.55	pH Unit
			Sulfate	11600	mg/L
Vanadium	0.01	mg/L			
Zinc	0.062	mg/L			
SWL	13.39	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 23/8/21 Obtained: 31/8/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.001 0.012 0.001 0.0007 9250 0.001 0.004 30800	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.029 0.26 0.003 0.097 0.0001 0.004 7.69 3040 0.01 0.051 19.29	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L
EPA ID No. 6 - GIP276	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL		mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: D/M/Y Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		Published: 5/10/2021	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 23/8/21 Obtained: 31/8/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.003 0.016 0.001 0.0248 3390 0.001 0.167 15900 0.154 0.06 0.001 7.88 0.0001 0.017 7.44 3880 0.01 0.383 15.39	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 23/8/21 Obtained: 31/8/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.003 0.025 0.001 0.0023 7540 0.001 0.024 25300 0.078 0.12 0.002 0.33 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.014	mg/L
			pH	7.71	pH Unit
			Sulfate	2660	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.154	mg/L
			SWL	11.12	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 12/8/21 Obtained: 31/8/21 Published: 5/10/2021	Arsenic	0.078	mg/L
			Barium	0.01	mg/L
			Beryllium	0.108	mg/L
			Cadmium	3.83	mg/L
			Chloride	1960	mg/L
			Chromium	0.224	mg/L
			Cobalt	62.5	mg/L
			Conductivity (EC)	30800	µS/cm
			Copper	277	mg/L
			Iron	132	mg/L
			Lead	0.01	mg/L
			Manganese	563	mg/L
			Mercury	0.0001	mg/L
			Nickel	21.1	mg/L
			pH	3.62	pH Unit
			Sulfate	36100	mg/L
			Vanadium	0.17	mg/L
			Zinc	298	mg/L
			SWL	9.62	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 12/8/21 Obtained: DRY Published: 5/10/2021	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	10.31	m
EPA ID No. 17 -	Monthly	Sampled: 20/8/21	Arsenic	0.068	mg/L
			Barium	0.01	mg/L

GIP293		Obtained: 31/8/21 Published: 5/10/2021	Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.034 3.07 3690 0.01 45.1 39100 103 0.22 0.01 634 0.0006 16 3.94 37500 0.1 186 15.59	mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 18 - GIP294	Monthly	Sampled: 12/8/21 Obtained: 31/8/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	9.53 9.41 8.37 2.5 2360 8.77 13 29000 17.8 0.14 8.94 37 0.0001 10.5 7.02 17600 9.47 27.7 13.67	mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	Sampled: 12/8/21 Obtained: 31/8/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron	0.01 0.041 0.01 0.001 8500 0.01 0.01 28600 0.021 0.1	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L

			Lead	0.01	mg/L
			Manganese	0.487	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.62	pH Unit
			Sulfate	2740	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	19.01	m
EPA ID No. 20 - GIP296	Monthly	Sampled: 12/8/21	Arsenic	0.004	mg/L
			Barium	0.014	mg/L
		Obtained: 31/8/21	Beryllium	0.001	mg/L
			Cadmium	0.0032	mg/L
		Published: 5/10/2021	Chloride	1530	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.046	mg/L
			Conductivity (EC)	14600	µS/cm
			Copper	0.136	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.647	mg/L
			Mercury	0.0001	mg/L
		Nickel	0.022	mg/L	
		pH	7.99	pH Unit	
		Sulfate	5530	mg/L	
		Vanadium	0.01	mg/L	
Zinc	0.204	mg/L			
SWL	8.11	m			
EPA ID No. 21 - GIP297	Monthly	Sampled: 20/8/21	Arsenic	0.006	mg/L
			Barium	0.001	mg/L
		Obtained: 31/8/21	Beryllium	0.001	mg/L
			Cadmium	0.0003	mg/L
		Published: 5/10/2021	Chloride	106	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.003	mg/L
			Conductivity (EC)	1150	µS/cm
			Copper	0.041	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.067	mg/L
			Mercury	0.0001	mg/L
		Nickel	0.002	mg/L	
		pH	7.65	pH Unit	
		Sulfate	220	mg/L	
		Vanadium	0.01	mg/L	
Zinc	0.052	mg/L			

			SWL	26.07	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 23/08/21	Arsenic	0.002	mg/L
			Barium	0.008	mg/L
			Beryllium	0.001	mg/L
		Obtained: 31/8/21	Cadmium	0.0006	mg/L
			Chloride	9460	mg/L
			Chromium	0.001	mg/L
		Published: 5/10/2021	Cobalt	0.002	mg/L
			Conductivity (EC)	29400	µS/cm
			Copper	0.033	mg/L
			Iron	0.06	mg/L
			Lead	0.001	mg/L
			Manganese	0.074	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.74	pH Unit
			Sulfate	3000	mg/L
			Vanadium	0.01	mg/L
Zinc	0.06	mg/L			
SWL	22.25	m			
EPA ID No. 23 - GIP299	Monthly	Sampled: 20/8/21	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 31/8/21	Cadmium	0.0036	mg/L
			Chloride	6130	mg/L
			Chromium	0.01	mg/L
		Published: 5/10/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	31800	µS/cm
			Copper	0.01	mg/L
			Iron	0.12	mg/L
			Lead	0.01	mg/L
			Manganese	0.3	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.54	pH Unit
			Sulfate	12100	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	34.29	m			
EPA ID No. 24 - GIP300	Monthly	Sampled: 20/8/21	Arsenic	0.01	mg/L
			Barium	0.033	mg/L
		Obtained: 31/8/21	Beryllium	0.01	mg/L
			Cadmium	0.0023	mg/L
			Chloride	9930	mg/L
		Published:	Chromium	0.036	mg/L
			Cobalt	0.01	mg/L

		5/10/2021	Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	33000 0.022 0.1 0.01 0.077 0.0001 0.052 7.49 4520 0.1 0.05 22.11	µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 20/8/21 Obtained: 31/8/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.072 0.019 0.001 0.008 1930 0.001 0.003 9190 0.054 0.05 0.001 0.378 0.0001 0.022 7.86 1360 0.01 0.304 14.97	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 20/8/21 Obtained: 31/8/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH	0.005 0.006 0.001 0.0049 7770 0.08 0.059 28700 0.409 0.26 0.003 1.04 0.0001 0.171 7.63	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

			Sulfate	5690	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.301	mg/L
			SWL	17.95	m