



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[May] [2021]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[MAY] [2021] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: 14/05/2021	Arsenic	0.002	mg/L ¹
			Barium	0.01	mg/L
		Obtained: Published: 5/10/2021	Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	3480	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	12400	µS/cm ²
			Copper	0.01	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.001	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.73	pH Unit
		Sulfate	2210	mg/L	
		Vanadium	0.01	mg/L	
Zinc	0.029	mg/L			
SWL	13.94	m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled 14/05/2021	Arsenic	0.001	mg/L
			Barium	0.016	mg/L
		Obtained: Published: 5/10/2021	Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	2950	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	11200	µS/cm
			Copper	0.005	mg/L
			Iron	0.82	mg/L
			Lead	0.001	mg/L
			Manganese	0.219	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.61	pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate	1950	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.014	mg/L
			SWL	34.26	m
EPA ID No. 14 - PZH003	Quarterly	Sampled: 14/05/2021 Obtained: Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.023	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	4670	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.002	mg/L
			Conductivity (EC)	16400	µS/cm
			Copper	0.002	mg/L
			Iron	0.6	mg/L
			Lead	0.001	mg/L
			Manganese	0.245	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.003	mg/L
			pH	7.54	pH Unit
			Sulfate	2250	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.017	mg/L
			SWL	62.71	m
EPA ID No. 15 - PZH004	Quarterly	Sampled: 14/5/21 Obtained: DRY Published: 5/10/2021	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 16 - PZH005	Quarterly	Sampled: 14/05/2021 Obtained:	Arsenic	0.003	mg/L
			Barium	0.013	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L

		Published: 5/10/2021	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	4250 0.001 0.002 13100 0.014 0.07 0.001 0.13 0.0001 0.037 7.44 1220 0.01 0.031 14.21	mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: 14/05/2021 Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.002 0.023 0.001 0.0007 2430 0.001 0.018 9080 0.036 0.06 0.001 0.36 0.0001 0.007 7.23 2130 0.01 0.077 38.66	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m

EPA ID No. 22 - PZH013	Quarterly	Sampled: Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL		mg/L mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

			Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
--	--	--	--	--	--

[MARCH] [2021] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 26/05/2021 Obtained: 10/6/21 Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.076	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0006	mg/L
			Chloride	3050	mg/L
			Chromium	0.062	mg/L
			Cobalt	0.008	mg/L
			Conductivity (EC)	10600	µS/cm
			Copper	0.033	mg/L
			Iron	0.11	mg/L
			Lead	0.002	mg/L
			Manganese	0.183	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.14	mg/L
			pH	7.75	pH Unit
			Sulfate	1490	mg/L
			Vanadium	0.01	mg/L
Zinc	0.075	mg/L			
SWL	8.34	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 26/05/2021 Obtained: 10/6/21 Published: 5/10/2021	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	6060	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	27600	µS/cm
			Copper	0.03	mg/L
			Iron	0.18	mg/L
			Lead	0.01	mg/L
			Manganese	0.246	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.49	pH Unit
			Sulfate	9470	mg/L
			Vanadium	0.1	mg/L
Zinc	0.069	mg/L			
SWL	13.28	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: 28/05/2021 Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	24.71	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 28/05/2021 Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	17.59	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 30/05/2021 Obtained: 23/6/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.010 0.010 0.010 0.010 9770 0.010 0.010 31700	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.010 0.010 0.010 0.001 0.010 7.15 3080 0.010 0.050 19.57	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 28/05/2021 Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	21.41	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 28/05/2021 Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL	18.21	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 28/05/2021 Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.79	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 28/05/2021 Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.11	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: Obtained: Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

			Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 26/05/2021 Obtained: 10/6/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.012 0.001 0.0248 3270 0.001 0.168 13800 0.154 0.05 0.001 8.86 0.0001 0.018 7.27 3610 0.01 0.344 15.54	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 25/05/2021 Obtained: 10/6/21 Published: 5/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.01 0.023 0.01 0.0024 7270 0.01 0.02 22600 0.043 0.1 0.01 0.452 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.017	mg/L
			pH	7.54	pH Unit
			Sulfate	2500	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.144	mg/L
			SWL	11.74	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 13/05/2021 Obtained: 10/6/21 Published: 5/10/2021	Arsenic	0.063	mg/L
			Barium	0.01	mg/L
			Beryllium	0.124	mg/L
			Cadmium	4.08	mg/L
			Chloride	1850	mg/L
			Chromium	0.257	mg/L
			Cobalt	58.8	mg/L
			Conductivity (EC)	27000	µS/cm
			Copper	256	mg/L
			Iron	139	mg/L
			Lead	0.01	mg/L
			Manganese	532	mg/L
			Mercury	0.0001	mg/L
			Nickel	21.7	mg/L
			pH	3.53	pH Unit
			Sulfate	38200	mg/L
			Vanadium	0.14	mg/L
			Zinc	287	mg/L
			SWL	9.92	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 13/05/2021 Obtained: DRY Published: 5/10/2021	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	10.31	m

EPA ID No. 17 - GIP293	Monthly	Sampled: 25/05/2021 Obtained: 10/6/21 Published: 5/10/2021	Arsenic	0.054	mg/L
			Barium	0.01	mg/L
			Beryllium	0.028	mg/L
			Cadmium	2.92	mg/L
			Chloride	3750	mg/L
			Chromium	0.011	mg/L
			Cobalt	40.9	mg/L
			Conductivity (EC)	33200	µS/cm
			Copper	76.3	mg/L
			Iron	0.89	mg/L
			Lead	0.01	mg/L
			Manganese	553	mg/L
			Mercury	0.0004	mg/L
			Nickel	14.6	mg/L
			pH	3.98	pH Unit
			Sulfate	38600	mg/L
			Vanadium	0.1	mg/L
Zinc	153	mg/L			
SWL	16.88	m			
EPA ID No. 18 - GIP294	Monthly	Sampled: Obtained: 10/6/21 Published: 5/10/2021	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.374	mg/L
			Chloride	2340	mg/L
			Chromium	0.10	mg/L
			Cobalt	4.5	mg/L
			Conductivity (EC)	29100	µS/cm
			Copper	8.98	mg/L
			Iron	0.10	mg/L
			Lead	0.10	mg/L
			Manganese	29.1	mg/L
			Mercury	0.0002	mg/L
			Nickel	1.69	mg/L
			pH	6.14	pH Unit
			Sulfate	19300	mg/L
			Vanadium	0.10	mg/L
Zinc	19.4	mg/L			
SWL	15.45	m			
EPA ID No. 19 - GIP295	Monthly	Sampled: 26/05/2021 Obtained: 10/6/21 Published: 5/10/2021	Arsenic	0.01	mg/L
			Barium	0.043	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	8420	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
Conductivity (EC)	25600	µS/cm			

			Copper	0.01	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.442	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.54	pH Unit
			Sulfate	2580	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.156	mg/L
			SWL	19.11	m
EPA ID No. 20 - GIP296	Monthly	Sampled: 26/05/2021 Obtained: 10/6/21 Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.017	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0039	mg/L
			Chloride	1590	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.051	mg/L
			Conductivity (EC)	12900	µS/cm
			Copper	0.147	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.77	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.025	mg/L
			pH	7.78	pH Unit
			Sulfate	4630	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.222	mg/L
			SWL	9.68	m
EPA ID No. 21 - GIP297	Monthly	Sampled: 30/05/2021 Obtained: 23/6/21 Published: 5/10/2021	Arsenic	0.005	mg/L
			Barium	0.001	mg/L
			Beryllium	0.0010	mg/L
			Cadmium	0.0003	mg/L
			Chloride	98	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.002	mg/L
			Conductivity (EC)	1130	µS/cm
			Copper	0.035	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.065	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.30	pH Unit
			Sulfate	214	mg/L

			Vanadium	0.01	mg/L
			Zinc	0.058	mg/L
			SWL	25.91	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 30/05/2021 Obtained: 23/6/21 Published: 5/10/2021	Arsenic	0.010	mg/L
			Barium	0.010	mg/L
			Beryllium	0.010	mg/L
			Cadmium	0.0010	mg/L
			Chloride	9320	mg/L
			Chromium	0.010	mg/L
			Cobalt	0.010	mg/L
			Conductivity (EC)	30000	µS/cm
			Copper	0.014	mg/L
			Iron	0.18	mg/L
			Lead	0.010	mg/L
			Manganese	0.077	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.15	pH Unit
			Sulfate	2900	mg/L
			Vanadium	0.10	mg/L
			Zinc	0.050	mg/L
			SWL	22.28	m
EPA ID No. 23 - GIP299	Monthly	Sampled: 26/05/2021 Obtained: 10/6/21 Published: 5/10/2021	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	5830	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	27200	µS/cm
			Copper	0.01	mg/L
			Iron	0.37	mg/L
			Lead	0.01	mg/L
			Manganese	0.278	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.011	mg/L
			pH	7.42	pH Unit
			Sulfate	11600	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	33.83	m
EPA ID No. 24 - GIP300	Monthly	Sampled: 26/05/2021 Obtained: 10/6/21 Published: 5/10/2021	Arsenic	0.01	mg/L
			Barium	0.024	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0034	mg/L
			Chloride	11600	mg/L

			Chromium	0.063	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	28700	µS/cm
			Copper	0.05	mg/L
			Iron	0.42	mg/L
			Lead	0.01	mg/L
			Manganese	0.136	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.424	mg/L
			pH	7.67	pH Unit
			Sulfate	3240	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.104	mg/L
			SWL	22.95	m
EPA ID No. 25 - GIP301	Monthly	Sampled: 25/05/2021 Obtained: 10/6/21 Published: 5/10/2021	Arsenic	0.001	mg/L
			Barium	0.012	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0008	mg/L
			Chloride	1300	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	6520	µS/cm
			Copper	0.016	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.012	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.78	pH Unit
			Sulfate	1240	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.05	mg/L
			SWL	15.65	m
EPA ID No. 26 - GIP302	Monthly	Sampled: 25/05/2021 Obtained: 10/6/21 Published: 5/10/2021	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0148	mg/L
			Chloride	6650	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.103	mg/L
			Conductivity (EC)	25000	µS/cm
			Copper	0.326	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	4.04	mg/L
			Mercury	0.0001	mg/L

			Nickel	0.159	mg/L
			pH	7.5	pH Unit
			Sulfate	6700	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.412	mg/L
			SWL	19.26	m