



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[September] [2021]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[SEPTEMBER] [2021] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: Obtained: Published: 25/10/2021	Arsenic		mg/L ¹
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm ²
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL		m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled: Obtained: Published: 25/10/2021	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled: Obtained: Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled: Obtained:	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		Published: 25/10/2021	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: Obtained: Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: 13/9/21 Obtained: 27/9/21 Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese	0.016 0.028 0.001 0.0009 4190 0.001 0.005 16300 0.04 0.74 0.001 0.126	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury	0.0001	mg/L
			Nickel	0.006	mg/L
			pH	7.23	pH Unit
			Sulfate	1960	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.072	mg/L
			SWL	42.29	m
EPA ID No. 19 - PZH008	Quarterly	Sampled: 13/9/21	Arsenic	0.016	mg/L
			Barium	0.018	mg/L
			Beryllium	0.001	mg/L
		Obtained: 27/9/21	Cadmium	0.0001	mg/L
			Chloride	3580	mg/L
			Chromium	0.001	mg/L
		Published: 25/10/2021	Cobalt	0.001	mg/L
			Conductivity (EC)	13400	µS/cm
			Copper	0.003	mg/L
			Iron	0.66	mg/L
			Lead	0.001	mg/L
			Manganese	0.053	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.25	pH Unit
			Sulfate	1710	mg/L
			Vanadium	0.01	mg/L
Zinc	0.014	mg/L			
SWL	17.14	m			
EPA ID No. 20 - PZH009	Quarterly	Sampled: 13/9/21	Arsenic	0.001	mg/L
			Barium	0.046	mg/L
			Beryllium	0.001	mg/L
		Obtained: 27/9/21	Cadmium	0.0006	mg/L
			Chloride	4700	mg/L
			Chromium	0.001	mg/L
		Published: 25/10/2021	Cobalt	0.001	mg/L
			Conductivity (EC)	18300	µS/cm
			Copper	0.102	mg/L
			Iron	0.07	mg/L
			Lead	0.001	mg/L
			Manganese	0.099	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.016	mg/L
			pH	7.6	pH Unit
			Sulfate	2110	mg/L
			Vanadium	0.01	mg/L
Zinc	0.106	mg/L			
SWL	12.75	m			

EPA ID No. 22 - PZH013	Quarterly	Sampled: 14/9/21 Obtained: 27/9/21 Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.032 0.068 0.001 0.0005 3820 0.001 0.003 14800 0.04 0.05 0.001 0.37 0.0001 0.013 7.27 1970 0.01 0.027 36.56	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: 14/9/21 Obtained: 27/9/21 Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.004 0.001 0.0001 4180 0.002 0.001 16000 0.009 0.24 0.001 0.012 0.0001 0.002 7.37 1840 0.01 0.015 46.14	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: 14/9/21 Obtained: 27/9/21 Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.001 0.008 0.001 0.0001 4570 0.019 0.001 17900	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.016 0.11 0.001 0.029 0.0001 0.003 7.49 2590 0.01 0.024 50.31	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL		mg/L mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: D/M/Y Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		Published: 25/10/2021	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
--	--	--	--	--	--

[SEPTEMBER] [2021] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 15/9/21	Arsenic	0.001	mg/L
			Barium	0.044	mg/L
			Beryllium	0.001	mg/L
		Obtained: 27/9/21	Cadmium	0.0009	mg/L
			Chloride	6040	mg/L
			Chromium	0.015	mg/L
			Cobalt	0.012	mg/L
			Conductivity (EC)	23100	µS/cm
		Published: 25/10/2021	Copper	0.036	mg/L
			Iron	0.09	mg/L
			Lead	0.001	mg/L
			Manganese	0.22	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.27	mg/L
			pH	7.52	pH Unit
		Sulfate	2870	mg/L	
		Vanadium	0.01	mg/L	
Zinc	0.085	mg/L			
SWL	8.59	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 13/9/21	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 27/9/21	Cadmium	0.001	mg/L
			Chloride	6120	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	30700	µS/cm
		Published: 25/10/2021	Copper	0.061	mg/L
			Iron	0.29	mg/L
			Lead	0.01	mg/L
			Manganese	0.244	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.21	pH Unit
		Sulfate	9800	mg/L	
		Vanadium	0.1	mg/L	
Zinc	0.079	mg/L			
SWL	13.43	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: 22/9/21 Obtained: Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	24.79	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 22/9/21 Obtained: Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	17.51	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 27/9/21 Obtained: 8/10/21 Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.001 0.01 0.001 0.0002 9770 0.001 0.001 30200	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.012 0.2 0.004 0.01 0.0001 0.002 7.27 2960 0.01 0.023 19.34	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 22/9/21 Obtained: Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	21.52	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 22/9/21 Obtained: Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL	18.41	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 22/9/21 Obtained: Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.83	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 22/9/21 Obtained: Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.12	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 22/9/21 Obtained:	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		Published: 25/10/2021	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	22.65	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 27/9/21 Obtained: 8/10/21 Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.013 0.001 0.0238 3640 0.001 0.15 15700 0.131 0.05 0.001 7.67 0.0001 0.015 6.91 3700 0.01 0.348 15.44	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 14/9/21 Obtained: 27/9/21 Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.01 0.023 0.01 0.001 7390 0.01 0.018 26600 0.077 0.22 0.01 0.276 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.01	mg/L
			pH	7.41	pH Unit
			Sulfate	2580	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.115	mg/L
			SWL	11.21	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 14/9/21 Obtained: 27/9/21 Published: 25/10/2021	Arsenic	0.064	mg/L
			Barium	0.01	mg/L
			Beryllium	0.128	mg/L
			Cadmium	3.97	mg/L
			Chloride	1850	mg/L
			Chromium	0.221	mg/L
			Cobalt	61.3	mg/L
			Conductivity (EC)	33700	µS/cm
			Copper	272	mg/L
			Iron	133	mg/L
			Lead	0.01	mg/L
			Manganese	559	mg/L
			Mercury	0.0001	mg/L
			Nickel	20.7	mg/L
			pH	3.64	pH Unit
			Sulfate	45800	mg/L
			Vanadium	0.16	mg/L
			Zinc	293	mg/L
			SWL	9.77	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 14/9/21 Obtained: DRY Published: 25/10/2021	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	10.31	m

EPA ID No. 17 - GIP293	Monthly	Sampled: 15/9/21	Arsenic	0.059	mg/L
			Barium	0.01	mg/L
			Beryllium	0.038	mg/L
		Obtained: 27/9/21	Cadmium	3.13	mg/L
			Chloride	3610	mg/L
			Chromium	0.01	mg/L
		Published: 25/10/2021	Cobalt	45	mg/L
			Conductivity (EC)	41700	µS/cm
			Copper	102	mg/L
			Iron	0.21	mg/L
			Lead	0.015	mg/L
			Manganese	625	mg/L
			Mercury	0.0006	mg/L
			Nickel	15.9	mg/L
			pH	3.92	pH Unit
			Sulfate	44000	mg/L
			Vanadium	0.1	mg/L
Zinc	184	mg/L			
SWL	15.65	m			
EPA ID No. 18 - GIP294	Monthly	Sampled: 15/9/21	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 27/9/21	Cadmium	0.343	mg/L
			Chloride	2310	mg/L
			Chromium	0.01	mg/L
		Published: 25/10/2021	Cobalt	4.08	mg/L
			Conductivity (EC)	30100	µS/cm
			Copper	8.87	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	29.9	mg/L
			Mercury	0.0001	mg/L
			Nickel	1.52	mg/L
			pH	6.62	pH Unit
			Sulfate	17000	mg/L
			Vanadium	0.1	mg/L
Zinc	19.4	mg/L			
SWL	13.75	m			
EPA ID No. 19 - GIP295	Monthly	Sampled: 15/9/21	Arsenic	0.01	mg/L
			Barium	0.041	mg/L
			Beryllium	0.01	mg/L
		Obtained: 27/9/21	Cadmium	0.001	mg/L
			Chloride	8250	mg/L
			Chromium	0.01	mg/L
		Published: 25/10/2021	Cobalt	0.015	mg/L
			Conductivity (EC)	28700	µS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.1 0.01 0.543 0.0001 0.01 7.33 2470 0.1 0.05 18.94	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - GIP296	Monthly	Sampled: 14/9/21 Obtained: 27/9/21 Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.01 0.001 0.0007 869 0.001 0.011 13600 0.041 0.05 0.001 0.143 0.0001 0.008 7.21 5460 0.01 0.062 8.16	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 21 - GIP297	Monthly	Sampled: 27/9/21 Obtained: 8/10/21 Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate	0.005 0.001 0.001 0.0003 108 0.001 0.002 1140 0.035 0.07 0.001 0.06 0.0001 0.002 7.6 220	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium	0.01	mg/L
			Zinc	0.051	mg/L
			SWL	26.12	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 27/9/21 Obtained: 8/10/21 Published: 25/10/2021	Arsenic	0.002	mg/L
			Barium	0.015	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0014	mg/L
			Chloride	5630	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.003	mg/L
			Conductivity (EC)	18300	µS/cm
			Copper	0.026	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.291	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.008	mg/L
			pH	7.73	pH Unit
			Sulfate	1780	mg/L
			Vanadium	0.01	mg/L
Zinc	0.063	mg/L			
SWL	22.31	m			
EPA ID No. 23 - GIP299	Monthly	Sampled: 28/9/21 Obtained: 8/10/21 Published: 25/10/2021	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0026	mg/L
			Chloride	6390	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	31300	µS/cm
			Copper	0.01	mg/L
			Iron	0.13	mg/L
			Lead	0.01	mg/L
			Manganese	0.29	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.05	pH Unit
			Sulfate	12400	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	34.33	m			
EPA ID No. 24 - GIP300	Monthly	Sampled: 28/9/21 Obtained: 8/10/21	Arsenic	0.01	mg/L
			Barium	0.029	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0016	mg/L
			Chloride	10200	mg/L

		Published: 25/10/2021	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.013 0.01 33100 0.01 0.1 0.01 0.049 0.0001 0.034 6.92 3890 0.1 0.05 22.18	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 27/9/21 Obtained: 8/10/21 Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.014 0.001 0.0035 2340 0.001 0.001 9830 0.015 0.05 0.001 0.34 0.0001 0.012 7.49 1400 0.01 0.153 15.03	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 28/9/21 Obtained: 8/10/21 Published: 25/10/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.001 0.006 0.001 0.0053 8070 0.095 0.06 29000 0.392 0.28 0.003 1.06 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.195	mg/L
			pH	7.27	pH Unit
			Sulfate	5290	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.303	mg/L
			SWL	17.98	m