



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[October] [2021]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[OCTOBER] [2021] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: Obtained: Published: 24/11/2021	Arsenic		mg/L ¹
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm ²
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL		m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled: Obtained: Published: 24/11/2021	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled: Obtained: Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled: Obtained:	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		Published: 24/11/2021	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: Obtained: Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m

EPA ID No. 22 - PZH013	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L
EPA ID No. 25 - PZH017	Quarterly	Sampled: 28/10/21 Obtained: 9/11/21 Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.028 0.001 0.0002 3630 0.001 0.004 12000 0.017 0.29 0.001 0.068 0.0001 0.002 8.18 971 0.01 0.033 42.98	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: 28/10/21 Obtained: 9/11/21 Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate	0.001 0.031 0.001 0.0001 8240 0.001 0.003 24800 0.011 0.6 0.001 0.36 0.0001 0.003 8.07 2460	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium	0.01	mg/L
			Zinc	0.021	mg/L
			SWL	20.62	m
EPA ID No. 27 - PZH019	Quarterly	Sampled: 28/10/21	Arsenic	0.001	mg/L
			Barium	0.059	mg/L
			Beryllium	0.001	mg/L
		Obtained: 9/11/21	Cadmium	0.0002	mg/L
			Chloride	6140	mg/L
			Chromium	0.001	mg/L
		Published: 24/11/2021	Cobalt	0.003	mg/L
			Conductivity (EC)	21600	µS/cm
			Copper	0.052	mg/L
			Iron	5.38	mg/L
			Lead	0.001	mg/L
			Manganese	1.08	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	8.11	pH Unit
			Sulfate	2360	mg/L
			Vanadium	0.01	mg/L
Zinc	0.034	mg/L			
SWL	93.76	m			
EPA ID No. 28 - PZH020	Quarterly	Sampled: 27/10/21	Arsenic	0.001	mg/L
			Barium	0.032	mg/L
			Beryllium	0.001	mg/L
		Obtained: 9/11/21	Cadmium	0.0006	mg/L
			Chloride	7850	mg/L
			Chromium	0.001	mg/L
		Published: 24/11/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	23800	µS/cm
			Copper	0.097	mg/L
			Iron	0.64	mg/L
			Lead	0.001	mg/L
			Manganese	0.411	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.006	mg/L
			pH	8.07	pH Unit
			Sulfate	2270	mg/L
			Vanadium	0.01	mg/L
Zinc	0.098	mg/L			
SWL	73.27	m			
EPA ID No. 29 - PZH021	Quarterly	Sampled: 28/10/21	Arsenic	0.001	mg/L
			Barium	0.063	mg/L
			Beryllium	0.001	mg/L
		Obtained: 9/11/21	Cadmium	0.0001	mg/L
			Chloride	4990	mg/L

		Published: 24/11/2021	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.001 15800 0.003 6.28 0.001 1.24 0.0001 0.001 8.01 1500 0.01 0.007 48.27	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: 28/10/21 Obtained: DRY Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: 28/10/21 Obtained: DRY Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
--	--	--	--	--	--

[OCTOBER] [2021] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 27/10/21	Arsenic	0.001	mg/L
			Barium	0.041	mg/L
			Beryllium	0.001	mg/L
		Obtained: 9/11/21	Cadmium	0.0009	mg/L
			Chloride	7770	mg/L
			Chromium	0.013	mg/L
		Published: 24/11/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	25400	µS/cm
			Copper	0.038	mg/L
			Iron	0.05	mg/L
			Lead	0.002	mg/L
			Manganese	0.174	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.249	mg/L
			pH	8.06	pH Unit
			Sulfate	3400	mg/L
			Vanadium	0.01	mg/L
Zinc	0.081	mg/L			
SWL	8.65	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 18/10/21	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 9/11/21	Cadmium	0.001	mg/L
			Chloride	6450	mg/L
			Chromium	0.01	mg/L
		Published: 24/11/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	31600	µS/cm
			Copper	0.042	mg/L
			Iron	0.12	mg/L
			Lead	0.01	mg/L
			Manganese	0.244	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.75	pH Unit
			Sulfate	11100	mg/L
			Vanadium	0.1	mg/L
Zinc	0.061	mg/L			
SWL	13.51	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: 19/10/21	Arsenic	0.001	mg/L
			Barium	0.017	mg/L
		Obtained: 9/11/21	Beryllium	0.001	mg/L
			Cadmium	0.0023	mg/L
		Published: 24/11/2021	Chloride	8370	mg/L
			Chromium	0.002	mg/L
			Cobalt	0.019	mg/L
			Conductivity (EC)	25800	µS/cm
			Copper	0.071	mg/L
			Iron	0.3	mg/L
			Lead	0.038	mg/L
			Manganese	0.173	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.022	mg/L
		pH	7.94	pH Unit	
		Sulfate	2370	mg/L	
Vanadium	0.01	mg/L			
Zinc	0.287	mg/L			
SWL	24.67	m			
EPA ID No. 5 - GIP273	Quarterly	Sampled: 27/10/21	Arsenic	0.001	mg/L
			Barium	0.019	mg/L
		Obtained: 9/11/21	Beryllium	0.001	mg/L
			Cadmium	0.0008	mg/L
		Published: 24/11/2021	Chloride	10700	mg/L
			Chromium	0.005	mg/L
			Cobalt	0.007	mg/L
			Conductivity (EC)	32400	µS/cm
			Copper	0.069	mg/L
			Iron	0.45	mg/L
			Lead	0.053	mg/L
			Manganese	0.088	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.006	mg/L
		pH	7.51	pH Unit	
		Sulfate	3170	mg/L	
Vanadium	0.01	mg/L			
Zinc	0.122	mg/L			
SWL	17.51	m			
EPA ID No. 7 - GIP274	Monthly	Sampled: 27/10/21	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
		Obtained: 9/11/21	Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
		Published: 24/11/2021	Chloride	10400	mg/L
			Chromium	0.01	mg/L
Conductivity (EC)	31400	µS/cm			

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.16 0.01 0.012 0.0001 0.01 7.81 2980 0.1 0.05 19.33	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 15/10/21 Obtained: 9/11/21 Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.012 0.01 0.0037 8710 0.01 0.043 26400 0.276 0.83 0.085 0.406 0.0001 0.022 7.98 2550 0.1 0.369 21.11	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 19/10/21 Obtained: 9/11/21 Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate	0.002 0.045 0.001 0.0002 40 0.001 0.003 591 0.029 1.63 0.022 0.215 0.0001 0.003 7.67 2	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium	0.01	mg/L
			Zinc	0.108	mg/L
			SWL	17.51	m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 19/10/21	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
		Obtained: 9/11/21	Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
		Published: 24/11/2021	Chloride	7590	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	26000	µS/cm
			Copper	0.01	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.01	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.016	mg/L
		pH	7.8	pH Unit	
		Sulfate	2380	mg/L	
Vanadium	0.1	mg/L			
Zinc	0.05	mg/L			
SWL	25.65	m			
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 19/10/21	Arsenic	0.01	mg/L
			Barium	0.028	mg/L
		Obtained: 9/11/21	Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
		Published: 24/11/2021	Chloride	9390	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	26700	µS/cm
			Copper	0.013	mg/L
			Iron	0.14	mg/L
			Lead	0.01	mg/L
			Manganese	0.013	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
		pH	7.83	pH Unit	
		Sulfate	2600	mg/L	
Vanadium	0.1	mg/L			
Zinc	0.057	mg/L			
SWL	24.95	m			
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 25/10/21	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
		Obtained: 9/11/21	Beryllium	0.31	mg/L
			Cadmium	0.04	mg/L
			Chloride	5140	mg/L

		Published: 24/11/2021	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.03 16700 0.026 0.08 0.01 0.093 0.01 0.004 8.21 1450 0.01 0.124 22.65	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 25/10/21 Obtained: 9/11/21 Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.013 0.001 0.025 3500 0.001 0.162 16300 0.152 0.12 0.002 8.32 0.0001 0.016 7.6 3850 0.01 0.362 15.41	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 25/10/21 Obtained: 9/11/21 Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.01 0.014 0.01 0.0018 7500 0.01 0.018 26100 0.114 0.3 0.01 0.244 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.011	mg/L
			pH	7.72	pH Unit
			Sulfate	2710	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.098	mg/L
			SWL	11.34	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 15/10/21	Arsenic	0.074	mg/L
			Barium	0.01	mg/L
		Obtained: 9/11/21	Beryllium	0.123	mg/L
			Cadmium	3.95	mg/L
		Published: 24/11/2021	Chloride	1990	mg/L
			Chromium	0.215	mg/L
			Cobalt	58.4	mg/L
			Conductivity (EC)	32700	µS/cm
			Copper	260	mg/L
			Iron	150	mg/L
			Lead	0.01	mg/L
			Manganese	577	mg/L
			Mercury	0.0001	mg/L
		Nickel	20.4	mg/L	
		pH	3.59	pH Unit	
		Sulfate	39300	mg/L	
		Vanadium	0.17	mg/L	
Zinc	282	mg/L			
SWL	9.58	m			
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 15/10/21	Arsenic	0.228	mg/L
			Barium	0.01	mg/L
		Obtained: 9/11/21	Beryllium	0.347	mg/L
			Cadmium	5.09	mg/L
		Published: 24/11/2021	Chloride	1480	mg/L
			Chromium	0.057	mg/L
			Cobalt	76.1	mg/L
			Conductivity (EC)	31700	µS/cm
			Copper	413	mg/L
			Iron	881	mg/L
			Lead	0.01	mg/L
			Manganese	711	mg/L
			Mercury	0.0001	mg/L
		Nickel	21.5	mg/L	
		pH	3.24	pH Unit	
		Sulfate	42400	mg/L	
		Vanadium	0.64	mg/L	
Zinc	334	mg/L			
SWL	9.7	m			

EPA ID No. 17 - GIP293	Monthly	Sampled: 25/10/21	Arsenic	0.065	mg/L
			Barium	0.01	mg/L
			Beryllium	0.035	mg/L
		Obtained: 9/11/21	Cadmium	3.1	mg/L
			Chloride	3690	mg/L
			Chromium	0.01	mg/L
		Published: 24/11/2021	Cobalt	43.4	mg/L
			Conductivity (EC)	40600	µS/cm
			Copper	97.6	mg/L
			Iron	0.56	mg/L
			Lead	0.012	mg/L
			Manganese	607	mg/L
			Mercury	0.0005	mg/L
			Nickel	15.7	mg/L
			pH	3.85	pH Unit
			Sulfate	42600	mg/L
			Vanadium	0.1	mg/L
Zinc	180	mg/L			
SWL	15.29	m			
EPA ID No. 18 - GIP294	Monthly	Sampled: 25/10/21	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 9/11/21	Cadmium	0.376	mg/L
			Chloride	2330	mg/L
			Chromium	0.01	mg/L
		Published: 24/11/2021	Cobalt	4.26	mg/L
			Conductivity (EC)	29900	µS/cm
			Copper	9.29	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	30.5	mg/L
			Mercury	0.0001	mg/L
			Nickel	1.58	mg/L
			pH	7.31	pH Unit
			Sulfate	18600	mg/L
			Vanadium	0.1	mg/L
Zinc	20.4	mg/L			
SWL	13.46	m			
EPA ID No. 19 - GIP295	Monthly	Sampled: 18/10/21	Arsenic	0.01	mg/L
			Barium	0.038	mg/L
			Beryllium	0.01	mg/L
		Obtained: 9/11/21	Cadmium	0.001	mg/L
			Chloride	8640	mg/L
			Chromium	0.01	mg/L
		Published: 24/11/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	29200	µS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.011 0.1 0.01 0.467 0.0001 0.01 7.85 2640 0.1 0.05 18.83	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - GIP296	Monthly	Sampled: 25/10/21 Obtained: 9/11/21 Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.009 0.001 0.0003 841 0.001 0.003 13200 0.017 0.05 0.001 0.048 0.0001 0.006 7.79 6360 0.01 0.029 9.38	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 21 - GIP297	Monthly	Sampled: 27/10/21 Obtained: 9/11/21 Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate	0.005 0.001 0.001 0.0003 111 0.001 0.002 1180 0.037 0.06 0.001 0.063 0.0001 0.002 7.99 247	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium	0.01	mg/L
			Zinc	0.053	mg/L
			SWL	26.74	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 27/10/21	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 9/11/21	Cadmium	0.001	mg/L
			Chloride	10100	mg/L
			Chromium	0.01	mg/L
		Published: 24/11/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	30500	µS/cm
			Copper	0.01	mg/L
			Iron	0.19	mg/L
			Lead	0.01	mg/L
			Manganese	0.08	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.9	pH Unit
			Sulfate	2810	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	22.51	m			
EPA ID No. 23 - GIP299	Monthly	Sampled: 26/10/21	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 9/11/21	Cadmium	0.0032	mg/L
			Chloride	6120	mg/L
			Chromium	0.01	mg/L
		Published: 24/11/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	31800	µS/cm
			Copper	0.01	mg/L
			Iron	0.11	mg/L
			Lead	0.01	mg/L
			Manganese	0.297	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.7	pH Unit
			Sulfate	12100	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	34.37	m			
EPA ID No. 24 - GIP300	Monthly	Sampled: 25/10/21	Arsenic	0.01	mg/L
			Barium	0.033	mg/L
			Beryllium	0.01	mg/L
		Obtained: 9/11/21	Cadmium	0.0018	mg/L
			Chloride	9750	mg/L

		Published: 24/11/2021	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.032 0.01 34600 0.01 0.1 0.01 0.051 0.0001 0.031 7.6 3980 0.1 0.05 22.16	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 25/10/21 Obtained: 9/11/21 Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.027 0.001 0.0038 2550 0.001 0.002 11100 0.055 0.09 0.001 1.23 0.0001 0.023 8.03 1420 0.01 0.195 15.28	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 25/10/21 Obtained: 9/11/21 Published: 24/11/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.01 0.01 0.01 0.0169 7910 0.042 0.231 30100 1.69 0.22 0.01 1.97 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.432	mg/L
			pH	7.78	pH Unit
			Sulfate	5880	mg/L
			Vanadium	0.1	mg/L
			Zinc	1.22	mg/L
			SWL	17.61	m