



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[January] [2022]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[JANUARY] [2022] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: Obtained: Published: 8/04/2022	Arsenic		mg/L ¹
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm ²
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL		m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled: Obtained: Published: 8/04/2022	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled: Obtained: Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled: 30/11/18 Obtained:	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		Published: 8/04/2022	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: Obtained: Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m

EPA ID No. 22 - PZH013	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: 11/1/22 Obtained: 18/1/22 Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.027 0.001 0.0001 3570 0.001 0.001 10600 0.001 0.53 0.001 0.047 0.0001 0.001 7.94 891 0.01 0.005 43.07	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: 11/1/22 Obtained: 18/1/22 Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate	0.001 0.029 0.001 0.0001 8270 0.001 0.001 21200 0.006 0.38 0.001 0.343 0.0001 0.003 7.91 2580	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium	0.01	mg/L
			Zinc	0.016	mg/L
			SWL	20.68	m
EPA ID No. 27 - PZH019	Quarterly	Sampled: 11/1/22	Arsenic	0.001	mg/L
			Barium	0.036	mg/L
			Beryllium	0.001	mg/L
		Obtained: 18/1/22	Cadmium	0.0016	mg/L
			Chloride	7160	mg/L
			Chromium	0.001	mg/L
		Published: 8/04/2022	Cobalt	0.015	mg/L
			Conductivity (EC)	19300	µS/cm
			Copper	0.061	mg/L
			Iron	0.89	mg/L
			Lead	0.001	mg/L
			Manganese	0.609	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.007	mg/L
			pH	7.95	pH Unit
			Sulfate	2180	mg/L
Vanadium	0.01	mg/L			
Zinc	0.074	mg/L			
SWL	93.91	m			
EPA ID No. 28 - PZH020	Quarterly	Sampled: 11/1/22	Arsenic	0.001	mg/L
			Barium	0.034	mg/L
			Beryllium	0.001	mg/L
		Obtained: 18/1/22	Cadmium	0.0012	mg/L
			Chloride	7690	mg/L
			Chromium	0.001	mg/L
		Published: 8/04/2022	Cobalt	0.014	mg/L
			Conductivity (EC)	18600	µS/cm
			Copper	0.085	mg/L
			Iron	1.12	mg/L
			Lead	0.001	mg/L
			Manganese	0.517	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.007	mg/L
			pH	7.99	pH Unit
			Sulfate	2370	mg/L
Vanadium	0.01	mg/L			
Zinc	0.08	mg/L			
SWL	73.34	m			
EPA ID No. 29 - PZH021	Quarterly	Sampled: 11/1/22	Arsenic	0.001	mg/L
			Barium	0.067	mg/L
			Beryllium	0.001	mg/L
		Obtained: D/M/Y	Cadmium	0.0001	mg/L
			Chloride	4970	mg/L

		Published: 8/04/2022	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.001 12600 0.005 7.4 0.001 1.35 0.0001 0.001 7.9 1550 0.01 0.01 48.35	mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: 11/1/22 Obtained: DRY Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: 11/1/22 Obtained: DRY Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
--	--	--	--	--	--

[JANUARY] [2022] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled:	Arsenic		mg/L
			Barium		mg/L
		Obtained:	Beryllium		mg/L
			Cadmium		mg/L
		Published: 8/04/2022	Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL		m			
EPA ID No. 3 - GIP225	Monthly	Sampled:	Arsenic		mg/L
			Barium		mg/L
		Obtained:	Beryllium		mg/L
			Cadmium		mg/L
		Published: 8/04/2022	Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL		m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: D/M/Y Obtained: Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	 24.68	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: D/M/Y Obtained: Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	 	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 7/1/22 Obtained: 18/1/22 Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.01 0.01 0.01 0.001 10400 0.01 0.01 29800	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.06 0.1 0.01 0.01 0.0001 0.01 7.77 3240 0.1 0.074 19.51	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 10/1/22 Obtained: 18/1/22 Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.02 0.01 0.001 11300 0.01 0.01 26100 0.066 0.14 0.022 0.043 0.0001 0.01 7.76 3150 0.1 0.074 21.19	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL		mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 10/1/22 Obtained: 18/1/22	Arsenic Barium Beryllium Cadmium Chloride	0.001 0.032 0.001 0.0005 5640	mg/L mg/L mg/L mg/L mg/L

		Published: 8/04/2022	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.004 14300 0.033 0.3 0.001 0.104 0.0001 0.004 7.9 1590 0.01 0.126 22.71	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 10/1/22 Obtained: 18/1/22 Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.015 0.001 0.0283 4200 0.001 0.174 13800 0.16 0.05 0.002 8.68 0.0001 0.017 7.45 4050 0.01 0.391 15.56	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 10/1/22 Obtained: 18/1/22 Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.001 0.024 0.001 0.0015 9130 0.001 0.015 22000 0.084 0.08 0.002 0.221 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.008	mg/L
			pH	7.69	pH Unit
			Sulfate	2870	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.087	mg/L
			SWL	11.21	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 6/1/22 Obtained: 18/1/22 Published: 8/04/2022	Arsenic	0.055	mg/L
			Barium	0.01	mg/L
			Beryllium	0.135	mg/L
			Cadmium	4.19	mg/L
			Chloride	2500	mg/L
			Chromium	0.184	mg/L
			Cobalt	63.4	mg/L
			Conductivity (EC)	24500	µS/cm
			Copper	277	mg/L
			Iron	124	mg/L
			Lead	0.01	mg/L
			Manganese	571	mg/L
			Mercury	0.0001	mg/L
			Nickel	22.2	mg/L
			pH	3.63	pH Unit
			Sulfate	36200	mg/L
			Vanadium	0.21	mg/L
			Zinc	298	mg/L
			SWL	8.67	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 6/1/22 Obtained: DRY Published: 8/04/2022	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	10.31	m

EPA ID No. 17 - GIP293	Monthly	Sampled: 7/1/22 Obtained: 18/1/22 Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.042 0.01 0.032 2.93 4110 0.104 40.2 31800 84.9 1.01 0.01 570 0.0006 14.9 3.95 35800 0.1 160 15.14	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L mg/L m
EPA ID No. 18 - GIP294	Monthly	Sampled: Obtained: Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	Sampled: 7/1/22 Obtained: 18/1/22 Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.01 0.038 0.01 0.001 9730 0.01 0.01 26100	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.48 0.01 0.498 0.0001 0.01 7.7 2780 0.1 0.05 18.71	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - GIP296	Monthly	Sampled: 6/1/22 Obtained: 18/1/22 Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.008 0.001 0.0004 941 0.001 0.005 11600 0.024 0.05 0.001 0.06 0.0001 0.005 7.77 5990 0.01 0.038 7.49	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 21 - GIP297	Monthly	Sampled: 7/1/22 Obtained: 18/1/22 Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate	0.005 0.001 0.001 0.0003 126 0.001 0.002 1130 0.037 0.06 0.001 0.065 0.0001 0.002 7.75 233	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium	0.01	mg/L
			Zinc	0.051	mg/L
			SWL	22.71	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 7/1/22 Obtained: 18/1/22 Published: 8/04/2022	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	10100	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	26300	µS/cm
			Copper	0.092	mg/L
			Iron	0.11	mg/L
			Lead	0.01	mg/L
			Manganese	0.09	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.87	pH Unit
			Sulfate	2940	mg/L
			Vanadium	0.1	mg/L
Zinc	0.132	mg/L			
SWL	22.68	m			
EPA ID No. 23 - GIP299	Monthly	Sampled: Obtained: Published: 8/04/2022	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL		m			
EPA ID No. 24 - GIP300	Monthly	Sampled: Obtained: Published:	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
Chloride		mg/L			

		8/04/2022	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 10/1/22 Obtained: 18/1/22 Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.024 0.001 0.0027 4280 0.001 0.001 12400 0.052 0.05 0.001 1.11 0.0001 0.017 7.92 1770 0.01 0.152 15.51	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 11/1/22 Obtained: 18/1/22 Published: 8/04/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.01 0.01 0.01 0.0112 9150 0.06 0.146 25500 0.829 0.3 0.01 1.63 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.499	mg/L
			pH	7.75	pH Unit
			Sulfate	5620	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.698	mg/L
			SWL	17.76	m