



Aeris
TRITTON OPERATIONS

Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[February] [2022]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[FEBRUARY] [2022] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: 22/2/22 Obtained: 4/3/22 Published: 11/05/2022	Arsenic	0.001	mg/L ¹
			Barium	0.01	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0002	mg/L
			Chloride	4190	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	14000	µS/cm ²
			Copper	0.019	mg/L
			Iron	0.06	mg/L
			Lead	0.001	mg/L
			Manganese	0.008	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.003	mg/L
			pH	8.05	pH Unit
			Sulfate	2260	mg/L
			Vanadium	0.01	mg/L
Zinc	0.037	mg/L			
SWL	8.91	m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled: 23/2/22 Obtained: 4/3/22 Published: 11/05/2022	Arsenic	0.001	mg/L
			Barium	0.016	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0003	mg/L
			Chloride	3530	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.004	mg/L
			Conductivity (EC)	12400	µS/cm
			Copper	0.014	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.197	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
pH	8.01	pH Unit			

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate Vanadium Zinc SWL	1950 0.01 0.031 30.37	mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled: 23/2/22 Obtained: 4/3/22 Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.02 0.001 0.0001 5400 0.001 0.004 16600 0.007 0.98 0.001 0.274 0.0001 0.004 7.99 2290 0.01 0.022 60.93	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled: 23/2/22 Obtained: DRY Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled: 23/2/22 Obtained:	Arsenic Barium Beryllium Cadmium	0.002 0.011 0.001 0.0001	mg/L mg/L mg/L mg/L

		4/3/22 Published: 11/05/2022	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	4980 0.001 0.003 14700 0.01 0.05 0.001 0.168 0.0001 0.034 7.81 1140 0.01 0.023 14.02	mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: 23/2/22 Obtained: 4/3/22 Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.002 0.016 0.001 0.0008 4410 0.001 0.008 13900 0.101 0.55 0.001 0.179 0.0001 0.015 8.1 1790 0.01 0.095 37.85	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L

			Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m

EPA ID No. 22 - PZH013	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL		mg/L mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: D/M/Y Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		Published: 11/05/2022	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
--	--	--	--	--	--

[FEBRUARY] [2022] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: Obtained: Published: 11/05/2022	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL		m			
EPA ID No. 3 - GIP225	Monthly	Sampled: Obtained: Published: 11/05/2022	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL		m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: Obtained: Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 23/2/22 Obtained: 4/3/22 Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.018 0.01 0.001 10800 0.01 0.01 33200 0.063 0.24 0.024 0.069 0.0001 0.01 7.68 3250 0.1 0.094 17.23	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: Obtained: Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Vanadium Zinc SWL	17.51	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 22/2/22 Obtained: Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 22/2/22 Obtained: Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.61	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 22/2/22 Obtained: Published:	Arsenic Barium Beryllium Cadmium Chloride	24.99	mg/L mg/L mg/L mg/L mg/L

		11/05/2022	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	22.79	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 16/2/22 Obtained: 4/3/22 Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.014 0.001 0.0397 3880 0.001 0.374 16000 1.1 0.51 0.001 10.3 0.0001 0.092 7.53 4130 0.01 1.42 15.62	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: Obtained: Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 16/2/22 Obtained: 4/3/22 Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.064 0.01 0.119 4.12 1980 0.194 65.4 30400 287 131 0.01 587 0.0001 22 3.48 39200 0.2 313 8.72	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 16/2/22 Obtained: DRY Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 17 -	Monthly	Sampled: 16/2/22	Arsenic Barium	0.056 0.01	mg/L mg/L

GIP293		Obtained: 4/3/22 Published: 11/05/2022	Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.029 3.17 4200 0.066 45.7 39300 98.6 0.8 0.01 637 0.0006 16.2 3.84 40000 0.1 185 15.19	mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 18 - GIP294	Monthly	Sampled: Obtained: Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	Sampled: Obtained: Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L

			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 20 - GIP296	Monthly	Sampled: 18/2/22 Obtained: 4/3/22 Published: 11/05/2022	Arsenic	0.001	mg/L
			Barium	0.01	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0006	mg/L
			Chloride	947	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.008	mg/L
			Conductivity (EC)	13100	µS/cm
			Copper	0.039	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.091	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.007	mg/L
			pH	7.7	pH Unit
			Sulfate	6450	mg/L
			Vanadium	0.01	mg/L
Zinc	0.059	mg/L			
SWL	8.35	m			
EPA ID No. 21 - GIP297	Monthly	Sampled: 24/2/22 Obtained: 4/3/22 Published: 11/05/2022	Arsenic	0.005	mg/L
			Barium	0.001	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0003	mg/L
			Chloride	119	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.002	mg/L
			Conductivity (EC)	1160	µS/cm
			Copper	0.041	mg/L
			Iron	0.06	mg/L
			Lead	0.001	mg/L
			Manganese	0.063	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.79	pH Unit
			Sulfate	220	mg/L
			Vanadium	0.01	mg/L
Zinc	0.058	mg/L			

			SWL	22.91	m
EPA ID No. 22 - GIP298	Monthly	Sampled: Obtained: Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 23 - GIP299	Monthly	Sampled: Obtained: Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 24 - GIP300	Monthly	Sampled: Obtained: Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt		mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: Obtained: Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 24/2/22 Obtained: 4/3/22 Published: 11/05/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH	0.01 0.01 0.01 0.0082 9250 0.044 0.101 30100 0.641 0.32 0.01 1.23 0.0001 0.41 7.61	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

			Sulfate	5790	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.503	mg/L
			SWL	17.02	m