



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[November] [2022]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[NOVEMBER] [2022] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: 21/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic	0.001	mg/L ¹
			Barium	0.01	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0002	mg/L
			Chloride	4060	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	15000	µS/cm ²
			Copper	0.017	mg/L
			Iron	0.06	mg/L
			Lead	0.001	mg/L
			Manganese	0.002	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.88	pH Unit
			Sulfate	2160	mg/L
Vanadium	0.01	mg/L			
Zinc	0.034	mg/L			
SWL	8.04	m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled: 21/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic	0.001	mg/L
			Barium	0.015	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	3450	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	13000	µS/cm
			Copper	0.002	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.039	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.66	pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate	1880	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.008	mg/L
			SWL	25.42	m
EPA ID No. 14 - PZH003	Quarterly	Sampled: 21/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic	0.001	mg/L
			Barium	0.02	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0002	mg/L
			Chloride	5660	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.004	mg/L
			Conductivity (EC)	18500	µS/cm
			Copper	0.02	mg/L
			Iron	0.17	mg/L
			Lead	0.001	mg/L
			Manganese	0.235	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.004	mg/L
			pH	7.7	pH Unit
			Sulfate	2300	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.085	mg/L
			SWL	58.72	m
EPA ID No. 15 - PZH004	Quarterly	Sampled: 21/11/22 Obtained: DRY Published: 21/12/2022	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 16 - PZH005	Quarterly	Sampled: 21/11/22 Obtained: 6/12/22	Arsenic	0.002	mg/L
			Barium	0.01	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0002	mg/L

		Published: 21/12/2022	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	4910 0.001 0.002 15600 0.007 0.05 0.002 0.15 0.0001 0.025 7.63 1090 0.01 0.021 13.19	mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: 21/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.02 0.001 0.0001 2780 0.001 0.008 11300 0.008 0.05 0.001 0.216 0.0001 0.005 7.34 2040 0.01 0.034 31.59	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID	Quarterly	Sampled:	Arsenic		mg/L

No. 22 - PZH013		D/M/Y Obtained: D/M/Y Published: 21/12/2022	Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L

			Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: 24/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.026 0.001 0.0001 3600 0.001 0.001 12500 0.002 0.05 0.001 0.031 0.0001 0.001 7.87 964 0.01 0.011 39.96	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: 24/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium	0.001 0.027 0.001 0.0002 8270 0.001 0.001 26100 0.014 0.05 0.001 0.053 0.0001 0.001 7.96 2540 0.01	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L

			Zinc SWL	0.03 13.74	mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: 24/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.029 0.001 0.0004 4480 0.001 0.005 15400 0.096 1.57 0.002 0.382 0.0001 0.007 8.23 1810 0.01 0.077 92.07	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: 24/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.026 0.001 0.0004 5070 0.001 0.006 16300 0.113 1.11 0.002 0.377 0.0001 0.008 8.01 1300 0.01 0.078 71.03	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: 21/11/22 Obtained: 6/12/22	Arsenic Barium Beryllium Cadmium Chloride Chromium	0.001 0.066 0.001 0.0001 4970 0.001	mg/L mg/L mg/L mg/L mg/L mg/L

		Published: 21/12/2022	Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 16200 0.002 7.52 0.001 1.23 0.0001 0.001 7.68 1420 0.01 0.005 44.94	mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: 21/11/22 Obtained: DRY Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: 21/11/22 Obtained: DRY Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			<p>pH</p> <p>Sulfate</p> <p>Vanadium</p> <p>Zinc</p> <p>SWL</p>		<p>pH Unit</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>m</p>
--	--	--	---	--	---

[NOVEMBER] [2022] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 24/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic	0.01	mg/L
			Barium	0.028	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0014	mg/L
			Chloride	8930	mg/L
			Chromium	0.013	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	30500	µS/cm
			Copper	0.024	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.01	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.136	mg/L
			pH	7.59	pH Unit
			Sulfate	4140	mg/L
			Vanadium	0.1	mg/L
Zinc	0.071	mg/L			
SWL	4.85	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 25/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	6520	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	30600	µS/cm
			Copper	0.02	mg/L
			Iron	0.3	mg/L
			Lead	0.01	mg/L
			Manganese	0.154	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.041	mg/L
			pH	7.53	pH Unit
			Sulfate	8910	mg/L
			Vanadium	0.1	mg/L
Zinc	0.069	mg/L			
SWL	11.23	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: 30/11/22 Obtained: Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	 24.81	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 16/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.023 0.01 0.0021 11000 0.01 0.018 32700 0.124 0.22 0.034 0.18 0.0001 0.01 7.78 3160 0.1 0.238 17.09	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: Obtained: Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	 	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L
EPA ID No. 6 - GIP276	Quarterly	Sampled: 30/11/22 Obtained: Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	21.31	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 30/11/22 Obtained: Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL	17.69	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 30/11/22 Obtained: Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.75	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 30/11/22 Obtained: Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.19	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 16/11/22 Obtained: 6/12/22	Arsenic Barium Beryllium Cadmium Chloride	0.001 0.018 0.001 0.0004 2130	mg/L mg/L mg/L mg/L mg/L

		Published: 21/12/2022	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.001 7390 0.001 0.05 0.001 0.007 0.0001 0.001 8.03 664 0.01 0.064 22.07	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 16/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.014 0.001 0.0265 3800 0.001 0.005 16500 0.075 0.05 0.002 6.5 0.0002 0.022 7.74 3960 0.01 0.398 12.87	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: Obtained: Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 10/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.051 0.01 0.106 4.82 1910 0.204 74.6 31300 334 123 0.01 672 0.0002 25.4 3.54 36800 0.23 380 4.92	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 10/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.15 0.01 0.274 4.98 1680 0.081 79.6 29700 414 790 0.01 587 0.0001 22.4 3.33 35900 0.66 331 4.87	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 17 -	Monthly	Sampled: 10/11/22	Arsenic Barium	0.045 0.01	mg/L mg/L

GIP293		Obtained: 6/12/22 Published: 21/12/2022	Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.034 3.14 4380 0.01 43.5 40400 93.6 0.42 0.023 600 0.0007 16.3 3.84 37600 0.1 178 13.21	mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 18 - GIP294	Monthly	Sampled: Obtained: Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	Sampled: 16/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron	0.01 0.045 0.01 0.001 9740 0.01 0.01 0.01 29400 0.01 0.5	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L

			Lead	0.01	mg/L
			Manganese	0.37	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.65	pH Unit
			Sulfate	2600	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	18.36	m
EPA ID No. 20 - GIP296	Monthly	Sampled: 10/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic	0.001	mg/L
			Barium	0.01	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0009	mg/L
			Chloride	797	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.015	mg/L
			Conductivity (EC)	12400	µS/cm
			Copper	0.059	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.134	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.94	pH Unit
			Sulfate	5860	mg/L
			Vanadium	0.01	mg/L
Zinc	0.094	mg/L			
SWL	5.08	m			
EPA ID No. 21 - GIP297	Monthly	Sampled: 25/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic	0.005	mg/L
			Barium	0.002	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0004	mg/L
			Chloride	131	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.003	mg/L
			Conductivity (EC)	1200	µS/cm
			Copper	0.034	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.071	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.005	mg/L
			pH	7.69	pH Unit
			Sulfate	220	mg/L
			Vanadium	0.01	mg/L
Zinc	0.075	mg/L			

			SWL	26.22	m
EPA ID No. 22 - GIP298	Monthly	Sampled: Obtained: Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 23 - GIP299	Monthly	Sampled: Obtained: Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 24 - GIP300	Monthly	Sampled: Obtained: Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium		mg/L mg/L mg/L mg/L mg/L mg/L

			Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 16/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.01 0.001 0.001 2310 0.001 0.001 9620 0.016 0.05 0.001 0.012 0.0001 0.002 8.2 1250 0.01 0.034 11.57	mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 10/11/22 Obtained: 6/12/22 Published: 21/12/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel	0.01 0.01 0.01 0.0064 9410 0.011 0.046 30500 0.25 0.1 0.01 1.21 0.0001 0.108	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L mg/L

			pH	7.73	pH Unit
			Sulfate	5120	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.252	mg/L
			SWL	15.62	m