



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[March] [2023]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[MARCH] [2023] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: Obtained: Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L ¹ mg/L mg/L mg/L mg/L mg/L mg/L μS/cm ² mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m ³
EPA ID No. 13 - PZH002	Quarterly	Sampled: Obtained: Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled: Obtained: Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled: Obtained:	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		Published: 21/04/2023	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: 27/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.023 0.001 0.0002 2540 0.001 0.008 11300 0.016 0.06 0.001 0.23 0.0001 0.006 6.9 2120 0.01 0.058 31.88	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: 31/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese	0.001 0.026 0.001 0.0001 7330 0.001 0.001 25200 0.012 0.05 0.001 0.004	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.0001 0.001 7.9 2480 0.01 0.026 35.02	mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID	Quarterly	Sampled:	Arsenic	0.022	mg/L

No. 22 - PZH013		27/3/23 Obtained: 14/4/23 Published: 21/04/2023	Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.07 0.001 0.0006 1710 0.001 0.006 7850 0.071 0.36 0.004 0.45 0.0001 0.01 7.04 1130 0.01 0.053 29.89	mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L

			Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L

			Zinc SWL		mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: 27/3/23	Arsenic	0.003	mg/L
			Barium	0.038	mg/L
			Beryllium	0.001	mg/L
		Obtained: 14/4/23	Cadmium	0.0072	mg/L
			Chloride	3020	mg/L
			Chromium	0.004	mg/L
		Published: 21/04/2023	Cobalt	0.129	mg/L
			Conductivity (EC)	12000	µS/cm
			Copper	0.49	mg/L
			Iron	0.59	mg/L
			Lead	0.007	mg/L
			Manganese	1.51	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.054	mg/L
			pH	8.06	pH Unit
			Sulfate	1880	mg/L
			Vanadium	0.01	mg/L
Zinc	0.727	mg/L			
SWL	91.88	m			
EPA ID No. 28 - PZH020	Quarterly	Sampled: 27/3/23	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 21/04/2023	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL	70.92	m			
EPA ID No. 29 - PZH021	Quarterly	Sampled: 27/3/23	Arsenic	0.003	mg/L
			Barium	0.043	mg/L
			Beryllium	0.008	mg/L
		Obtained: 14/4/23	Cadmium	0.314	mg/L
			Chloride	1540	mg/L
			Chromium	0.027	mg/L

		Published: 21/04/2023	Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	5.5 12100 27.4 23.3 0.018 15.7 0.0001 1.61 3.42 6580 0.01 38.6 44.87	mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: 27/3/23 Obtained: DRY Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: 27/3/23 Obtained: DRY Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel		mg/L mg/L

			<p>pH</p> <p>Sulfate</p> <p>Vanadium</p> <p>Zinc</p> <p>SWL</p>		<p>pH Unit</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>m</p>
--	--	--	---	--	---

[MARCH] [2023] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 22/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic	0.01	mg/L
			Barium	0.028	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0011	mg/L
			Chloride	7940	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	29200	µS/cm
			Copper	0.031	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.119	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.178	mg/L
			pH	7.42	pH Unit
			Sulfate	3870	mg/L
			Vanadium	0.1	mg/L
Zinc	0.076	mg/L			
SWL	4.89	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 22/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic	0.001	mg/L
			Barium	0.018	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0002	mg/L
			Chloride	5420	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.002	mg/L
			Conductivity (EC)	26500	µS/cm
			Copper	0.02	mg/L
			Iron	0.33	mg/L
			Lead	0.006	mg/L
			Manganese	0.24	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.004	mg/L
			pH	7.52	pH Unit
			Sulfate	7470	mg/L
			Vanadium	0.01	mg/L
Zinc	0.024	mg/L			
SWL	10.94	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: 31/3/23 Obtained: Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	24.66	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 21/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.017 0.01 0.001 9280 0.01 0.01 32500 0.067 0.31 0.024 0.054 0.0001 0.01 7.18 3130 0.1 0.114 17.03	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 22/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.01 0.01 0.01 0.001 9020 0.01 0.01 31500	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.3 0.01 0.014 0.0001 0.01 7.29 3010 0.1 0.05 18.63	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 31/3/23 Obtained: Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	 21.27	mg/L pH Unit mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 31/3/23 Obtained: Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L pH Unit mg/L

			Vanadium Zinc SWL	17.75	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 31/3/23 Obtained: Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.81	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 31/3/23 Obtained: Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	24.95	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 21/3/23 Obtained: 14/4/23 Published:	Arsenic Barium Beryllium Cadmium Chloride	0.001 0.021 0.001 0.0006 2430	mg/L mg/L mg/L mg/L mg/L

		21/04/2023	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.001 8900 0.021 0.15 0.001 0.011 0.0001 0.004 7.56 729 0.01 0.104 21.83	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 22/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.007 0.001 0.0031 3380 0.003 0.002 16400 0.016 0.08 0.002 0.109 0.0002 0.001 7.42 3890 0.01 0.061 12.79	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 22/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.001 0.021 0.001 0.0008 7190 0.001 0.006 25400 0.053 0.07 0.001 0.088 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.005	mg/L
			pH	7.18	pH Unit
			Sulfate	2920	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.046	mg/L
			SWL	9.19	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 10/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic	0.1	mg/L
			Barium	0.01	mg/L
			Beryllium	0.123	mg/L
			Cadmium	4.97	mg/L
			Chloride	1950	mg/L
			Chromium	0.139	mg/L
			Cobalt	80	mg/L
			Conductivity (EC)	36800	µS/cm
			Copper	342	mg/L
			Iron	58.1	mg/L
			Lead	0.01	mg/L
			Manganese	614	mg/L
			Mercury	0.0001	mg/L
			Nickel	27.6	mg/L
			pH	3.56	pH Unit
			Sulfate	46000	mg/L
			Vanadium	0.1	mg/L
			Zinc	377	mg/L
			SWL	6.86	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 10/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic	0.224	mg/L
			Barium	0.01	mg/L
			Beryllium	0.309	mg/L
			Cadmium	5.07	mg/L
			Chloride	1650	mg/L
			Chromium	0.058	mg/L
			Cobalt	84.5	mg/L
			Conductivity (EC)	31100	µS/cm
			Copper	366	mg/L
			Iron	452	mg/L
			Lead	0.01	mg/L
			Manganese	479	mg/L
			Mercury	0.0001	mg/L
			Nickel	24.8	mg/L
			pH	3.22	pH Unit
			Sulfate	41700	mg/L
			Vanadium	0.38	mg/L
			Zinc	390	mg/L
			SWL	7.1	m
EPA ID No. 17 -	Monthly	Sampled: 20/3/23	Arsenic	0.04	mg/L
			Barium	0.01	mg/L

GIP293		Obtained: 14/4/23 Published: 21/04/2023	Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.03 2.96 3860 0.01 46.8 40600 98.6 0.12 0.021 548 0.0015 17.2 3.78 34200 0.1 194 13.04	mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L mg/L m
EPA ID No. 18 - GIP294	Monthly	Sampled: 20/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.012 0.01 0.432 1660 0.01 5.89 30200 15.5 0.13 0.01 35.2 0.0001 2.12 6.72 18800 0.1 28.8 12.16	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	Sampled: 21/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron	0.01 0.039 0.01 0.001 8640 0.01 0.01 29400 0.01 0.1	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L

			Lead	0.01	mg/L
			Manganese	0.348	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.32	pH Unit
			Sulfate	2700	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	18.19	m
EPA ID No. 20 - GIP296	Monthly	Sampled: 20/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic	0.001	mg/L
			Barium	0.008	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	427	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	10600	µS/cm
			Copper	0.009	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.015	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.005	mg/L
			pH	7.25	pH Unit
			Sulfate	4890	mg/L
			Vanadium	0.01	mg/L
Zinc	0.016	mg/L			
SWL	6.92	m			
EPA ID No. 21 - GIP297	Monthly	Sampled: 22/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic	0.006	mg/L
			Barium	0.002	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0007	mg/L
			Chloride	125	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.009	mg/L
			Conductivity (EC)	1190	µS/cm
			Copper	0.049	mg/L
			Iron	0.08	mg/L
			Lead	0.001	mg/L
			Manganese	0.135	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.005	mg/L
			pH	7.27	pH Unit
			Sulfate	232	mg/L
			Vanadium	0.01	mg/L
Zinc	0.098	mg/L			

			SWL	26.55	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 22/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	8620	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	29800	µS/cm
			Copper	0.016	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.068	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.4	pH Unit
			Sulfate	2820	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	21.98	m			
EPA ID No. 23 - GIP299	Monthly	Sampled: Obtained: Published: 21/04/2023	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL		m			
EPA ID No. 24 - GIP300	Monthly	Sampled: Obtained: Published: 21/04/2023	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L

			Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 20/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.042 0.001 0.0005 1750 0.001 0.004 9530 0.024 3.9 0.001 4.9 0.0001 0.003 7.27 1980 0.01 0.018 13.37	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 20/3/23 Obtained: 14/4/23 Published: 21/04/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH	0.01 0.01 0.01 0.0044 8240 0.018 0.041 30100 0.194 0.11 0.01 1.03 0.0001 0.063 7.24	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

			Sulfate	4690	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.203	mg/L
			SWL	15.49	m