



Aeris
TRITTON OPERATIONS

Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[June] [2023]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[JUNE] [2023] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: 27/6/23 Obtained: 7/7/23 Published: 26/07/2023	Arsenic	0.001	mg/L ¹
			Barium	0.027	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0006	mg/L
			Chloride	2520	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.004	mg/L
			Conductivity (EC)	9730	µS/cm ²
			Copper	0.062	mg/L
			Iron	0.67	mg/L
			Lead	0.003	mg/L
			Manganese	0.259	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.008	mg/L
			pH	8.39	pH Unit
			Sulfate	896	mg/L
			Vanadium	0.01	mg/L
Zinc	0.212	mg/L			
SWL	7.83	m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled: 14/6/23 Obtained: 7/7/23 Published: 26/07/2023	Arsenic	0.001	mg/L
			Barium	0.014	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	3110	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	13100	µS/cm
			Copper	0.002	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.019	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
pH	7.76	pH Unit			

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate Vanadium Zinc SWL	1590 0.01 0.011 25.66	mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled: 14/6/23 Obtained: 7/7/23 Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.012 0.001 0.0001 5300 0.001 0.013 19100 0.004 0.58 0.001 0.079 0.0001 0.02 7.61 2270 0.01 0.144 55.47	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled: 14/6/23 Obtained: DRY Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled: Obtained: Published:	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		26/07/2023	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: Obtained: Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: 16/6/23 Obtained: 7/7/23 Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese	0.002 0.097 0.001 0.0001 2560 0.001 0.004 11300 0.003 0.96 0.002 1.97	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury	0.0001	mg/L
			Nickel	0.008	mg/L
			pH	7.84	pH Unit
			Sulfate	1550	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.03	mg/L
			SWL	35.02	m
EPA ID No. 19 - PZH008	Quarterly	Sampled: 14/6/23	Arsenic	0.007	mg/L
			Barium	0.017	mg/L
			Beryllium	0.001	mg/L
		Obtained: 7/7/23	Cadmium	0.0001	mg/L
			Chloride	3640	mg/L
			Chromium	0.001	mg/L
		Published: 26/07/2023	Cobalt	0.001	mg/L
			Conductivity (EC)	14300	µS/cm
			Copper	0.005	mg/L
			Iron	0.07	mg/L
			Lead	0.001	mg/L
			Manganese	0.013	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.69	pH Unit
			Sulfate	1600	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.049	mg/L
			SWL	14.58	m
EPA ID No. 20 - PZH009	Quarterly	Sampled: 14/6/23	Arsenic	0.001	mg/L
			Barium	0.042	mg/L
			Beryllium	0.001	mg/L
		Obtained: 7/7/23	Cadmium	0.0008	mg/L
			Chloride	4920	mg/L
			Chromium	0.001	mg/L
		Published: 26/07/2023	Cobalt	0.001	mg/L
			Conductivity (EC)	17800	µS/cm
			Copper	0.061	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.003	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.012	mg/L
			pH	7.85	pH Unit
			Sulfate	2070	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.078	mg/L
			SWL	10.84	m

EPA ID No. 22 - PZH013	Quarterly	Sampled: 14/6/23 Obtained: DRY Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Vanadium	0.01	mg/L
			Zinc	0.056	mg/L
			SWL	12.98	m
EPA ID No. 27 - PZH019	Quarterly	Sampled: 14/6/23	Arsenic	0.001	mg/L
			Barium	0.016	mg/L
			Beryllium	0.001	mg/L
		Obtained: 7/7/23	Cadmium	0.0004	mg/L
			Chloride	5100	mg/L
			Chromium	0.001	mg/L
		Published: 26/07/2023	Cobalt	0.01	mg/L
			Conductivity (EC)	18600	µS/cm
			Copper	0.017	mg/L
			Iron	0.16	mg/L
			Lead	0.001	mg/L
			Manganese	0.054	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.016	mg/L
			pH	7.95	pH Unit
			Sulfate	2480	mg/L
			Vanadium	0.01	mg/L
Zinc	0.25	mg/L			
SWL	91.97	m			
EPA ID No. 28 - PZH020	Quarterly	Sampled: 14/6/23	Arsenic	0.002	mg/L
			Barium	0.028	mg/L
			Beryllium	0.001	mg/L
		Obtained: 7/7/23	Cadmium	0.0007	mg/L
			Chloride	5050	mg/L
			Chromium	0.001	mg/L
		Published: 26/07/2023	Cobalt	0.004	mg/L
			Conductivity (EC)	18500	µS/cm
			Copper	0.037	mg/L
			Iron	0.23	mg/L
			Lead	0.001	mg/L
			Manganese	0.053	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.007	mg/L
			pH	8.13	pH Unit
			Sulfate	2000	mg/L
			Vanadium	0.01	mg/L
Zinc	0.158	mg/L			
SWL	70.97	m			
EPA ID No. 29 - PZH021	Quarterly	Sampled: 16/6/23	Arsenic	0.001	mg/L
			Barium	0.06	mg/L
			Beryllium	0.001	mg/L
		Obtained: 7/7/23	Cadmium	0.0001	mg/L
			Chloride	4540	mg/L

		Published: 26/07/2023	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.001 16200 0.001 6.31 0.001 1.26 0.0001 0.001 7.85 1360 0.01 0.023 44.04	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: 14/6/23 Obtained: DRY Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: 14/6/23 Obtained: DRY Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
--	--	--	--	--	--

[JUNE] [2023] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 9/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic	0.01	mg/L
			Barium	0.028	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	8420	mg/L
			Chromium	0.015	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	31700	µS/cm
			Copper	0.03	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.152	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.158	mg/L
			pH	7.41	pH Unit
			Sulfate	3990	mg/L
			Vanadium	0.1	mg/L
Zinc	0.071	mg/L			
SWL	5.26	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 9/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic	0.01	mg/L
			Barium	0.011	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	6260	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	30500	µS/cm
			Copper	0.014	mg/L
			Iron	0.19	mg/L
			Lead	0.01	mg/L
			Manganese	0.269	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.42	pH Unit
			Sulfate	8500	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	11.08	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: 13/6/23 Obtained: Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	24.69	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 15/6/23 Obtained: 7/7/23 Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.017 0.001 0.0008 10000 0.009 0.005 34600 0.067 0.22 0.032 0.05 0.0001 0.005 7.68 2880 0.01 0.122 16.98	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 8/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.01 0.01 0.01 0.001 9590 0.01 0.01 32000	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Vanadium Zinc SWL	17.73	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 13/6/23 Obtained: Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 13/6/23 Obtained: Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 15/6/23 Obtained: 7/7/23 Published:	Arsenic Barium Beryllium Cadmium Chloride	0.001 0.023 0.001 0.0005 3080	mg/L mg/L mg/L mg/L mg/L

		26/07/2023	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.001 11400 0.018 0.05 0.001 0.015 0.0001 0.003 7.93 843 0.01 0.116 21.85	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 8/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.006 0.001 0.0037 4210 0.006 0.003 16600 0.017 0.09 0.001 0.084 0.0002 0.003 7.65 3810 0.01 0.097 12.95	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 8/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.001 0.022 0.001 0.0022 7270 0.001 0.029 25700 0.147 0.2 0.002 0.254 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.014	mg/L
			pH	7.22	pH Unit
			Sulfate	2930	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.311	mg/L
			SWL	9.55	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 7/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic	0.049	mg/L
			Barium	0.01	mg/L
			Beryllium	0.109	mg/L
			Cadmium	4.78	mg/L
			Chloride	2320	mg/L
			Chromium	0.262	mg/L
			Cobalt	68	mg/L
			Conductivity (EC)	38000	µS/cm
			Copper	307	mg/L
			Iron	63.7	mg/L
			Lead	0.01	mg/L
			Manganese	556	mg/L
			Mercury	0.0004	mg/L
			Nickel	25.8	mg/L
			pH	3.55	pH Unit
			Sulfate	35300	mg/L
			Vanadium	0.13	mg/L
			Zinc	359	mg/L
			SWL	10.45	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 7/6/23 Obtained: DRY Published: 26/07/2023	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m

EPA ID No. 17 - GIP293	Monthly	Sampled: 3/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.037 0.01 0.031 2.93 3910 0.012 37.7 41800 77.8 0.36 0.017 488 0.0006 15.5 3.84 30800 0.1 164 13.84	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 18 - GIP294	Monthly	Sampled: 3/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.011 0.01 0.438 1960 0.01 5.74 31400 14.6 0.11 0.01 36.2 0.0001 2.02 6.5 16400 0.1 28.5 13.25	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	Sampled: 8/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.01 0.041 0.01 0.001 8800 0.01 0.01 30700	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper	0.01	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.352	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.35	pH Unit
			Sulfate	2740	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	18.11	m
EPA ID No. 20 - GIP296	Monthly	Sampled: 8/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic	0.001	mg/L
			Barium	0.008	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0004	mg/L
			Chloride	494	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.006	mg/L
			Conductivity (EC)	10500	µS/cm
			Copper	0.023	mg/L
			Iron	0.06	mg/L
			Lead	0.001	mg/L
			Manganese	0.048	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.007	mg/L
			pH	7.25	pH Unit
			Sulfate	4470	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.034	mg/L
			SWL	8.62	m
EPA ID No. 21 - GIP297	Monthly	Sampled: 9/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic	0.005	mg/L
			Barium	0.002	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0007	mg/L
			Chloride	129	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.009	mg/L
			Conductivity (EC)	1240	µS/cm
			Copper	0.045	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.137	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.005	mg/L
			pH	7.5	pH Unit
			Sulfate	250	mg/L

			Vanadium	0.01	mg/L
			Zinc	0.09	mg/L
			SWL	26.91	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 8/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic	0.001	mg/L
			Barium	0.015	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0011	mg/L
			Chloride	4170	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.008	mg/L
			Conductivity (EC)	19100	µS/cm
			Copper	0.039	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.117	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.007	mg/L
			pH	7.9	pH Unit
			Sulfate	3890	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.083	mg/L
			SWL	21.94	m
EPA ID No. 23 - GIP299	Monthly	Sampled: 3/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0041	mg/L
			Chloride	6120	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	34400	µS/cm
			Copper	0.01	mg/L
			Iron	0.23	mg/L
			Lead	0.01	mg/L
			Manganese	0.375	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.27	pH Unit
			Sulfate	13000	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	32.43	m
EPA ID No. 24 - GIP300	Monthly	Sampled: 3/6/23 Obtained: 21/6/23 Published:	Arsenic	0.01	mg/L
			Barium	0.028	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0318	mg/L
			Chloride	10300	mg/L

		26/07/2023	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.076 0.67 36500 0.183 0.81 0.01 9.19 0.0001 0.314 6.74 5460 0.1 1.41 20.82	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 3/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.04 0.001 0.0005 2130 0.001 0.022 9850 0.042 3.88 0.001 4.77 0.0001 0.008 7.42 1880 0.01 0.023 14.09	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 3/6/23 Obtained: 21/6/23 Published: 26/07/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.001 0.006 0.001 0.0055 8590 0.035 0.049 31900 0.202 0.39 0.001 1.08 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.112	mg/L
			pH	7.43	pH Unit
			Sulfate	4760	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.206	mg/L
			SWL	16.14	m