



Aeris
TRITTON OPERATIONS

Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[July] [2023]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[JULY] [2023] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: 18/7/23 Obtained: 2/8/23 Published: 28/08/2023	Arsenic	0.002	mg/L ¹
			Barium	0.018	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0004	mg/L
			Chloride	3890	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.004	mg/L
			Conductivity (EC)	14300	µS/cm ²
			Copper	0.088	mg/L
			Iron	0.16	mg/L
			Lead	0.002	mg/L
			Manganese	0.136	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.024	mg/L
			pH	7.45	pH Unit
			Sulfate	1560	mg/L
			Vanadium	0.01	mg/L
Zinc	0.175	mg/L			
SWL	7.89	m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled: 18/7/23 Obtained: 2/8/23 Published: 28/08/2023	Arsenic	0.001	mg/L
			Barium	0.017	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	3230	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	12900	µS/cm
			Copper	0.003	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.02	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.004	mg/L
pH	7.44	pH Unit			

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate	2060	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.048	mg/L
			SWL	25.69	m
EPA ID No. 14 - PZH003	Quarterly	Sampled: 18/7/23 Obtained: 2/8/23 Published: 28/08/2023	Arsenic	0.001	mg/L
			Barium	0.022	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0004	mg/L
			Chloride	4100	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.003	mg/L
			Conductivity (EC)	15200	µS/cm
			Copper	0.029	mg/L
			Iron	0.28	mg/L
			Lead	0.001	mg/L
			Manganese	0.07	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.018	mg/L
			pH	7.5	pH Unit
			Sulfate	1870	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.338	mg/L
			SWL	55.61	m
EPA ID No. 15 - PZH004	Quarterly	Sampled: 18/7/23 Obtained: DRY Published: 28/08/2023	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 16 - PZH005	Quarterly	Sampled: 18/7/23 Obtained:	Arsenic	0.003	mg/L
			Barium	0.013	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0002	mg/L

		2/8/23 Published: 28/08/2023	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	4270 0.001 0.003 15200 0.006 0.12 0.003 0.15 0.0001 0.025 7.24 1130 0.01 0.03 9.06	mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: 18/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	31.85	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: 18/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL	35.12	mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: 18/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	14.63	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: 18/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	10.91	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID	Quarterly	Sampled:	Arsenic		mg/L

No. 22 - PZH013		18/7/23 Obtained: DRY Published: 28/08/2023	Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: 18/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	42.78	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: 18/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L

			Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	48.97	mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: 18/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	38.22	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: 18/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L

			Zinc SWL	13.02	mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: 18/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: 18/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: 18/7/23 Obtained: Published:	Arsenic Barium Beryllium Cadmium Chloride Chromium	71.05	mg/L mg/L mg/L mg/L mg/L

		28/08/2023	Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	44.15	mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: 18/7/23 Obtained: DRY Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: 18/7/23 Obtained: DRY Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L

			<p>pH</p> <p>Sulfate</p> <p>Vanadium</p> <p>Zinc</p> <p>SWL</p>		<p>pH Unit</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>m</p>
--	--	--	---	--	---

**[JULY] [2023] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501**

Licensee: TRITTON RESOURCES LIMITED EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 28/7/23	Arsenic	5.83	mg/L
			Barium		mg/L
		Obtained:	Beryllium		mg/L
			Cadmium		mg/L
		Published: 28/08/2023	Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc	mg/L				
SWL	m				
EPA ID No. 3 - GIP225	Monthly	Sampled: 28/7/23	Arsenic	11.21	mg/L
			Barium		mg/L
		Obtained:	Beryllium		mg/L
			Cadmium		mg/L
		Published: 28/08/2023	Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc	mg/L				
SWL	m				

EPA ID No. 4 - GIP234	Quarterly	Sampled: 28/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	24.33	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 10/7/23 Obtained: 26/7/23 Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.019 0.01 0.001 10400 0.01 0.01 32700 0.067 0.18 0.017 0.061 0.0001 0.01 7.77 3460 0.1 0.236 17.02	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 28/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	18.81	mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 10/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	21.29	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 10/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL	17.75	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 10/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 10/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 10/7/23 Obtained: 26/7/23	Arsenic Barium Beryllium Cadmium Chloride	0.001 0.031 0.001 0.0005 3770	mg/L mg/L mg/L mg/L mg/L

		Published: 28/08/2023	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.002 12600 0.023 0.07 0.001 0.11 0.0001 0.005 7.95 1230 0.01 0.178 22.19	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 11/7/23 Obtained: 26/7/23 Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.006 0.001 0.0049 3750 0.005 0.003 16600 0.036 0.08 0.001 0.199 0.0002 0.004 7.9 4240 0.01 0.124 12.98	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 28/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL	9.62	mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 10/7/23 Obtained: 26/7/23 Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.122 0.01 0.123 5.26 1940 0.16 81.6 37600 350 71.1 0.01 662 0.0001 28.1 3.59 42900 0.16 408 11.55	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 10/7/23 Obtained: DRY Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 17 -	Monthly	Sampled: 10/7/23	Arsenic Barium	0.032 0.01	mg/L mg/L

GIP293		<p>Obtained: 26/7/23</p> <p>Published: 28/08/2023</p>	<p>Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL</p>	<p>0.031 2.76 4120 0.016 36.8 45300 72.6 0.36 0.01 473 0.0007 15.9 3.86 33800 0.1 150 14.28</p>	<p>mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m</p>
EPA ID No. 18 - GIP294	Monthly	<p>Sampled: 28/7/23</p> <p>Obtained:</p> <p>Published: 28/08/2023</p>	<p>Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL</p>	<p>13.85</p>	<p>mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m</p>
EPA ID No. 19 - GIP295	Monthly	<p>Sampled: 28/7/23</p> <p>Obtained:</p> <p>Published: 28/08/2023</p>	<p>Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron</p>		<p>mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L</p>

			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	18.12	m
EPA ID No. 20 - GIP296	Monthly	Sampled: 11/7/23 Obtained: 26/7/23 Published: 28/08/2023	Arsenic	0.001	mg/L
			Barium	0.008	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0051	mg/L
			Chloride	528	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.09	mg/L
			Conductivity (EC)	10800	µS/cm
			Copper	0.368	mg/L
			Iron	0.1	mg/L
			Lead	0.001	mg/L
			Manganese	0.667	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.035	mg/L
			pH	7.48	pH Unit
			Sulfate	5140	mg/L
Vanadium	0.01	mg/L			
Zinc	0.447	mg/L			
SWL	9.19	m			
EPA ID No. 21 - GIP297	Monthly	Sampled: 10/7/23 Obtained: 26/7/23 Published: 28/08/2023	Arsenic	0.005	mg/L
			Barium	0.002	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0003	mg/L
			Chloride	91	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.004	mg/L
			Conductivity (EC)	1190	µS/cm
			Copper	0.035	mg/L
			Iron	0.25	mg/L
			Lead	0.001	mg/L
			Manganese	0.071	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.003	mg/L
			pH	7.79	pH Unit
			Sulfate	291	mg/L
Vanadium	0.01	mg/L			
Zinc	0.064	mg/L			

			SWL	27.09	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 28/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 23 - GIP299	Monthly	Sampled: 28/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 24 - GIP300	Monthly	Sampled: 28/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt		mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	21.08	µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 28/7/23 Obtained: Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	14.19	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit
EPA ID No. 26 - GIP302	Monthly	Sampled: 11/10/22 Obtained: 26/7/23 Published: 28/08/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH	0.01 0.01 0.01 0.0056 9060 0.05 0.055 30500 0.183 0.91 0.01 1.1 0.0001 0.372 7.64	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

			Sulfate	5180	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.284	mg/L
			SWL	16.19	m