



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[August] [2023]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[AUGUST] [2023] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: 23/8/23 Obtained: Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	7.92	mg/L ¹ mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm ² mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m ³
EPA ID No. 13 - PZH002	Quarterly	Sampled: 23/8/23 Obtained: Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH		mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate Vanadium Zinc SWL	25.72	mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled: 23/8/23 Obtained: Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled: 23/8/23 Obtained: DRY Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled: 23/8/23 Obtained:	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		Published: 26/09/2023	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	9.11	mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: 23/8/23 Obtained: Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	31.86	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: 23/8/23 Obtained: Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL	35.19	mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: 23/8/23 Obtained: 8/9/23 Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.008 0.019 0.001 0.0001 4300 0.001 0.001 13500 0.004 0.1 0.001 0.011 0.0001 0.001 7.56 1720 0.01 0.034 14.51	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: 23/8/23 Obtained: 8/9/23 Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.048 0.001 0.0009 5750 0.001 0.001 17500 0.069 0.05 0.001 0.003 0.0001 0.014 7.71 2170 0.01 0.097 10.54	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID	Quarterly	Sampled:	Arsenic		mg/L

No. 22 - PZH013		23/8/23 Obtained: DRY Published: 26/09/2023	Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: 23/8/23 Obtained: 8/9/23 Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.003 0.001 0.0001 4620 0.001 0.001 14700 0.002 0.2 0.001 0.012 0.0001 0.002 7.29 1880 0.01 0.014 42.64	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: 23/8/23 Obtained: 8/9/23 Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper	0.003 0.024 0.001 0.0009 5960 0.001 0.008 17700 0.046	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L

			Iron	0.15	mg/L
			Lead	0.001	mg/L
			Manganese	0.088	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.8	pH Unit
			Sulfate	2100	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.153	mg/L
			SWL	48.84	m
EPA ID No. 25 - PZH017	Quarterly	Sampled: 23/8/23 Obtained: 8/9/23 Published: 26/09/2023	Arsenic	0.001	mg/L
			Barium	0.027	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	4920	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	15100	µS/cm
			Copper	0.002	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.018	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.003	mg/L
			pH	7.89	pH Unit
			Sulfate	1520	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.046	mg/L
			SWL	38.25	m
EPA ID No. 26 - PZH018	Quarterly	Sampled: 23/8/23 Obtained: 8/9/23 Published: 26/09/2023	Arsenic	0.001	mg/L
			Barium	0.026	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	9060	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	25300	µS/cm
			Copper	0.01	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.002	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.97	pH Unit
			Sulfate	2480	mg/L
			Vanadium	0.01	mg/L

			Zinc SWL	0.07 12.88	mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: 23/8/23 Obtained: Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: 23/8/23 Obtained: Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: 23/8/23 Obtained: Published:	Arsenic Barium Beryllium Cadmium Chloride Chromium		mg/L mg/L mg/L mg/L mg/L mg/L

		26/09/2023	Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	44.18	mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: 23/8/23 Obtained: DRY Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: 23/8/23 Obtained: DRY Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L mg/L

			<p>pH</p> <p>Sulfate</p> <p>Vanadium</p> <p>Zinc</p> <p>SWL</p>		<p>pH Unit</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>m</p>
--	--	--	---	--	---

[AUGUST] [2023] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 25/8/23 Obtained: Published: 26/09/2023	Arsenic	5.91	mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc	mg/L				
SWL	m				
EPA ID No. 3 - GIP225	Monthly	Sampled: 25/8/23 Obtained: Published: 26/09/2023	Arsenic	11.24	mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc	mg/L				
SWL	m				

			Vanadium Zinc SWL	17.76	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 25/8/23 Obtained: Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.84	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 25/8/23 Obtained: Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.02	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 25/8/23 Obtained:	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		Published: 26/09/2023	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	22.22	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 10/8/23 Obtained: 24/8/23 Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.006 0.001 0.0042 3920 0.004 0.002 16900 0.022 0.07 0.001 0.121 0.0002 0.003 8.07 3850 0.01 0.101 13.05	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 25/8/23 Obtained: Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL	9.65	mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 10/8/23 Obtained: 24/8/23 Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.068 0.01 0.095 5.52 1980 0.324 87.6 34900 390 70.6 0.01 710 0.0001 30.4 3.54 47700 0.15 453 11.84	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 10/8/23 Obtained: DRY Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 17 -	Monthly	Sampled: 10/8/23	Arsenic Barium	0.035 0.01	mg/L mg/L

			Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	18.13	mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - GIP296	Monthly	Sampled: 10/8/23 Obtained: 24/8/23 Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.009 0.001 0.0011 571 0.001 0.018 10700 0.07 0.05 0.001 0.144 0.0001 0.017 7.84 4390 0.01 0.167 9.45	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 21 - GIP297	Monthly	Sampled: 10/8/23 Obtained: 24/8/23 Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc	0.005 0.006 0.001 0.0002 105 0.001 0.003 1240 0.038 0.63 0.001 0.055 0.0001 0.003 8.05 257 0.01 0.109	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L

			SWL	27.17	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 25/8/23 Obtained: Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 23 - GIP299	Monthly	Sampled: 25/8/23 Obtained: Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 24 - GIP300	Monthly	Sampled: 25/8/23 Obtained: Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt		mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	21.09	µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 25/8/23 Obtained: Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	14.23	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 10/8/23 Obtained: 24/8/23 Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH	0.01 0.01 0.01 0.0062 9710 0.117 0.06 30800 0.224 2.73 0.01 1.24 0.0001 0.446 7.82	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

			Sulfate	4780	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.319	mg/L
			SWL	16.84	m
EPA ID No. 27 - GIP313	Monthly	Sampled: 10/8/23	Arsenic	0.05	mg/L
			Barium	0.036	mg/L
		Obtained: 24/8/23	Beryllium	0.063	mg/L
			Cadmium	4.63	mg/L
		Published: 26/09/2023	Chloride	3750	mg/L
			Chromium	0.012	mg/L
			Cobalt	77.7	mg/L
			Conductivity (EC)	44000	µS/cm
			Copper	252	mg/L
			Iron	0.23	mg/L
			Lead	0.01	mg/L
			Manganese	840	mg/L
			Mercury	0.0007	mg/L
			Nickel	25.8	mg/L
		pH	3.6	pH Unit	
		Sulfate	47600	mg/L	
Vanadium	0.1	mg/L			
Zinc	363	mg/L			
SWL	7.92	m			
EPA ID No. 28 – AT001	Monthly	Sampled: 18/8/23	Arsenic	0.001	mg/L
			Barium	0.064	mg/L
		Obtained: 8/9/23	Beryllium	0.001	mg/L
			Cadmium	0.0012	mg/L
		Published: 26/09/2023	Chloride	6770	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.023	mg/L
			Conductivity (EC)	18800	µS/cm
			Copper	0.08	mg/L
			Iron	0.17	mg/L
			Lead	0.001	mg/L
			Manganese	0.395	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.013	mg/L
		pH	7.57	pH Unit	
		Sulfate	1300	mg/L	
Vanadium	0.01	mg/L			
Zinc	0.156	mg/L			
SWL	41.88	m			
EPA ID No. 29 – AT002	Monthly	Sampled: 18/8/23	Arsenic	0.001	mg/L
			Barium	0.049	mg/L
		Obtained:	Beryllium	0.001	mg/L
			Cadmium	0.0005	mg/L

		8/9/23 Published: 26/09/2023	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	8580 0.001 0.001 23200 0.003 0.05 0.001 0.038 0.0001 0.005 7.32 1640 0.01 0.02 36.53	mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 – AT003	Monthly	Sampled: 18/8/23 Obtained: 8/9/23 Published: 26/09/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.021 0.002 0.001 0.0001 7140 0.001 0.001 20400 0.003 0.05 0.001 0.008 0.0001 0.006 7.63 1350 0.04 0.009 44.92	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m