



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[September] [2023]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[SEPTEMBER] [2023] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: 19/9/23	Arsenic	7.95	mg/L ¹
			Barium		mg/L
		Obtained:	Beryllium		mg/L
			Cadmium		mg/L
		Published: 23/10/2023	Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm ²
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc	mg/L				
SWL	m ³				
EPA ID No. 13 - PZH002	Quarterly	Sampled: 19/9/23	Arsenic		mg/L
			Barium		mg/L
		Obtained:	Beryllium		mg/L
			Cadmium		mg/L
		Published: 23/10/2023	Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
pH	pH Unit				

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate Vanadium Zinc SWL	25.77	mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled: 19/9/23 Obtained: Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	55.66	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled: 19/9/23 Obtained: DRY Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled: 19/9/23 Obtained:	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		Published: 23/10/2023	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	9.13	mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: 19/9/23 Obtained: 11/10/23 Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.003 0.024 0.001 0.0001 2810 0.001 0.009 11000 0.021 1.07 0.009 0.243 0.0001 0.006 7.38 2480 0.01 0.067 32.09	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: 19/9/23 Obtained: 11/10/23 Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese	0.002 0.113 0.001 0.0001 2710 0.002 0.004 11000 0.001 1.19 0.003 1.94	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

EPA ID No. 22 - PZH013	Quarterly	Sampled: 19/9/23 Obtained: D/M/Y Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: 19/9/23 Obtained: D/M/Y Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	42.82	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: 19/9/23 Obtained: D/M/Y Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	48.98	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: 19/9/23 Obtained: D/M/Y Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	38.25	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: 19/9/23 Obtained: D/M/Y Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L pH Unit mg/L

		Published: 23/10/2023	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.002 13000 0.019 0.33 0.002 0.049 0.0001 0.007 7.93 2350 0.01 0.136 44.09	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: 19/9/23 Obtained: DRY Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: 19/9/23 Obtained: DRY Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
--	--	--	--	--	--

[SEPTEMBER] [2023] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 15/9/23	Arsenic	0.01	mg/L
			Barium	0.028	mg/L
		Obtained: 26/9/23	Beryllium	0.01	mg/L
			Cadmium	0.0011	mg/L
		Published: 23/10/2023	Chloride	8980	mg/L
			Chromium	0.016	mg/L
			Cobalt	0.015	mg/L
			Conductivity (EC)	31000	µS/cm
			Copper	0.079	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.21	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.161	mg/L
		pH	8.18	pH Unit	
		Sulfate	4410	mg/L	
		Vanadium	0.1	mg/L	
Zinc	0.147	mg/L			
SWL	5.46	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 15/9/23	Arsenic	0.002	mg/L
			Barium	0.025	mg/L
		Obtained: 26/9/23	Beryllium	0.001	mg/L
			Cadmium	0.0017	mg/L
		Published: 23/10/2023	Chloride	7450	mg/L
			Chromium	0.002	mg/L
			Cobalt	0.02	mg/L
			Conductivity (EC)	24300	µS/cm
			Copper	0.159	mg/L
			Iron	0.89	mg/L
			Lead	0.001	mg/L
			Manganese	1.34	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.037	mg/L
		pH	8.28	pH Unit	
		Sulfate	3160	mg/L	
		Vanadium	0.01	mg/L	
Zinc	0.256	mg/L			
SWL	11.19	m			

			Vanadium Zinc SWL	17.76	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 28/9/23 Obtained: Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.88	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 28/9/23 Obtained: Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.04	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 15/9/23 Obtained: 26/9/23	Arsenic Barium Beryllium Cadmium Chloride	0.001 0.032 0.001 0.0002 5630	mg/L mg/L mg/L mg/L mg/L

		Published: 23/10/2023	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.006 18200 0.01 0.62 0.001 0.187 0.0001 0.004 8.03 2030 0.01 0.071 22.25	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 5/9/23 Obtained: 26/9/23 Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.006 0.001 0.0051 3780 0.005 0.011 17200 0.055 0.08 0.001 0.18 0.0001 0.01 7.74 4340 0.01 0.276 13.12	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 5/9/23 Obtained: 26/9/23 Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.001 0.021 0.001 0.0026 8030 0.001 0.04 26900 0.183 0.16 0.002 0.347 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.019	mg/L
			pH	7.39	pH Unit
			Sulfate	3620	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.267	mg/L
			SWL	10.09	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 5/9/23 Obtained: 26/9/23 Published: 23/10/2023	Arsenic	0.095	mg/L
			Barium	0.01	mg/L
			Beryllium	0.11	mg/L
			Cadmium	4.88	mg/L
			Chloride	1980	mg/L
			Chromium	0.462	mg/L
			Cobalt	81.9	mg/L
			Conductivity (EC)	35000	µS/cm
			Copper	360	mg/L
			Iron	63.1	mg/L
			Lead	0.01	mg/L
			Manganese	649	mg/L
			Mercury	0.0001	mg/L
			Nickel	28.4	mg/L
			pH	3.6	pH Unit
			Sulfate	46400	mg/L
			Vanadium	0.14	mg/L
			Zinc	413	mg/L
			SWL	12.05	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 5/9/23 Obtained: DRY Published: 23/10/2023	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m

EPA ID No. 17 - GIP293	Monthly	Sampled: 5/9/23	Arsenic	0.04	mg/L
			Barium	0.01	mg/L
		Obtained: 26/9/23	Beryllium	0.02	mg/L
			Cadmium	2.26	mg/L
		Published: 23/10/2023	Chloride	4340	mg/L
			Chromium	0.01	mg/L
			Cobalt	31.9	mg/L
			Conductivity (EC)	40200	µS/cm
			Copper	56.5	mg/L
			Iron	0.13	mg/L
			Lead	0.01	mg/L
			Manganese	442	mg/L
			Mercury	0.0008	mg/L
			Nickel	11.9	mg/L
		pH	3.91	pH Unit	
		Sulfate	30900	mg/L	
		Vanadium	0.1	mg/L	
Zinc	128	mg/L			
SWL	14.89	m			
EPA ID No. 18 - GIP294	Monthly	Sampled: 5/9/23	Arsenic	0.01	mg/L
			Barium	0.013	mg/L
		Obtained: 26/9/23	Beryllium	0.01	mg/L
			Cadmium	0.428	mg/L
		Published: 23/10/2023	Chloride	1750	mg/L
			Chromium	0.01	mg/L
			Cobalt	5.21	mg/L
			Conductivity (EC)	30000	µS/cm
			Copper	13.4	mg/L
			Iron	0.68	mg/L
			Lead	0.01	mg/L
			Manganese	34.1	mg/L
			Mercury	0.0001	mg/L
			Nickel	1.87	mg/L
		pH	6.83	pH Unit	
		Sulfate	20700	mg/L	
		Vanadium	0.1	mg/L	
Zinc	26.2	mg/L			
SWL	14.19	m			
EPA ID No. 19 - GIP295	Monthly	Sampled: 15/9/23	Arsenic	0.01	mg/L
			Barium	0.038	mg/L
		Obtained: 26/9/23	Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
		Published: 23/10/2023	Chloride	9600	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
Conductivity (EC)	30700	µS/cm			

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.1 0.01 0.308 0.0001 0.01 7.74 3130 0.1 0.05 18.09	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - GIP296	Monthly	Sampled: 15/9/23 Obtained: 26/9/23 Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.009 0.001 0.0006 549 0.001 0.01 10200 0.035 0.05 0.001 0.083 0.0001 0.012 7.46 4920 0.01 0.118 9.78	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 21 - GIP297	Monthly	Sampled: 15/9/23 Obtained: 26/9/23 Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate	0.005 0.001 0.001 0.0002 92 0.001 0.001 1260 0.019 0.06 0.001 0.033 0.0001 0.002 7.86 310	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium	0.01	mg/L
			Zinc	0.065	mg/L
			SWL	27.29	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 15/9/23 Obtained: 26/9/23 Published: 23/10/2023	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	10000	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	31400	µS/cm
			Copper	0.047	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.057	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	8.05	pH Unit
			Sulfate	3240	mg/L
			Vanadium	0.1	mg/L
Zinc	0.152	mg/L			
SWL	22.54	m			
EPA ID No. 23 - GIP299	Monthly	Sampled: 7/9/23 Obtained: 26/9/23 Published: 23/10/2023	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.004	mg/L
			Chloride	6680	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	33400	µS/cm
			Copper	0.01	mg/L
			Iron	0.91	mg/L
			Lead	0.01	mg/L
			Manganese	0.397	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.38	pH Unit
			Sulfate	14000	mg/L
			Vanadium	0.1	mg/L
Zinc	0.055	mg/L			
SWL	32.77	m			
EPA ID No. 24 - GIP300	Monthly	Sampled: 7/9/23 Obtained: 26/9/23 Published:	Arsenic	0.01	mg/L
			Barium	0.026	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0567	mg/L
			Chloride	10400	mg/L

		23/10/2023	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.05 1.59 37700 0.12 0.16 0.01 21.9 0.0001 0.61 7.14 10600 0.1 2.96 21.25	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 15/9/23 Obtained: 26/9/23 Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.05 0.001 0.0002 1900 0.001 0.009 9950 0.013 4.93 0.001 6.08 0.0001 0.004 7.39 2520 0.01 0.025 15.12	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 5/9/23 Obtained: 26/9/23 Published: 23/10/2023	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.01 0.01 0.01 0.0063 9500 0.033 0.064 32100 0.19 0.64 0.01 1.26 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.326	mg/L
			pH	7.52	pH Unit
			Sulfate	5070	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.323	mg/L
			SWL	17.09	m
EPA ID No. 27 - GIP313	Monthly	Sampled: 5/9/23	Arsenic	0.037	mg/L
			Barium	0.036	mg/L
		Obtained: 26/9/23	Beryllium	0.087	mg/L
			Cadmium	4.44	mg/L
		Published: 23/10/2023	Chloride	3640	mg/L
			Chromium	0.011	mg/L
			Cobalt	68.3	mg/L
			Conductivity (EC)	40500	µS/cm
			Copper	222	mg/L
			Iron	0.37	mg/L
			Lead	0.01	mg/L
			Manganese	804	mg/L
			Mercury	0.0006	mg/L
			Nickel	22.8	mg/L
		pH	3.6	pH Unit	
		Sulfate	50300	mg/L	
Vanadium	0.1	mg/L			
Zinc	311	mg/L			
SWL	10.83	m			
EPA ID No. 28 – AT001	Monthly	Sampled: 19/9/23	Arsenic	0.001	mg/L
			Barium	0.058	mg/L
		Obtained: 11/10/23	Beryllium	0.001	mg/L
			Cadmium	0.0005	mg/L
		Published: 23/10/2023	Chloride	6350	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.007	mg/L
			Conductivity (EC)	19300	µS/cm
			Copper	0.034	mg/L
			Iron	0.57	mg/L
			Lead	0.001	mg/L
			Manganese	0.294	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.006	mg/L
		pH	7.67	pH Unit	
		Sulfate	1550	mg/L	
Vanadium	0.01	mg/L			
Zinc	0.07	mg/L			
SWL	41.95	m			

EPA ID No. 29 – AT002	Monthly	Sampled: 19/9/23	Arsenic	0.001	mg/L
			Barium	0.049	mg/L
			Beryllium	0.001	mg/L
		Obtained: 11/10/23	Cadmium	0.0005	mg/L
			Chloride	8080	mg/L
			Chromium	0.001	mg/L
		Published: 23/10/2023	Cobalt	0.001	mg/L
			Conductivity (EC)	24200	µS/cm
			Copper	0.001	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.059	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.004	mg/L
			pH	7.42	pH Unit
			Sulfate	1980	mg/L
			Vanadium	0.01	mg/L
Zinc	0.012	mg/L			
SWL	36.58	m			
EPA ID No. 30 – AT003	Monthly	Sampled: 19/9/23	Arsenic	0.02	mg/L
			Barium	0.003	mg/L
			Beryllium	0.001	mg/L
		Obtained: 11/10/23	Cadmium	0.0001	mg/L
			Chloride	6540	mg/L
			Chromium	0.001	mg/L
		Published: 23/10/2023	Cobalt	0.002	mg/L
			Conductivity (EC)	21100	µS/cm
			Copper	0.012	mg/L
			Iron	0.2	mg/L
			Lead	0.001	mg/L
			Manganese	0.014	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.006	mg/L
			pH	7.77	pH Unit
			Sulfate	1600	mg/L
			Vanadium	0.04	mg/L
Zinc	0.142	mg/L			
SWL	35.95	m			