



**Aeris**

TRITTON COPPER OPERATIONS

# Tritton and Girilambone Operations

## Monthly Environmental Monitoring Report

[April] [2020]

---

**Environmental Protection License 11254**

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

*<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>*

**Environmental Protection License 4501**

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

*<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>*

**[APRIL] [2020] – GROUNDWATER MONITORING REPORT**  
**TRITTON COPPER OPERATIONS LICENCE NO.11254**

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled:  Obtained:  Published: 21/05/2020	Arsenic		mg/L <sup>1</sup>
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm <sup>2</sup>
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL		m <sup>3</sup>			
EPA ID No. 13 - PZH002	Quarterly	Sampled:  Obtained:  Published: 21/05/2020	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit

<sup>1</sup> Milligrams per litre

<sup>2</sup> Microsiemens per centimetre

<sup>3</sup> Metres

			Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled:  Obtained:  Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled:  Obtained:  Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled:  Obtained:	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		Published: 21/05/2020	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled:  Obtained:  Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled:  Obtained:  Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled:  Obtained:  Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled:  Obtained:  Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m

EPA ID No. 22 - PZH013	Quarterly	Sampled:  Obtained:  Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled:  Obtained:  Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled:  Obtained:  Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: 21/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.027 0.001 0.0001 3860 0.002 0.001 12300 0.012 3.31 0.001 0.085 0.0001 0.001 7.87 1030 0.01 0.01 44.81	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: 21/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate	0.001 0.028 0.001 0.0003 8870 0.006 0.001 25500 0.004 0.23 0.001 0.356 0.0001 0.004 7.7 2720	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium	0.01	mg/L
			Zinc	0.035	mg/L
			SWL	20.95	m
EPA ID No. 27 - PZH019	Quarterly	Sampled: 21/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.004	mg/L
			Barium	0.02	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	3590	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	11400	µS/cm
			Copper	0.006	mg/L
			Iron	0.07	mg/L
			Lead	0.001	mg/L
			Manganese	0.019	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.019	mg/L
			pH	7.79	pH Unit
			Sulfate	880	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.057	mg/L
			SWL	96.03	m
EPA ID No. 28 - PZH020	Quarterly	Sampled: 21/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.001	mg/L
			Barium	0.016	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	4220	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.002	mg/L
			Conductivity (EC)	13400	µS/cm
			Copper	0.008	mg/L
			Iron	0.09	mg/L
			Lead	0.001	mg/L
			Manganese	0.092	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.004	mg/L
			pH	7.75	pH Unit
			Sulfate	1220	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.022	mg/L
			SWL	72.91	m
EPA ID No. 29 - PZH021	Quarterly	Sampled: 21/4/20 Obtained: 8/5/20 Published:	Arsenic	0.001	mg/L
			Barium	0.055	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	5260	mg/L



		21/05/2020	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.001 16300 0.003 9.29 0.001 1.28 0.0001 0.001 7.69 1670 0.01 0.015 48.43	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: 21/4/20 Obtained: DRY Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: 21/4/20 Obtained: DRY Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
--	--	--	--	--	--

**[APRIL] [2020] – GROUNDWATER MONITORING REPORT**  
**GIRILAMBONE OPERATIONS LICENCE NO.4501**

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 29/4/20	Arsenic	0.01	mg/L
			Barium	0.024	mg/L
			Beryllium	0.01	mg/L
		Obtained: 8/5/20	Cadmium	0.0013	mg/L
			Chloride	8730	mg/L
			Chromium	0.01	mg/L
		Published: 21/05/2020	Cobalt	0.015	mg/L
			Conductivity (EC)	30300	µS/cm
			Copper	0.045	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.329	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.027	mg/L
			pH	7.64	pH Unit
			Sulfate	4460	mg/L
			Vanadium	0.1	mg/L
Zinc	0.124	mg/L			
SWL	9.97	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 28/4/20	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 8/5/20	Cadmium	0.001	mg/L
			Chloride	7510	mg/L
			Chromium	0.01	mg/L
		Published: 21/05/2020	Cobalt	0.01	mg/L
			Conductivity (EC)	32300	µS/cm
			Copper	0.033	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.172	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.38	pH Unit
			Sulfate	12000	mg/L
			Vanadium	0.1	mg/L
Zinc	0.056	mg/L			
SWL	13.43	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: 22/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.01	mg/L
			Barium	0.012	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	8920	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	26200	µS/cm
			Copper	0.01	mg/L
			Iron	0.22	mg/L
			Lead	0.01	mg/L
			Manganese	0.062	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.012	mg/L
			pH	7.59	pH Unit
			Sulfate	2570	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	24.76	m			
EPA ID No. 5 - GIP273	Quarterly	Sampled: 22/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.01	mg/L
			Barium	0.022	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0017	mg/L
			Chloride	11300	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	33500	µS/cm
			Copper	0.029	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.026	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.24	pH Unit
			Sulfate	3230	mg/L
			Vanadium	0.1	mg/L
Zinc	0.081	mg/L			
SWL	17.5	m			
EPA ID No. 7 - GIP274	Monthly	Sampled: 27/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	11400	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	31700	µS/cm

			Copper	0.01	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.01	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.53	pH Unit
			Sulfate	3270	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	19.95	m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 22/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.01	mg/L
			Barium	0.024	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0032	mg/L
			Chloride	10900	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.011	mg/L
			Conductivity (EC)	31000	µS/cm
			Copper	0.086	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.13	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.012	mg/L
			pH	7.43	pH Unit
			Sulfate	3200	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.108	mg/L
			SWL	21.58	m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 22/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.001	mg/L
			Barium	0.021	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	1020	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.003	mg/L
			Conductivity (EC)	4680	µS/cm
			Copper	0.003	mg/L
			Iron	0.33	mg/L
			Lead	0.001	mg/L
			Manganese	0.12	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.83	pH Unit
			Sulfate	391	mg/L

			Vanadium	0.01	mg/L
			Zinc	0.013	mg/L
			SWL	18.79	m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 27/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.01	mg/L
			Barium	0.016	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	9290	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	26500	µS/cm
			Copper	0.01	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.01	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.025	mg/L
			pH	7.46	pH Unit
			Sulfate	2700	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	25.89	m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 23/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.01	mg/L
			Barium	0.029	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	9590	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	27100	µS/cm
			Copper	0.036	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.01	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.47	pH Unit
			Sulfate	2760	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	24.97	m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 29/4/20 Obtained: 8/5/20 Published:	Arsenic	0.001	mg/L
			Barium	0.031	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0003	mg/L
			Chloride	5570	mg/L

		21/05/2020	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.002 19200 0.026 0.15 0.001 0.047 0.0001 0.004 7.9 1780 0.01 0.155 22.64	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 28/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.012 0.001 0.0352 4110 0.001 0.21 16800 0.048 0.08 0.001 8.75 0.0001 0.018 7.16 4200 0.01 0.465 16.67	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 27/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.01 0.031 0.01 0.001 9210 0.01 0.036 26500 0.01 1.15 0.01 0.833 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.024	mg/L
			pH	7.5	pH Unit
			Sulfate	2820	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.051	mg/L
			SWL	13.61	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 22/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.081	mg/L
			Barium	0.01	mg/L
			Beryllium	0.114	mg/L
			Cadmium	3.52	mg/L
			Chloride	1970	mg/L
			Chromium	0.195	mg/L
			Cobalt	61.8	mg/L
			Conductivity (EC)	33000	µS/cm
			Copper	237	mg/L
			Iron	134	mg/L
			Lead	0.01	mg/L
			Manganese	551	mg/L
			Mercury	0.0001	mg/L
			Nickel	17.3	mg/L
			pH	3.62	pH Unit
			Sulfate	36400	mg/L
			Vanadium	0.16	mg/L
			Zinc	240	mg/L
			SWL	12.56	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 22/4/20 Obtained: DRY Published: 21/05/2020	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	10.31	m



EPA ID No. 17 - GIP293	Monthly	Sampled: 29/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.018	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	1.43	mg/L
			Chloride	6030	mg/L
			Chromium	0.013	mg/L
			Cobalt	18.6	mg/L
			Conductivity (EC)	39200	µS/cm
			Copper	24.3	mg/L
			Iron	0.17	mg/L
			Lead	0.01	mg/L
			Manganese	327	mg/L
			Mercury	0.0003	mg/L
			Nickel	6.34	mg/L
			pH	4.4	pH Unit
			Sulfate	26400	mg/L
			Vanadium	0.1	mg/L
Zinc	56.5	mg/L			
SWL	18.71	m			
EPA ID No. 18 - GIP294	Monthly	Sampled: 14/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.01	mg/L
			Barium	0.033	mg/L
			Beryllium	0.01	mg/L
			Cadmium	1	mg/L
			Chloride	2830	mg/L
			Chromium	0.01	mg/L
			Cobalt	9.82	mg/L
			Conductivity (EC)	33300	µS/cm
			Copper	45.2	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	87.1	mg/L
			Mercury	0.0001	mg/L
			Nickel	3.87	mg/L
			pH	6.68	pH Unit
			Sulfate	23900	mg/L
			Vanadium	0.1	mg/L
Zinc	52.8	mg/L			
SWL	18.76	m			
EPA ID No. 19 - GIP295	Monthly	Sampled: 22/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.01	mg/L
			Barium	0.05	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	10400	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	30000	µS/cm

			Copper	0.023	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.422	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.53	pH Unit
			Sulfate	2850	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.062	mg/L
			SWL	18.92	m
EPA ID No. 20 - GIP296	Monthly	Sampled: 28/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.001	mg/L
			Barium	0.014	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0005	mg/L
			Chloride	1740	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.007	mg/L
			Conductivity (EC)	15200	µS/cm
			Copper	0.055	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.098	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.007	mg/L
			pH	7.6	pH Unit
			Sulfate	5290	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.072	mg/L
			SWL	13.67	m
EPA ID No. 21 - GIP297	Monthly	Sampled: 22/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.005	mg/L
			Barium	0.001	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0013	mg/L
			Chloride		mg/L
			Chromium	0.001	mg/L
			Cobalt	0.014	mg/L
			Conductivity (EC)		µS/cm
			Copper	0.056	mg/L
			Iron	0.08	mg/L
			Lead	0.001	mg/L
			Manganese	0.098	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.007	mg/L
			pH		pH Unit
			Sulfate		mg/L

			Vanadium	0.01	mg/L
			Zinc	0.084	mg/L
			SWL	27.67	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 27/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	10900	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	31100	µS/cm
			Copper	0.01	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.051	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.54	pH Unit
			Sulfate	3060	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	23.04	m
EPA ID No. 23 - GIP299	Monthly	Sampled: 23/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0031	mg/L
			Chloride	7040	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	29800	µS/cm
			Copper	0.01	mg/L
			Iron	0.87	mg/L
			Lead	0.01	mg/L
			Manganese	0.541	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.37	pH Unit
			Sulfate	11100	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	32.81	m
EPA ID No. 24 - GIP300	Monthly	Sampled: 23/4/20 Obtained: 8/5/20 Published:	Arsenic	0.01	mg/L
			Barium	0.04	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0015	mg/L
			Chloride	11400	mg/L

		21/05/2020	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.301 0.017 33700 0.045 2.12 0.01 0.291 0.0001 0.534 7.58 3900 0.1 0.05 23.28	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 23/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.016 0.001 0.0021 1450 0.001 0.003 7470 0.054 0.05 0.001 0.493 0.0001 0.01 7.54 1300 0.01 0.115 17.56	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 27/4/20 Obtained: 8/5/20 Published: 21/05/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.01 0.01 0.01 0.0452 7700 0.06 0.217 29000 0.673 0.47 0.01 14.1 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.759	mg/L
			pH	7.24	pH Unit
			Sulfate	9590	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.646	mg/L
			SWL	21.76	m