



# Tritton and Girilambone Operations

## Monthly Environmental Monitoring Report

[April] [2022]

---

### **Environmental Protection License 11254**

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

*<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>*

### **Environmental Protection License 4501**

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

*<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>*

**[APRIL] [2022] – GROUNDWATER MONITORING REPORT**  
**TRITTON OPERATIONS LICENCE NO.11254**

<b>Licensee: TRITTON RESOURCES LIMITED</b>					
<b>EPL No. 11254</b>					
<b>Sample Point</b>	<b>Monitoring Frequency</b>	<b>Date</b>	<b>Parameter</b>	<b>Measurement</b>	<b>Unit</b>
EPA ID No. 12 - PZH001	Quarterly	Sampled:  Obtained:  Published: 13/06/2022	Arsenic		mg/L <sup>1</sup>
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm <sup>2</sup>
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL		m <sup>3</sup>			
EPA ID No. 13 - PZH002	Quarterly	Sampled:  Obtained:  Published: 13/06/2022	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit

<sup>1</sup> Milligrams per litre

<sup>2</sup> Microsiemens per centimetre

<sup>3</sup> Metres

			Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled:  Obtained:  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled: 30/11/18  Obtained:	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		11/12/18  Published: 13/06/2022	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled:  Obtained:  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m

EPA ID No. 22 - PZH013	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL		mg/L mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L



		Published: 13/06/2022	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
--	--	--	--	--	--

**[APRIL] [2022] – GROUNDWATER MONITORING REPORT**  
**GIRILAMBONE OPERATIONS LICENCE NO.4501**

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 21/4/22	Arsenic	0.01	mg/L
			Barium	0.032	mg/L
		Obtained: 11/5/22	Beryllium	0.01	mg/L
			Cadmium	0.0011	mg/L
		Published: 13/06/2022	Chloride	8340	mg/L
			Chromium	0.015	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	27300	µS/cm
			Copper	0.037	mg/L
			Iron	0.14	mg/L
			Lead	0.01	mg/L
			Manganese	0.175	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.154	mg/L
			pH	7.95	pH Unit
		Sulfate	3750	mg/L	
		Vanadium	0.1	mg/L	
Zinc	0.111	mg/L			
SWL	8.73	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 21/4/22	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
		Obtained: 11/5/22	Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
		Published: 13/06/2022	Chloride	7210	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	31800	µS/cm
			Copper	0.049	mg/L
			Iron	0.19	mg/L
			Lead	0.01	mg/L
			Manganese	0.157	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.9	pH Unit
		Sulfate	11600	mg/L	
		Vanadium	0.1	mg/L	
Zinc	0.114	mg/L			
SWL	13.61	m			





			Vanadium Zinc SWL	17.56	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 28/4/22  Obtained: 11/5/22  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.65	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 28/4/22  Obtained: 11/5/22  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.03	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 21/4/22  Obtained: 11/5/22	Arsenic Barium Beryllium Cadmium Chloride	0.001 0.03 0.001 0.0005 4780	mg/L mg/L mg/L mg/L mg/L

		Published: 13/06/2022	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.002 17100 0.024 0.11 0.001 0.061 0.0001 0.002 8.07 1520 0.01 0.118 22.81	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 21/4/22 Obtained: 11/5/22 Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.014 0.001 0.0254 3890 0.001 0.158 16500 0.16 0.11 0.001 7.35 0.0001 0.018 7.72 3920 0.01 0.392 15.72	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 14/4/22 Obtained: 11/5/22 Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.001 0.022 0.001 0.0014 8320 0.001 0.014 25700 0.082 0.07 0.001 0.195 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.008	mg/L
			pH	7.8	pH Unit
			Sulfate	2710	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.075	mg/L
			SWL	10.91	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 11/4/22 Obtained: 11/5/22 Published: 13/06/2022	Arsenic	0.041	mg/L
			Barium	0.01	mg/L
			Beryllium	0.128	mg/L
			Cadmium	4.04	mg/L
			Chloride	1860	mg/L
			Chromium	0.192	mg/L
			Cobalt	57.8	mg/L
			Conductivity (EC)	30100	µS/cm
			Copper	252	mg/L
			Iron	120	mg/L
			Lead	0.01	mg/L
			Manganese	502	mg/L
			Mercury	0.0001	mg/L
			Nickel	20.9	mg/L
			pH	3.57	pH Unit
			Sulfate	37100	mg/L
			Vanadium	0.17	mg/L
			Zinc	271	mg/L
			SWL	9.65	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 11/4/22  Obtained: DRY  Published: 13/06/2022	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	10.31	m



EPA ID No. 17 - GIP293	Monthly	Sampled: 20/4/22 Obtained: 11/5/22  Published: 13/06/2022	Arsenic	0.034	mg/L
			Barium	0.01	mg/L
			Beryllium	0.036	mg/L
			Cadmium	3.06	mg/L
			Chloride	4210	mg/L
			Chromium	0.026	mg/L
			Cobalt	39.2	mg/L
			Conductivity (EC)	38400	µS/cm
			Copper	80.4	mg/L
			Iron	0.61	mg/L
			Lead	0.01	mg/L
			Manganese	532	mg/L
			Mercury	0.0005	mg/L
			Nickel	15.9	mg/L
			pH	3.97	pH Unit
			Sulfate	38500	mg/L
			Vanadium	0.1	mg/L
Zinc	155	mg/L			
SWL	14.91	m			
EPA ID No. 18 - GIP294	Monthly	Sampled: 11/4/22 Obtained: 11/5/22 Published: 13/06/2022	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.356	mg/L
			Chloride	2580	mg/L
			Chromium	0.01	mg/L
			Cobalt	4.25	mg/L
			Conductivity (EC)	30000	µS/cm
			Copper	8.67	mg/L
			Iron	0.11	mg/L
			Lead	0.01	mg/L
			Manganese	26.8	mg/L
			Mercury	0.0001	mg/L
			Nickel	1.59	mg/L
			pH	7.38	pH Unit
			Sulfate	18900	mg/L
			Vanadium	0.1	mg/L
Zinc	20.2	mg/L			
SWL	13.48	m			
EPA ID No. 19 - GIP295	Monthly	Sampled: 21/4/22 Obtained: 11/5/22 Published: 13/06/2022	Arsenic	0.01	mg/L
			Barium	0.041	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	9360	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.017	mg/L
			Conductivity (EC)	30100	µS/cm

			Copper	0.053	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.594	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.89	pH Unit
			Sulfate	2620	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.078	mg/L
			SWL	18.74	m
EPA ID No. 20 - GIP296	Monthly	Sampled: 11/4/22 Obtained: 11/5/22 Published: 13/06/2022	Arsenic	0.001	mg/L
			Barium	0.009	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0007	mg/L
			Chloride	759	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.011	mg/L
			Conductivity (EC)	12700	µS/cm
			Copper	0.048	mg/L
			Iron	0.08	mg/L
			Lead	0.001	mg/L
			Manganese	0.109	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.005	mg/L
			pH	7.89	pH Unit
			Sulfate	5660	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.067	mg/L
			SWL	8.67	m
EPA ID No. 21 - GIP297	Monthly	Sampled: 19/4/22 Obtained: 11/5/22 Published: 13/06/2022	Arsenic	0.005	mg/L
			Barium	0.002	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0003	mg/L
			Chloride	140	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.002	mg/L
			Conductivity (EC)	1330	µS/cm
			Copper	0.034	mg/L
			Iron	0.06	mg/L
			Lead	0.001	mg/L
			Manganese	0.064	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.85	pH Unit
			Sulfate	264	mg/L

			Vanadium	0.01	mg/L
			Zinc	0.053	mg/L
			SWL	26.71	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 19/4/22 Obtained: 11/5/22 Published: 13/06/2022	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	9820	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	30600	µS/cm
			Copper	0.018	mg/L
			Iron	0.26	mg/L
			Lead	0.01	mg/L
			Manganese	0.093	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.88	pH Unit
			Sulfate	2660	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	22.71	m			
EPA ID No. 23 - GIP299	Monthly	Sampled: 19/4/22 Obtained: 11/5/22 Published: 13/06/2022	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.004	mg/L
			Chloride	6370	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	30200	µS/cm
			Copper	0.01	mg/L
			Iron	0.17	mg/L
			Lead	0.01	mg/L
			Manganese	0.345	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.73	pH Unit
			Sulfate	11800	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	34.46	m			
EPA ID No. 24 - GIP300	Monthly	Sampled: 20/4/22 Obtained: 11/5/22 Published:	Arsenic	0.01	mg/L
			Barium	0.031	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0064	mg/L
			Chloride	10200	mg/L

		13/06/2022	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.042 0.108 34300 0.018 0.19 0.01 2.51 0.0001 0.09 7.65 6620 0.1 0.101 22.26	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled:  Obtained:  Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 20/4/22 Obtained: 11/5/22 Published: 13/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.01 0.01 0.01 0.0054 8860 0.049 0.063 30200 0.436 0.33 0.01 0.901 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.224	mg/L
			pH	7.8	pH Unit
			Sulfate	5370	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.327	mg/L
			SWL	17.09	m