



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[December] [2020]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[DECEMBER] [2020] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: Obtained: Published: 29/01/2021	Arsenic		mg/L ¹
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm ²
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL		m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled: Obtained: Published: 29/01/2021	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled: Obtained: Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled: Obtained: Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled: Obtained:	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		Published: 29/01/2021	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: Obtained: Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: 10/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese	0.001 0.179 0.001 0.0012 2620 0.001 0.008 10200 0.062 0.05 0.001 0.156	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury	0.0001	mg/L
			Nickel	0.02	mg/L
			pH	7.74	pH Unit
			Sulfate	1720	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.111	mg/L
			SWL	42.27	m
EPA ID No. 19 - PZH008	Quarterly	Sampled: 9/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic	0.003	mg/L
			Barium	0.018	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0013	mg/L
			Chloride	3860	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.007	mg/L
			Conductivity (EC)	13200	µS/cm
			Copper	0.079	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.099	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.004	mg/L
			pH	7.68	pH Unit
			Sulfate	1750	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.128	mg/L
			SWL	18.67	m
EPA ID No. 20 - PZH009	Quarterly	Sampled: 10/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic	0.001	mg/L
			Barium	0.044	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0011	mg/L
			Chloride	5050	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.008	mg/L
			Conductivity (EC)	16900	µS/cm
			Copper	0.077	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.25	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.019	mg/L
			pH	7.8	pH Unit
			Sulfate	2220	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.132	mg/L
			SWL	14.64	m

EPA ID No. 22 - PZH013	Quarterly	Sampled: 10/12/20 Obtained: DRY Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: 8/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.008 0.001 0.0005 4260 0.001 0.003 14400 0.038 0.05 0.001 0.029 0.0001 0.008 7.61 1790 0.01 0.1 46.36	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: 8/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.001 0.011 0.001 0.0005 4450 0.001 0.003 16100	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.043 0.11 0.001 0.043 0.0001 0.008 7.65 2650 0.01 0.112 49.49	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL		mg/L mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: D/M/Y Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		Published: 29/01/2021	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
--	--	--	--	--	--

[DECEMBER] [2020] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 16/12/20	Arsenic	0.01	mg/L
			Barium	0.012	mg/L
			Beryllium	0.01	mg/L
		Obtained: 23/12/20	Cadmium	0.0012	mg/L
			Chloride	8800	mg/L
			Chromium	0.01	mg/L
		Published: 29/01/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	30700	µS/cm
			Copper	0.024	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.155	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.075	mg/L
			pH	7.79	pH Unit
			Sulfate	3500	mg/L
			Vanadium	0.1	mg/L
Zinc	0.074	mg/L			
SWL	8.64	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 15/12/20	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 23/12/20	Cadmium	0.001	mg/L
			Chloride	6730	mg/L
			Chromium	0.01	mg/L
		Published: 29/01/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	32500	µS/cm
			Copper	0.016	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.264	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.47	pH Unit
			Sulfate	10800	mg/L
			Vanadium	0.1	mg/L
Zinc	0.097	mg/L			
SWL	12.22	m			

EPA ID No. 4 - GIP234	Quarterly	<p>Sampled: 22/12/20 Obtained:</p> <p>Published: 29/01/2021</p>	<p>Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL</p>	25.07	<p>mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m</p>
EPA ID No. 5 - GIP273	Quarterly	<p>Sampled: 22/12/20 Obtained:</p> <p>Published: 29/01/2021</p>	<p>Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL</p>	17.51	<p>mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m</p>
EPA ID No. 7 - GIP274	Monthly	<p>Sampled: 8/12/20</p> <p>Obtained: 23/12/20</p> <p>Published: 29/01/2021</p>	<p>Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)</p>	<p>0.01 0.01 0.01 0.001 9960 0.01 0.01 30600</p>	<p>mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm</p>

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.1 0.01 0.021 0.0001 0.01 7.66 3000 0.1 0.05 19.62	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 22/12/20 Obtained: Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	 21.51	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 22/12/20 Obtained: Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL	18.43	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 22/12/20 Obtained: Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	26.11	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 22/12/20 Obtained: Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.09	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 22/12/20 Obtained:	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		Published: 29/01/2021	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	23.06	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 16/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.014 0.001 0.0299 3830 0.001 0.159 16700 0.038 0.05 0.001 6.96 0.0001 0.016 7.4 3420 0.01 0.36 16.15	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 10/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.001 0.026 0.001 0.0032 7620 0.001 0.037 25200 0.054 0.05 0.001 0.542 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.016	mg/L
			pH	7.76	pH Unit
			Sulfate	2670	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.264	mg/L
			SWL	12.46	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 7/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic	0.053	mg/L
			Barium	0.01	mg/L
			Beryllium	0.125	mg/L
			Cadmium	3.94	mg/L
			Chloride	1950	mg/L
			Chromium	0.231	mg/L
			Cobalt	55.6	mg/L
			Conductivity (EC)	30200	µS/cm
			Copper	246	mg/L
			Iron	147	mg/L
			Lead	0.01	mg/L
			Manganese	509	mg/L
			Mercury	0.0001	mg/L
			Nickel	19.9	mg/L
			pH	3.6	pH Unit
			Sulfate	38000	mg/L
			Vanadium	0.18	mg/L
			Zinc	261	mg/L
			SWL	11.45	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 7/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	10.32	m

EPA ID No. 17 - GIP293	Monthly	Sampled: 15/12/20	Arsenic	0.1	mg/L
			Barium	0.1	mg/L
			Beryllium	0.1	mg/L
		Obtained:	Cadmium	2.66	mg/L
			Chloride	4110	mg/L
			Chromium	0.1	mg/L
		Published: 29/01/2021	Cobalt	33.4	mg/L
			Conductivity (EC)	43100	µS/cm
			Copper	55.3	mg/L
			Iron	1	mg/L
			Lead	0.1	mg/L
			Manganese	580	mg/L
			Mercury	0.0002	mg/L
			Nickel	12.8	mg/L
			pH	4.09	pH Unit
			Sulfate	35600	mg/L
			Vanadium	1	mg/L
Zinc	128	mg/L			
SWL	17.25	m			
EPA ID No. 18 - GIP294	Monthly	Sampled: 9/12/20	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 23/12/20	Cadmium	2.28	mg/L
			Chloride	1960	mg/L
			Chromium	0.01	mg/L
		Published: 29/01/2021	Cobalt	27.6	mg/L
			Conductivity (EC)	44500	µS/cm
			Copper	108	mg/L
			Iron	0.14	mg/L
			Lead	0.01	mg/L
			Manganese	273	mg/L
			Mercury	0.0004	mg/L
			Nickel	9.72	mg/L
			pH	5.35	pH Unit
			Sulfate	42700	mg/L
			Vanadium	0.1	mg/L
Zinc	144	mg/L			
SWL	16.94	m			
EPA ID No. 19 - GIP295	Monthly	Sampled: 7/12/20	Arsenic	0.01	mg/L
			Barium	0.044	mg/L
			Beryllium	0.01	mg/L
		Obtained: 23/12/20	Cadmium	0.0033	mg/L
			Chloride	8630	mg/L
			Chromium	0.01	mg/L
		Published: 29/01/2021	Cobalt	0.047	mg/L
			Conductivity (EC)	28700	µS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.115 0.1 0.01 0.905 0.0001 0.019 7.53 2740 0.1 0.279 18.92	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - GIP296	Monthly	Sampled: 15/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.014 0.001 0.0022 2390 0.001 0.018 16700 0.028 0.05 0.001 0.437 0.0001 0.012 7.53 6470 0.01 0.129 12.02	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 21 - GIP297	Monthly	Sampled: 8/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate	0.004 0.001 0.001 0.0002 101 0.001 0.002 1120 0.031 0.05 0.001 0.06 0.0001 0.002 7.92 216	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium	0.01	mg/L
			Zinc	0.034	mg/L
			SWL	26.53	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 16/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0012	mg/L
			Chloride	10500	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	30500	µS/cm
			Copper	0.06	mg/L
			Iron	1.05	mg/L
			Lead	0.01	mg/L
			Manganese	0.457	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.56	pH Unit
			Sulfate	2630	mg/L
			Vanadium	0.1	mg/L
Zinc	0.068	mg/L			
SWL	22.56	m			
EPA ID No. 23 - GIP299	Monthly	Sampled: 16/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0038	mg/L
			Chloride	6540	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	32900	µS/cm
			Copper	0.01	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.436	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.56	pH Unit
			Sulfate	11500	mg/L
			Vanadium	0.1	mg/L
Zinc	0.067	mg/L			
SWL	33.77	m			
EPA ID No. 24 - GIP300	Monthly	Sampled: 16/12/20 Obtained: 23/12/20	Arsenic	0.01	mg/L
			Barium	0.025	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0027	mg/L
			Chloride	10700	mg/L

		Published: 29/01/2021	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.019 33500 0.025 0.1 0.01 0.277 0.0001 0.569 7.81 3030 0.1 0.074 22.92	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 8/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.014 0.001 0.0015 1370 0.001 0.018 7230 0.075 0.05 0.001 0.183 0.0001 0.006 7.84 1260 0.01 0.113 15.99	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 14/12/20 Obtained: 23/12/20 Published: 29/01/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.01 0.01 0.01 0.252 5720 0.01 2.95 32700 0.177 0.76 0.01 94.9 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	1.53	mg/L
			pH	6.76	pH Unit
			Sulfate	14500	mg/L
			Vanadium	0.1	mg/L
			Zinc	5.55	mg/L
			SWL	19.61	m