



Aeris

TRITTON COPPER OPERATIONS

Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[February] [2020]

Environmental Protection License 11254

TRITTON COPPER OPERATIONS

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER OPERATIONS

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[NOVEMBER] [2018] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: 21/2/20 Obtained: 6/3/20 Published: 1/04/2020	Arsenic	0.002	mg/L ¹
			Barium	0.013	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	3950	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	15100	µS/cm ²
			Copper	0.018	mg/L
			Iron	0.23	mg/L
			Lead	0.001	mg/L
			Manganese	0.022	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.003	mg/L
			pH	7.65	pH Unit
			Sulfate	2310	mg/L
			Vanadium	0.01	mg/L
Zinc	0.018	mg/L			
SWL	13.17	m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled: 12/2/20 Obtained: 26/2/20 Published: 1/04/2020	Arsenic	0.001	mg/L
			Barium	0.022	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0008	mg/L
			Chloride	3510	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.004	mg/L
			Conductivity (EC)	13500	µS/cm
			Copper	0.011	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.081	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.005	mg/L
			pH	7.69	pH Unit
			Sulfate	1740	mg/L

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Vanadium	0.01	mg/L
			Zinc	0.051	mg/L
			SWL	33.33	m
EPA ID No. 14 - PZH003	Quarterly	Sampled: 12/2/20 Obtained: 26/2/20 Published: 1/04/2020	Arsenic	0.001	mg/L
			Barium	0.019	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0009	mg/L
			Chloride	0.001	mg/L
			Chromium	0.006	mg/L
			Cobalt	18600	mg/L
			Conductivity (EC)	0.023	µS/cm
			Copper	0.05	mg/L
			Iron	0.001	mg/L
			Lead	0.148	mg/L
			Manganese	0.0001	mg/L
			Mercury	0.011	mg/L
			Nickel	7.59	mg/L
			pH	2110	pH Unit
			Sulfate	0.01	mg/L
			Vanadium	5330	mg/L
			Zinc	0.128	mg/L
			SWL	61.87	m
EPA ID No. 15 - PZH004	Quarterly	Sampled: 12/2/20 Obtained: DRY Published: 1/04/2020	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 16 - PZH005	Quarterly	Sampled: 21/2/20 Obtained: 6/3/20 Published: 1/04/2020	Arsenic	0.002	mg/L
			Barium	0.015	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0006	mg/L
			Chloride	4850	mg/L
			Chromium	0.001	mg/L

			Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 16600 0.036 0.33 0.003 0.016 0.0001 0.027 7.56 1320 0.01 0.061 13.23	mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: 21/2/20 Obtained: 6/3/20 Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.003 0.023 0.001 0.0001 2590 0.003 0.007 11200 0.018 0.8 0.008 0.204 0.0001 0.005 7.14 2400 0.01 0.015 37.92	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

			Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 22 - PZH013	Quarterly	Sampled: D/M/Y Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		Published: 1/04/2020	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L

			pH Sulfate Vanadium Zinc SWL		pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: D/M/Y Obtained:	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		D/M/Y Published: 1/04/2020	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m

[FEBRUARY] [2020] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 26/2/20 Obtained: 6/3/20 Published: 1/04/2020	Arsenic	0.01	mg/L
			Barium	0.028	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0018	mg/L
			Chloride	8810	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.018	mg/L
			Conductivity (EC)	31700	µS/cm
			Copper	0.045	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.329	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.031	mg/L
			pH	7.54	pH Unit
			Sulfate	4260	mg/L
			Vanadium	0.1	mg/L
Zinc	0.114	mg/L			
SWL	9.74	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 26/2/20 Obtained: 6/3/20 Published: 1/04/2020	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	6580	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	33900	µS/cm
			Copper	0.034	mg/L
			Iron	0.12	mg/L
			Lead	0.01	mg/L
			Manganese	0.213	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.35	pH Unit
			Sulfate	11800	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	13.29	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: 20/2/20 Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	24.90	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 20/2/20 Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	17.34	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 10/2/20 Obtained: 26/2/20 Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper	0.01 0.01 0.01 0.001 10100 0.01 0.01 32900 0.01	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L

			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.01	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.49	pH Unit
			Sulfate	2820	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	19.74	m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 20/2/20 Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 20/2/20 Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc	21.35	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L

			SWL	18.24	m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 20/2/20 Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 20/2/20 Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.87	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 20/2/20 Obtained: D/M/Y Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	24.89	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	22.88	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 24/2/20 Obtained: 6/3/20 Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.014 0.001 0.0396 3700 0.001 0.203 17100 0.039 0.05 0.001 11 0.0001 0.016 6.98 4280 0.01 0.408 16.49	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 10/2/20 Obtained: 26/2/20 Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium	0.001 0.031 0.001 0.0002 8170 0.004 0.043 27500 0.017 0.87 0.001 0.798 0.0001 0.026 7.43 2470 0.01	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L

			Zinc SWL	0.047 13.35	mg/L m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 10/2/20 Obtained: 26/2/20 Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.033 0.01 0.125 3.51 2420 0.149 55.3 34700 258 134 0.01 524 0.0001 19.4 3.72 39200 0.12 261 14.18	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 10/2/20 Obtained: DRY Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 17 - GIP293	Monthly	Sampled: 19/2/20 Obtained: 26/2/20 Published: 1/04/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt	0.01 0.01 0.01 1.22 6040 0.01 14.3	mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			Conductivity (EC)	40900	µS/cm
			Copper	21.9	mg/L
			Iron	0.57	mg/L
			Lead	0.01	mg/L
			Manganese	272	mg/L
			Mercury	0.0002	mg/L
			Nickel	5.49	mg/L
			pH	4.49	pH Unit
			Sulfate	27800	mg/L
			Vanadium	0.1	mg/L
			Zinc	53.1	mg/L
			SWL	18.95	m
EPA ID No. 18 - GIP294	Monthly	Sampled: 19/2/20 Obtained: 6/3/20 Published: 1/04/2020	Arsenic	0.01	mg/L
			Barium	0.037	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.899	mg/L
			Chloride	2470	mg/L
			Chromium	0.01	mg/L
			Cobalt	10.3	mg/L
			Conductivity (EC)	34100	µS/cm
			Copper	29.9	mg/L
			Iron	0.15	mg/L
			Lead	0.01	mg/L
			Manganese	86	mg/L
			Mercury	0.0001	mg/L
			Nickel	3.57	mg/L
			pH	6.72	pH Unit
			Sulfate	22000	mg/L
			Vanadium	0.1	mg/L
			Zinc	54.8	mg/L
			SWL	18.51	m
EPA ID No. 19 - GIP295	Monthly	Sampled: 19/2/20 Obtained: 6/3/20 Published: 1/04/2020	Arsenic	0.01	mg/L
			Barium	0.044	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	9020	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	30800	µS/cm
			Copper	0.041	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.393	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.45	pH Unit
			Sulfate	2870	mg/L

			Vanadium	0.1	mg/L
			Zinc	0.058	mg/L
			SWL	18.82	m
EPA ID No. 20 - GIP296	Monthly	Sampled: 10/2/20 Obtained: 26/2/20 Published: 1/04/2020	Arsenic	0.001	mg/L
			Barium	0.015	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.002	mg/L
			Chloride	1670	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.029	mg/L
			Conductivity (EC)	15400	µS/cm
			Copper	0.119	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.354	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.013	mg/L
			pH	7.51	pH Unit
			Sulfate	4500	mg/L
			Vanadium	0.01	mg/L
Zinc	0.157	mg/L			
SWL	13.53	m			
EPA ID No. 21 - GIP297	Monthly	Sampled: 24/2/20 Obtained: 6/3/20 Published: 1/04/2020	Arsenic	0.005	mg/L
			Barium	0.001	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0002	mg/L
			Chloride	84	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.002	mg/L
			Conductivity (EC)	1160	µS/cm
			Copper	0.016	mg/L
			Iron	0.07	mg/L
			Lead	0.001	mg/L
			Manganese	0.042	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.8	pH Unit
			Sulfate	222	mg/L
			Vanadium	0.01	mg/L
Zinc	0.025	mg/L			
SWL	28.09	m			
EPA ID No. 22 - GIP298	Monthly	Sampled: 24/2/20 Obtained: 6/3/20 Published: 1/04/2020	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	9700	mg/L
Chromium	0.01	mg/L			

			Cobalt	0.01	mg/L
			Conductivity (EC)	32300	µS/cm
			Copper	0.011	mg/L
			Iron	0.12	mg/L
			Lead	0.01	mg/L
			Manganese	0.04	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.51	pH Unit
			Sulfate	3020	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	22.85	m
EPA ID No. 23 - GIP299	Monthly	Sampled: 24/2/20 Obtained: 6/3/20 Published: 1/04/2020	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0038	mg/L
			Chloride	6850	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	33200	µS/cm
			Copper	0.01	mg/L
			Iron	1.58	mg/L
			Lead	0.01	mg/L
			Manganese	0.981	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.36	pH Unit
			Sulfate	10900	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	32.61	m
EPA ID No. 24 - GIP300	Monthly	Sampled: 10/2/20 Obtained: 26/2/20 Published: 1/04/2020	Arsenic	0.01	mg/L
			Barium	0.021	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0017	mg/L
			Chloride	10200	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	35100	µS/cm
			Copper	0.01	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.17	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.059	mg/L
			pH	7.63	pH Unit

			Sulfate	4190	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	23.11	m
EPA ID No. 25 - GIP301	Monthly	Sampled: 24/2/20 Obtained: 6/3/20 Published: 1/04/2020	Arsenic	0.001	mg/L
			Barium	0.018	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0011	mg/L
			Chloride	2200	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.002	mg/L
			Conductivity (EC)	11200	µS/cm
			Copper	0.024	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.218	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.004	mg/L
			pH	7.73	pH Unit
			Sulfate	1950	mg/L
			Vanadium	0.01	mg/L
Zinc	0.057	mg/L			
SWL	17.37	m			
EPA ID No. 26 - GIP302	Monthly	Sampled: 25/2/20 Obtained: 6/3/20 Published: 1/04/2020	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0391	mg/L
			Chloride	6660	mg/L
			Chromium	0.075	mg/L
			Cobalt	0.198	mg/L
			Conductivity (EC)	30400	µS/cm
			Copper	0.629	mg/L
			Iron	0.79	mg/L
			Lead	0.01	mg/L
			Manganese	14	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.303	mg/L
			pH	7.04	pH Unit
			Sulfate	9020	mg/L
			Vanadium	0.1	mg/L
Zinc	0.43	mg/L			
SWL	21.61	m			