



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[February] [2021]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[FEBRUARY] [2021] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: 24/2/21	Arsenic	0.001	mg/L ¹
			Barium	0.01	mg/L
			Beryllium	0.001	mg/L
		Obtained: 5/3/21	Cadmium	0.0001	mg/L
			Chloride	3870	mg/L
			Chromium	0.001	mg/L
		Published: 1/04/2021	Cobalt	0.001	mg/L
			Conductivity (EC)	13800	µS/cm ²
			Copper	0.011	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.001	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.93	pH Unit
			Sulfate	2300	mg/L
Vanadium	0.01	mg/L			
Zinc	0.019	mg/L			
SWL	13.88	m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled: 24/2/21	Arsenic	0.001	mg/L
			Barium	0.014	mg/L
			Beryllium	0.001	mg/L
		Obtained: 5/3/21	Cadmium	0.0001	mg/L
			Chloride	3230	mg/L
			Chromium	0.001	mg/L
		Published: 1/04/2021	Cobalt	0.001	mg/L
			Conductivity (EC)	11700	µS/cm
			Copper	0.006	mg/L
			Iron	0.22	mg/L
			Lead	0.001	mg/L
			Manganese	0.201	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.84	pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate	1970	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.014	mg/L
			SWL	34.19	m
EPA ID No. 14 - PZH003	Quarterly	Sampled: 24/2/21	Arsenic	0.001	mg/L
			Barium	0.021	mg/L
		Obtained: 5/3/21	Beryllium	0.001	mg/L
			Cadmium	0.0002	mg/L
			Chloride	5120	mg/L
			Chromium	0.001	mg/L
		Published: 1/04/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	16400	µS/cm
			Copper	0.009	mg/L
			Iron	1.1	mg/L
			Lead	0.001	mg/L
			Manganese	0.226	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.012	mg/L
			pH	7.88	pH Unit
			Sulfate	2370	mg/L
Vanadium	0.01	mg/L			
Zinc	0.038	mg/L			
SWL	62.62	m			
EPA ID No. 15 - PZH004	Quarterly	Sampled: 24/2/21	Arsenic		mg/L
			Barium		mg/L
		Obtained: DRY	Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 1/04/2021	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
Vanadium		mg/L			
Zinc		mg/L			
SWL		m			
EPA ID No. 16 - PZH005	Quarterly	Sampled: 24/2/21	Arsenic	0.003	mg/L
			Barium	0.014	mg/L
		Obtained:	Beryllium	0.001	mg/L
			Cadmium	0.0002	mg/L

		5/3/21 Published: 1/04/2021	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	4780 0.001 0.001 14300 0.018 0.05 0.001 0.093 0.0001 0.043 7.83 1270 0.01 0.037 14.04	mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: 24/2/21 Obtained: 5/3/21 Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.002 0.024 0.001 0.0002 2610 0.001 0.009 9860 0.014 0.34 0.001 0.223 0.0001 0.006 7.71 2300 0.01 0.03 38.58	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID	Quarterly	Sampled:	Arsenic		mg/L

No. 22 - PZH013		D/M/Y Obtained: D/M/Y Published: 1/04/2021	Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L

			Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L

			Zinc SWL		mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: D/M/Y Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride Chromium		mg/L mg/L mg/L mg/L mg/L mg/L

		Published: 1/04/2021	Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			<p>pH</p> <p>Sulfate</p> <p>Vanadium</p> <p>Zinc</p> <p>SWL</p>		<p>pH Unit</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>m</p>
--	--	--	-----------------------------------------------------------------	--	-------------------------------------------------------------

[FEBRUARY] [2021] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 23/2/21	Arsenic	0.001	mg/L
			Barium	0.042	mg/L
			Beryllium	0.001	mg/L
		Obtained: 5/3/21	Cadmium	0.001	mg/L
			Chloride	6320	mg/L
			Chromium	0.03	mg/L
		Published: 1/04/2021	Cobalt	0.005	mg/L
			Conductivity (EC)	21600	µS/cm
			Copper	0.042	mg/L
			Iron	0.59	mg/L
			Lead	0.003	mg/L
			Manganese	0.126	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.198	mg/L
			pH	7.9	pH Unit
			Sulfate	3160	mg/L
			Vanadium	0.01	mg/L
Zinc	0.081	mg/L			
SWL	8.42	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 16/2/21	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 4/3/21	Cadmium	0.002	mg/L
			Chloride	6790	mg/L
			Chromium	0.01	mg/L
		Published: 1/04/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	32200	µS/cm
			Copper	0.029	mg/L
			Iron	0.23	mg/L
			Lead	0.01	mg/L
			Manganese	0.272	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.56	pH Unit
			Sulfate	11100	mg/L
			Vanadium	0.1	mg/L
Zinc	0.07	mg/L			
SWL	13.21	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: 24/2/21 Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	24.74	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 24/2/21 Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	17.57	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 16/2/21 Obtained: 4/3/21 Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.01 0.011 0.01 0.0016 9740 0.01 0.01 31700	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.12 0.01 0.01 0.0001 0.01 7.64 3130 0.1 0.05 19.68	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 24/2/21 Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	21.45	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 24/2/21 Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL	18.43	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 24/2/21 Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 24/2/21 Obtained: D/M/Y Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 24/2/21 Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		Published: 1/04/2021	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	23.11	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 16/2/21 Obtained: 4/3/21 Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.015 0.001 0.0355 3600 0.001 0.173 16400 0.052 0.13 0.004 8.97 0.0001 0.014 7.53 3990 0.01 0.384 16.18	mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 16/2/21 Obtained: 4/3/21 Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.001 0.027 0.001 0.0032 8130 0.001 0.032 26500 0.031 0.09 0.003 0.515 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.013	mg/L
			pH	7.68	pH Unit
			Sulfate	2710	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.164	mg/L
			SWL	12.27	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 16/2/21 Obtained: 4/3/21 Published: 1/04/2021	Arsenic	0.067	mg/L
			Barium	0.01	mg/L
			Beryllium	0.113	mg/L
			Cadmium	3.82	mg/L
			Chloride	1920	mg/L
			Chromium	0.224	mg/L
			Cobalt	56.3	mg/L
			Conductivity (EC)	33000	µS/cm
			Copper	249	mg/L
			Iron	128	mg/L
			Lead	0.01	mg/L
			Manganese	504	mg/L
			Mercury	0.0001	mg/L
			Nickel	19.6	mg/L
			pH	3.69	pH Unit
			Sulfate	37100	mg/L
			Vanadium	0.17	mg/L
			Zinc	252	mg/L
			SWL	11.96	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 16/2/21 Obtained: DRY Published: 1/04/2021	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	10.32	m
EPA ID No. 17 -	Monthly	Sampled: 15/2/21	Arsenic	0.056	mg/L
			Barium	0.018	mg/L

GIP293		Obtained: 4/3/21 Published: 1/04/2021	Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.015 2.2 4620 0.027 27.2 41500 47.5 0.51 0.01 420 0.0002 10.3 4.24 33400 0.1 104 17.15	mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 18 - GIP294	Monthly	Sampled: 15/2/21 Obtained: 4/3/21 Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.045 0.048 0.01 0.991 2440 0.01 11.1 34200 26.7 0.1 0.01 75 0.0001 3.86 6.77 23600 0.1 57.4 16.01	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	Sampled: 18/2/21 Obtained: 4/3/21 Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron	0.01 0.039 0.01 0.0029 9020 0.01 0.01 29700 0.01 0.19	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L

			Lead	0.01	mg/L
			Manganese	0.627	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.58	pH Unit
			Sulfate	2780	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL	19.09	m
EPA ID No. 20 - GIP296	Monthly	Sampled: 15/2/21	Arsenic	0.003	mg/L
			Barium	0.017	mg/L
		Obtained: 4/3/21	Beryllium	0.001	mg/L
			Cadmium	0.0045	mg/L
		Published: 1/04/2021	Chloride	1560	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.053	mg/L
			Conductivity (EC)	14800	µS/cm
			Copper	0.152	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.741	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.025	mg/L
			pH	7.78	pH Unit
			Sulfate	5460	mg/L
			Vanadium	0.01	mg/L
Zinc	0.238	mg/L			
SWL	9.78	m			
EPA ID No. 21 - GIP297	Monthly	Sampled: 16/2/21	Arsenic	0.006	mg/L
			Barium	0.001	mg/L
		Obtained: 4/3/21	Beryllium	0.001	mg/L
			Cadmium	0.0005	mg/L
		Published: 1/04/2021	Chloride	90	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.003	mg/L
			Conductivity (EC)	1120	µS/cm
			Copper	0.064	mg/L
			Iron	0.09	mg/L
			Lead	0.001	mg/L
			Manganese	0.068	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.003	mg/L
			pH	7.57	pH Unit
			Sulfate	215	mg/L
			Vanadium	0.01	mg/L
Zinc	0.065	mg/L			

			SWL	26.35	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 18/2/21	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 4/3/21	Cadmium	0.001	mg/L
			Chloride	9510	mg/L
			Chromium	0.01	mg/L
		Published: 1/04/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	30600	µS/cm
			Copper	0.01	mg/L
			Iron	0.21	mg/L
			Lead	0.01	mg/L
			Manganese	0.081	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.65	pH Unit
			Sulfate	2950	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	22.72	m			
EPA ID No. 23 - GIP299	Monthly	Sampled: 18/2/21	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 4/3/21	Cadmium	0.0033	mg/L
			Chloride	6520	mg/L
			Chromium	0.01	mg/L
		Published: 1/04/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	32500	µS/cm
			Copper	0.01	mg/L
			Iron	0.16	mg/L
			Lead	0.01	mg/L
			Manganese	0.373	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.57	pH Unit
			Sulfate	12100	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	33.95	m			
EPA ID No. 24 - GIP300	Monthly	Sampled: 18/2/21	Arsenic	0.01	mg/L
			Barium	0.048	mg/L
			Beryllium	0.01	mg/L
		Obtained: 4/3/21	Cadmium	0.0022	mg/L
			Chloride	10200	mg/L
		Published:	Chromium	0.04	mg/L
			Cobalt	0.01	mg/L

		1/04/2021	Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	33400 0.026 0.14 0.01 0.145 0.0001 0.418 7.86 3460 0.1 0.097 23.02	µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 15/2/21 Obtained: 4/3/21 Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.018 0.001 0.0028 1560 0.001 0.002 8300 0.046 0.05 0.001 0.353 0.0001 0.01 7.74 1280 0.01 0.124 15.91	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 15/2/21 Obtained: 4/3/21 Published: 1/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH	0.01 0.01 0.01 0.0299 7210 0.029 0.192 29500 0.5 0.28 0.01 9.41 0.0001 0.369 7.59	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

			Sulfate	7600	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.545	mg/L
			SWL	19.49	m