



# Tritton and Girilambone Operations

## Monthly Environmental Monitoring Report

[June] [2022]

---

### **Environmental Protection License 11254**

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

*<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>*

### **Environmental Protection License 4501**

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

*<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>*

**[JUNE] [2022] – GROUNDWATER MONITORING REPORT**  
**TRITTON OPERATIONS LICENCE NO.11254**

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled:  Obtained:  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L <sup>1</sup> mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm <sup>2</sup> mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m <sup>3</sup>
EPA ID No. 13 - PZH002	Quarterly	Sampled:  Obtained:  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH		mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

<sup>1</sup> Milligrams per litre

<sup>2</sup> Microsiemens per centimetre

<sup>3</sup> Metres

			Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled:  Obtained:  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled:  Obtained:	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		Published: 4/08/2022	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled:  Obtained:  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: 21/6/22  Obtained: 7/7/22  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese	0.004 0.086 0.001 0.0001 2200 0.001 0.006 7970 0.016 0.68 0.001 1.54	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury	0.0001	mg/L
			Nickel	0.007	mg/L
			pH	7.83	pH Unit
			Sulfate	932	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.025	mg/L
			SWL	42.56	m
EPA ID No. 19 - PZH008	Quarterly	Sampled: 21/6/22	Arsenic	0.02	mg/L
			Barium	0.019	mg/L
			Beryllium	0.001	mg/L
		Obtained: 7/7/22	Cadmium	0.0002	mg/L
			Chloride	4110	mg/L
			Chromium	0.001	mg/L
		Published: 4/08/2022	Cobalt	0.003	mg/L
			Conductivity (EC)	13800	µS/cm
			Copper	0.017	mg/L
			Iron	0.86	mg/L
			Lead	0.001	mg/L
			Manganese	0.095	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.54	pH Unit
			Sulfate	1540	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.028	mg/L
			SWL	17.39	m
EPA ID No. 20 - PZH009	Quarterly	Sampled: 21/6/22	Arsenic	0.001	mg/L
			Barium	0.048	mg/L
			Beryllium	0.001	mg/L
		Obtained: 7/7/22	Cadmium	0.0009	mg/L
			Chloride	5090	mg/L
			Chromium	0.001	mg/L
		Published: 4/08/2022	Cobalt	0.002	mg/L
			Conductivity (EC)	17900	µS/cm
			Copper	0.071	mg/L
			Iron	0.21	mg/L
			Lead	0.001	mg/L
			Manganese	0.04	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.014	mg/L
			pH	7.97	pH Unit
			Sulfate	2040	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.122	mg/L
			SWL	12.95	m
EPA ID	Quarterly	Sampled:	Arsenic		mg/L

No. 22 - PZH013		21/6/22  Obtained: DRY  Published: 4/08/2022	Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: 21/6/22  Obtained: 7/7/22  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.004 0.046 0.001 0.0013 4850 0.001 0.006 17100 0.067 0.4 0.001 0.126 0.0001 0.011 8.02 1940 0.01 0.124 46.49	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: 21/6/22  Obtained: 7/7/22  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper	0.004 0.041 0.001 0.0014 4250 0.002 0.008 12500 0.102	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L

			Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.44 0.001 0.151 0.0001 0.016 8.1 1680 0.01 0.182 50.49	mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L
EPA ID No. 25 - PZH017	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L

			Zinc SWL		mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride Chromium		mg/L mg/L mg/L mg/L mg/L mg/L



		Published: 4/08/2022	Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: D/M/Y  Obtained: D/M/Y  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			<p>pH</p> <p>Sulfate</p> <p>Vanadium</p> <p>Zinc</p> <p>SWL</p>		<p>pH Unit</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>m</p>
--	--	--	---	--	---

**[JUNE] [2022] – GROUNDWATER MONITORING REPORT**  
**GIRILAMBONE OPERATIONS LICENCE NO.4501**

Licensee: TRITTON RESOURCES LIMITED EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled:	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
		Published:	Chromium		mg/L
		4/08/2022	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
	Zinc		mg/L		
	SWL		m		
EPA ID No. 3 - GIP225	Monthly	Sampled:	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
		Published:	Chromium		mg/L
		4/08/2022	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
	Zinc		mg/L		
	SWL		m		

EPA ID No. 4 - GIP234	Quarterly	Sampled: 21/6/22 Obtained: D/M/Y  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	24.76	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 15/6/22 Obtained: 7/7/22  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.012 0.01 0.0012 8960 0.01 0.012 29400 0.108 0.56 0.043 0.099 0.0001 0.01 7.26 3230 0.1 0.28 17.35	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 20/6/22 Obtained: 7/7/22  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.01 0.01 0.01 0.001 8890 0.01 0.01 30500	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.17 0.01 0.01 0.0001 0.01 7.4 3050 0.1 0.05 19.27	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 21/6/22 Obtained: D/M/Y  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	21.21	mg/L pH Unit mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 21/6/22 Obtained: D/M/Y  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L pH Unit mg/L

			Vanadium Zinc SWL	17.61	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 21/6/22 Obtained: D/M/Y  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.67	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 21/6/22 Obtained: D/M/Y  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.09	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 21/6/22 Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		Published: 4/08/2022	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	22.83	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 20/6/22  Obtained: 7/7/22  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.014 0.001 0.0256 3380 0.001 0.156 14200 0.157 0.12 0.003 7.25 0.0002 0.017 7.11 4030 0.01 0.382 15.71	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled:  Obtained:  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 14/6/22 Obtained: 7/7/22  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.051 0.01 0.093 3.8 1590 0.168 64.9 30600 274 102 0.01 525 0.0001 22.3 3.53 34500 0.18 302 8.62	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 14/6/22  Obtained: D/M/Y  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 17 -	Monthly	Sampled: 14/6/22	Arsenic Barium	0.038 0.01	mg/L mg/L



GIP293		Obtained: 7/7/22  Published: 4/08/2022	Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.023 2.63 3760 0.022 39.4 40600 76.1 0.22 0.01 514 0.0007 14.2 3.88 36100 0.1 153 14.57	mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L mg/L m
EPA ID No. 18 - GIP294	Monthly	Sampled:  Obtained:  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	Sampled:  Obtained:  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L

			Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - GIP296	Monthly	Sampled: 14/6/22 Obtained: 7/7/22 Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.008 0.001 0.0004 665 0.001 0.006 11700 0.023 0.05 0.001 0.053 0.0001 0.005 7.24 5760 0.01 0.047 6.56	mg/L mg/L mg/L mg/L mg/L mg/L mg/L $\mu$ S/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 21 - GIP297	Monthly	Sampled: 20/6/22 Obtained: 7/7/22 Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc	0.005 0.001 0.001 0.0003 117 0.001 0.002 1020 0.032 0.07 0.001 0.058 0.0001 0.001 7.6 218 0.01 0.054	mg/L mg/L mg/L mg/L mg/L mg/L mg/L $\mu$ S/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L

			SWL	27.05	m
EPA ID No. 22 - GIP298	Monthly	Sampled:  Obtained:  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 23 - GIP299	Monthly	Sampled:  Obtained:  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 24 - GIP300	Monthly	Sampled:  Obtained:  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt		mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 14/6/22 Obtained: 7/7/22  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.023 0.001 0.0025 3120 0.001 0.002 11500 0.037 0.05 0.001 1.1 0.0001 0.014 7.59 1680 0.01 0.125 15.57	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 14/6/22 Obtained: 7/7/22  Published: 4/08/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH	0.01 0.01 0.01 0.0044 7820 0.028 0.046 31500 0.326 0.14 0.01 1.01 0.0001 0.156 7.28	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

			Sulfate	5290	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.227	mg/L
			SWL	17.09	m