



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[March] [2021]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[MARCH] [2021] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: Obtained: Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L ¹ mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm ² mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m ³
EPA ID No. 13 - PZH002	Quarterly	Sampled Obtained: Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH		mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L m
EPA ID No. 14 - PZH003	Quarterly	Sampled: Obtained: Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 15 - PZH004	Quarterly	Sampled: Obtained: Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 16 - PZH005	Quarterly	Sampled: Obtained: 11/12/18	Arsenic Barium Beryllium Cadmium		mg/L mg/L mg/L mg/L

		Published: 30/04/2021	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: Obtained: Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: Obtained: Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: Obtained: Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: Obtained: Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID	Quarterly	Sampled:	Arsenic		mg/L

No. 22 - PZH013		Obtained: Published: 30/04/2021	Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: Obtained: Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: Obtained: Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L

			Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L

			Zinc SWL		mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: D/M/Y Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride Chromium		mg/L mg/L mg/L mg/L mg/L mg/L

		Published: 30/04/2021	Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			<p>pH</p> <p>Sulfate</p> <p>Vanadium</p> <p>Zinc</p> <p>SWL</p>		<p>pH Unit</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>m</p>
--	--	--	---	--	---

[MARCH] [2021] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 16/3/21	Arsenic	0.001	mg/L
			Barium	0.087	mg/L
			Beryllium	0.001	mg/L
		Obtained: 19/4/21	Cadmium	0.0002	mg/L
			Chloride	1020	mg/L
			Chromium	0.05	mg/L
		Published: 30/04/2021	Cobalt	0.001	mg/L
			Conductivity (EC)	4780	µS/cm
			Copper	0.038	mg/L
			Iron	0.18	mg/L
			Lead	0.002	mg/L
			Manganese	0.026	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.021	mg/L
			pH	7.83	pH Unit
			Sulfate	487	mg/L
			Vanadium	0.01	mg/L
Zinc	0.032	mg/L			
SWL		m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 10/3/21	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
		Obtained: 19/4/21	Cadmium	0.001	mg/L
			Chloride	6340	mg/L
			Chromium	0.01	mg/L
		Published: 30/04/2021	Cobalt	0.01	mg/L
			Conductivity (EC)	31600	µS/cm
			Copper	0.017	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.267	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.2	pH Unit
			Sulfate	11800	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL		m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 25/3/21 Obtained: D/M/Y Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	17.55	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 25/3/21 Obtained: 19/4/21 Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.01 0.01 0.01 0.001 9090 0.01 0.01 31300	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μ S/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.1 0.01 0.01 0.0001 0.01 7.39 3000 0.1 0.05 19.59	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 25/3/21 Obtained: Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	21.41	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 25/3/21 Obtained: D/M/Y Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL	18.18	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 25/3/21 Obtained: D/M/Y Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.78	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 25/3/21 Obtained: D/M/Y Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.05	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 25/3/21 Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		Published: 30/04/2021	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	23.06	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 23/3/21 Obtained: 19/4/21 Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.014 0.001 0.0321 3450 0.001 0.162 16200 0.045 0.06 0.002 8.38 0.0001 0.013 7.12 3740 0.01 0.377 16.07	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 23/3/21 Obtained: 19/4/21 Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.001 0.026 0.001 0.0026 7470 0.001 0.024 26100 0.033 0.05 0.001 0.408 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.013	mg/L
			pH	7.32	pH Unit
			Sulfate	2550	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.12	mg/L
			SWL	12.09	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 10/3/21 Obtained: 19/4/21 Published: 30/04/2021	Arsenic	0.056	mg/L
			Barium	0.01	mg/L
			Beryllium	0.135	mg/L
			Cadmium	4.19	mg/L
			Chloride	1830	mg/L
			Chromium	0.242	mg/L
			Cobalt	60.6	mg/L
			Conductivity (EC)	32900	µS/cm
			Copper	276	mg/L
			Iron	137	mg/L
			Lead	0.01	mg/L
			Manganese	541	mg/L
			Mercury	0.0001	mg/L
			Nickel	21.1	mg/L
			pH	3.49	pH Unit
			Sulfate	41400	mg/L
			Vanadium	0.17	mg/L
			Zinc	282	mg/L
			SWL		m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 10/3/21 Obtained: DRY Published: 30/04/2021	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 17 -	Monthly	Sampled: 23/3/21	Arsenic	0.026	mg/L
			Barium	0.01	mg/L

GIP293		Obtained: 19/4/21 Published: 30/04/2021	Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.018 2.25 4550 0.025 27.5 40700 48.8 0.44 0.01 432 0.0002 10.7 4.19 33800 0.1 105 16.84	mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 18 - GIP294	Monthly	Sampled: 25/3/21 Obtained: 19/4/21 Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.034 0.01 1.01 2370 0.01 11.1 33700 23.7 0.1 0.01 78.1 0.0001 3.94 6.77 27500 0.1 59.1 15.45	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	Sampled: 16/3/21 Obtained: 19/4/21 Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron	0.01 0.045 0.01 0.001 8400 0.01 0.01 29600 0.019 0.1	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L

			Lead	0.01	mg/L
			Manganese	0.494	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.5	pH Unit
			Sulfate	2680	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.05	mg/L
			SWL		m
EPA ID No. 20 - GIP296	Monthly	Sampled: 16/3/21 Obtained: 19/4/21 Published: 30/04/2021	Arsenic	0.001	mg/L
			Barium	0.018	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.004	mg/L
			Chloride	1500	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.053	mg/L
			Conductivity (EC)	14800	µS/cm
			Copper	0.18	mg/L
			Iron	0.08	mg/L
			Lead	0.001	mg/L
			Manganese	0.758	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.025	mg/L
			pH	7.63	pH Unit
			Sulfate	5130	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.263	mg/L
			SWL		m
EPA ID No. 21 - GIP297	Monthly	Sampled: 24/3/21 Obtained: 19/4/21 Published: 30/04/2021	Arsenic	0.005	mg/L
			Barium	0.001	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0003	mg/L
			Chloride	96	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.003	mg/L
			Conductivity (EC)	1160	µS/cm
			Copper	0.035	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.064	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.63	pH Unit
			Sulfate	208	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.057	mg/L

			SWL	26.24	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 24/3/21 Obtained: 19/4/21 Published: 30/04/2021	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	8690	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	30500	µS/cm
			Copper	0.01	mg/L
			Iron	0.52	mg/L
			Lead	0.01	mg/L
			Manganese	0.081	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.45	pH Unit
			Sulfate	2790	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	22.61	m			
EPA ID No. 23 - GIP299	Monthly	Sampled: 25/3/21 Obtained: 19/4/21 Published: 30/04/2021	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0034	mg/L
			Chloride	6100	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	32400	µS/cm
			Copper	0.01	mg/L
			Iron	0.3	mg/L
			Lead	0.01	mg/L
			Manganese	0.293	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.32	pH Unit
			Sulfate	13100	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	33.86	m			
EPA ID No. 24 - GIP300	Monthly	Sampled: 23/3/21 Obtained: 19/4/21 Published: 30/04/2021	Arsenic	0.01	mg/L
			Barium	0.038	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0025	mg/L
			Chloride	9580	mg/L
			Chromium	0.012	mg/L
			Cobalt	0.01	mg/L

			Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	33300 0.017 0.1 0.01 0.12 0.0001 0.395 7.66 3370 0.1 0.065 22.93	µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 23/3/21 Obtained: 19/4/21 Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.012 0.001 0.0006 1160 0.001 0.001 7250 0.021 0.05 0.001 0.014 0.0001 0.001 7.74 1230 0.01 0.055 15.67	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 25/3/21 Obtained: 19/4/21 Published: 30/04/2021	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH	0.01 0.01 0.01 0.0299 6640 0.018 0.197 29300 0.497 0.1 0.01 9.46 0.0001 0.344 7.32	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

			Sulfate	7340	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.549	mg/L
			SWL	19.22	m