



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[May] [2022]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[MAY] [2022] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: 17/5/22 Obtained: 6/6/22 Published: 24/06/2022	Arsenic	0.001	mg/L ¹
			Barium	0.01	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	3710	mg/L
			Chromium	0.009	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	14400	µS/cm ²
			Copper	0.015	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.006	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.003	mg/L
			pH	7.73	pH Unit
			Sulfate	2220	mg/L
			Vanadium	0.01	mg/L
Zinc	0.03	mg/L			
SWL	8.98	m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled: 17/5/22 Obtained: 6/6/22 Published: 24/06/2022	Arsenic	0.001	mg/L
			Barium	0.016	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	3130	mg/L
			Chromium	0.006	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	12700	µS/cm
			Copper	0.003	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.13	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
pH	7.61	pH Unit			

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate	1940	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.011	mg/L
			SWL	30.17	m
EPA ID No. 14 - PZH003	Quarterly	Sampled: 17/5/22 Obtained: 6/6/22 Published: 24/06/2022	Arsenic	0.001	mg/L
			Barium	0.016	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	3130	mg/L
			Chromium	0.006	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	12700	µS/cm
			Copper	0.003	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.13	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.001	mg/L
			pH	7.61	pH Unit
			Sulfate	1940	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.011	mg/L
			SWL	60.15	m
EPA ID No. 15 - PZH004	Quarterly	Sampled: 17/5/22 Obtained: DRY Published: 24/06/2022	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 16 - PZH005	Quarterly	Sampled: 17/5/22 Obtained: 6/6/22	Arsenic	0.001	mg/L
			Barium	0.014	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0008	mg/L

		Published: 24/06/2022	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	3850 0.009 0.006 14900 0.038 0.26 0.001 0.16 0.0001 0.005 7.84 2230 0.01 0.059 13.89	mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: 17/5/22 Obtained: 6/6/22 Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.013 0.001 0.0009 3930 0.008 0.006 14900 0.038 0.4 0.001 0.166 0.0001 0.004 7.84 2140 0.01 0.058 38.04	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID	Quarterly	Sampled:	Arsenic		mg/L

No. 22 - PZH013		D/M/Y Obtained: D/M/Y Published: 24/06/2022	Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: D/M/Y Obtained: D/M/Y Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L

			Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: 10/5/22 Obtained: 6/6/22 Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.027 0.001 0.0001 3190 0.006 0.001 11900 0.003 0.05 0.001 0.049 0.0001 0.001 7.83 973 0.01 0.009 42.21	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: 10/5/22 Obtained: 6/6/22 Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium	0.001 0.03 0.001 0.0001 7560 0.02 0.001 25500 0.018 0.2 0.001 0.105 0.0001 0.003 7.92 2470 0.01	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L

			Zinc	0.031	mg/L
			SWL	18.71	m
EPA ID No. 27 - PZH019	Quarterly	Sampled: 10/5/22	Arsenic	0.001	mg/L
			Barium	0.034	mg/L
		Obtained: 6/6/22	Beryllium	0.001	mg/L
			Cadmium	0.001	mg/L
		Published: 24/06/2022	Chloride	6670	mg/L
			Chromium	0.017	mg/L
			Cobalt	0.007	mg/L
			Conductivity (EC)	22100	µS/cm
			Copper	0.125	mg/L
			Iron	0.72	mg/L
			Lead	0.001	mg/L
			Manganese	0.171	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.007	mg/L
			pH	7.97	pH Unit
			Sulfate	2080	mg/L
			Vanadium	0.01	mg/L
Zinc	0.126		mg/L		
SWL	93.54	m			
EPA ID No. 28 - PZH020	Quarterly	Sampled: 10/5/22	Arsenic	0.001	mg/L
			Barium	0.037	mg/L
		Obtained: 6/6/22	Beryllium	0.001	mg/L
			Cadmium	0.001	mg/L
		Published: 24/06/2022	Chloride	6650	mg/L
			Chromium	0.017	mg/L
			Cobalt	0.009	mg/L
			Conductivity (EC)	22500	µS/cm
			Copper	0.214	mg/L
			Iron	1.41	mg/L
			Lead	0.003	mg/L
			Manganese	0.193	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.009	mg/L
			pH	8.04	pH Unit
			Sulfate	2120	mg/L
			Vanadium	0.01	mg/L
Zinc	0.183		mg/L		
SWL	72.96	m			
EPA ID No. 29 - PZH021	Quarterly	Sampled: 10/5/22	Arsenic	0.001	mg/L
			Barium	0.068	mg/L
		Obtained: 6/6/22	Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
		Published:	Chloride	4500	mg/L
	Chromium	0.009	mg/L		

		24/06/2022	Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 15600 0.003 5.98 0.001 1.27 0.0001 0.001 7.7 1460 0.01 0.012 48.03	mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: 22/5/22 Obtained: DRY Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: 22/5/22 Obtained: DRY Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			<p>pH</p> <p>Sulfate</p> <p>Vanadium</p> <p>Zinc</p> <p>SWL</p>		<p>pH Unit</p> <p>mg/L</p> <p>mg/L</p> <p>mg/L</p> <p>m</p>
--	--	--	---	--	---

[MAY] [2022] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled:	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
		Published:	Chromium		mg/L
		24/06/2022	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
	Zinc		mg/L		
	SWL		m		
EPA ID No. 3 - GIP225	Monthly	Sampled:	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
		Published:	Chromium		mg/L
		24/06/2022	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
	Zinc		mg/L		
	SWL		m		

EPA ID No. 4 - GIP234	Quarterly	Sampled: 27/5/22 Obtained: D/M/Y Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	24.75	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 24/5/22 Obtained: 6/6/22 Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.024 0.01 0.001 9900 0.02 0.01 32700 0.067 0.36 0.017 0.067 0.0001 0.01 7.27 3060 0.1 0.132 17.31	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: Obtained: Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L
EPA ID No. 6 - GIP276	Quarterly	Sampled: 27/5/22 Obtained: Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	21.23	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 27/5/22 Obtained: D/M/Y Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL	17.58	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 27/5/22 Obtained: D/M/Y Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.65	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 27/5/22 Obtained: D/M/Y Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	25.06	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 27/5/22 Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		Published: 24/06/2022	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	22.83	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 16/5/22 Obtained: 6/6/22 Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.015 0.001 0.0265 3510 0.006 0.159 16100 0.162 0.09 0.002 8.22 0.0001 0.018 7.03 3840 0.01 0.393 15.72	mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: Obtained: Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 16/5/22 Obtained: 6/6/22 Published: 24/06/2022	Arsenic	0.054	mg/L
			Barium	0.01	mg/L
			Beryllium	0.145	mg/L
			Cadmium	4.21	mg/L
			Chloride	1850	mg/L
			Chromium	0.191	mg/L
			Cobalt	61.6	mg/L
			Conductivity (EC)	32400	$\mu\text{S}/\text{cm}$
			Copper	280	mg/L
			Iron	111	mg/L
			Lead	0.01	mg/L
			Manganese	541	mg/L
			Mercury	0.0001	mg/L
			Nickel	22.2	mg/L
			pH	3.57	pH Unit
			Sulfate	35500	mg/L
			Vanadium	0.19	mg/L
			Zinc	307	mg/L
			SWL	10.91	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 16/5/22 Obtained: DRY Published: 24/06/2022	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		$\mu\text{S}/\text{cm}$
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	10.31	m
EPA ID No. 17 -	Monthly	Sampled: 16/5/22	Arsenic	0.076	mg/L
			Barium	0.01	mg/L

GIP293		Obtained: 6/6/22 Published: 24/06/2022	Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.028 3.11 3940 0.057 41 41800 82.5 0.33 0.01 562 0.0001 15.3 3.87 37700 0.1 163 14.92	mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 18 - GIP294	Monthly	Sampled: Obtained: Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	Sampled: Obtained: Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L

			Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - GIP296	Monthly	Sampled: 16/5/22 Obtained: 6/6/22 Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.01 0.001 0.0004 704 0.001 0.004 12500 0.019 0.06 0.001 0.046 0.0001 0.004 7.02 5370 0.01 0.04 7.65	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 21 - GIP297	Monthly	Sampled: 13/5/22 Obtained: 6/6/22 Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc	0.005 0.002 0.001 0.0006 106 0.001 0.006 1070 0.064 0.09 0.001 0.116 0.0001 0.002 7.51 212 0.01 0.084	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L

			SWL	27.03	m
EPA ID No. 22 - GIP298	Monthly	Sampled: Obtained: Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 23 - GIP299	Monthly	Sampled: Obtained: Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 24 - GIP300	Monthly	Sampled: Obtained: Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt		mg/L mg/L mg/L mg/L mg/L mg/L mg/L

			Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 20/5/22 Obtained: 6/6/22 Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.013 0.001 0.0017 2440 0.005 0.007 10400 0.045 0.06 0.001 0.142 0.0001 0.005 7.62 1400 0.01 0.102 13.52	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 16/5/22 Obtained: 6/6/22 Published: 24/06/2022	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH	0.01 0.01 0.01 0.006 8480 0.055 0.065 31200 0.437 0.34 0.01 1.03 0.0001 0.23 7.19	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit

			Sulfate	5250	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.343	mg/L
			SWL	17.07	m