



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[November] [2020]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[NOVEMBER] [2020] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: 23/11/20 Obtained: 10/12/20 Published: 30/12/2020	Arsenic	0.001	mg/L ¹
			Barium	0.018	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.009	mg/L
			Chloride	3930	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.116	mg/L
			Conductivity (EC)	16700	µS/cm ²
			Copper	0.081	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	1.57	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.044	mg/L
			pH	8.32	pH Unit
			Sulfate	2300	mg/L
			Vanadium	0.01	mg/L
Zinc	0.411	mg/L			
SWL	13.81	m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled: 23/11/20 Obtained: 10/12/20 Published: 30/12/2020	Arsenic	0.001	mg/L
			Barium	0.021	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0002	mg/L
			Chloride	3090	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	13700	µS/cm
			Copper	0.006	mg/L
			Iron	0.14	mg/L
			Lead	0.001	mg/L
			Manganese	0.008	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.003	mg/L
			pH	8.32	pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate	1830	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.031	mg/L
			SWL	34.11	m
EPA ID No. 14 - PZH003	Quarterly	Sampled: 23/11/20 Obtained: 10/12/20 Published: 30/12/2020	Arsenic	0.001	mg/L
			Barium	0.02	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0012	mg/L
			Chloride	4620	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.011	mg/L
			Conductivity (EC)	18700	µS/cm
			Copper	0.05	mg/L
			Iron	0.64	mg/L
			Lead	0.002	mg/L
			Manganese	0.208	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.015	mg/L
			pH	8.23	pH Unit
			Sulfate	2310	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.186	mg/L
			SWL	62.51	m
EPA ID No. 15 - PZH004	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 16 - PZH005	Quarterly	Sampled: 23/11/20 Obtained: 10/12/20	Arsenic	0.002	mg/L
			Barium	0.014	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L

		Published: 30/12/2020	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	4280 0.001 0.001 16500 0.015 0.05 0.001 0.053 0.0001 0.041 8.22 1250 0.01 0.033 13.97	mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: 23/11/20 Obtained: 10/12/20 Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.024 0.001 0.0002 2440 0.001 0.007 11300 0.016 0.18 0.003 0.217 0.0001 0.006 8.13 2110 0.01 0.045 38.46	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m

EPA ID No. 22 - PZH013	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL		mg/L mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: Obtained: Published:	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		30/12/2020	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
--	--	--	--	--	--

[MARCH] [2020] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 10/11/20 Obtained: 27/11/20 Published: 30/12/2020	Arsenic	0.01	mg/L
			Barium	0.021	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0011	mg/L
			Chloride	7520	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	31700	µS/cm
			Copper	0.034	mg/L
			Iron	0.12	mg/L
			Lead	0.01	mg/L
			Manganese	0.174	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.076	mg/L
			pH	7.66	pH Unit
			Sulfate	3520	mg/L
			Vanadium	0.1	mg/L
Zinc	0.078	mg/L			
SWL	10.35	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 10/11/20 Obtained: 27/11/20 Published: 30/12/2020	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0011	mg/L
			Chloride	5800	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	33700	µS/cm
			Copper	0.028	mg/L
			Iron	0.34	mg/L
			Lead	0.01	mg/L
			Manganese	0.216	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.5	pH Unit
			Sulfate	10900	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	13.88	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 10/11/20 Obtained: 27/11/20 Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.01 0.01 0.01 0.001 8420 0.01 0.01 33300	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.013 0.2 0.01 0.039 0.0001 0.01 7.58 2770 0.1 0.05 20.42	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 6 - GIP276	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL		mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: Obtained: Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: Obtained: Published:	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		30/12/2020	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 18/11/20 Obtained: 27/11/20 Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.013 0.001 0.032 3370 0.001 0.166 17400 0.036 0.05 0.001 7.93 0.0001 0.014 7.16 3510 0.01 0.341 17.15	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 18/11/20 Obtained: 27/11/20 Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.001 0.026 0.001 0.0025 7020 0.002 0.033 28100 0.034 0.31 0.005 0.552 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.016	mg/L
			pH	7.54	pH Unit
			Sulfate	2510	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.138	mg/L
			SWL	14.04	m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 10/11/20 Obtained: 27/11/20 Published: 30/12/2020	Arsenic	0.055	mg/L
			Barium	0.01	mg/L
			Beryllium	0.124	mg/L
			Cadmium	4	mg/L
			Chloride	1730	mg/L
			Chromium	0.267	mg/L
			Cobalt	58.5	mg/L
			Conductivity (EC)	34800	µS/cm
			Copper	247	mg/L
			Iron	149	mg/L
			Lead	0.01	mg/L
			Manganese	540	mg/L
			Mercury	0.0001	mg/L
			Nickel	20.8	mg/L
			pH	3.67	pH Unit
			Sulfate	30700	mg/L
			Vanadium	0.19	mg/L
			Zinc	270	mg/L
			SWL	11.79	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 10/11/20 Obtained: Published: 30/12/2020	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	10.31	m

EPA ID No. 17 - GIP293	Monthly	Sampled: 11/11/20 Obtained: 27/11/20 Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.022 0.01 0.013 2 4480 0.017 24.5 42800 40.8 0.44 0.01 400 0.0002 9.37 4.2 29000 0.1 91.5 17.84	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 18 - GIP294	Monthly	Sampled: 11/11/20 Obtained: 27/11/20 Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.03 0.01 0.877 1890 0.01 9.74 34800 22.1 0.1 0.01 70.7 0.0001 3.41 6.76 19800 0.1 50.5 19.29	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	Sampled: 11/11/20 Obtained: 27/11/20 Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)	0.01 0.034 0.01 0.001 7860 0.01 0.01 31300	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.1 0.01 0.412 0.0001 0.01 7.55 2540 0.1 0.05 19.26	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 20 - GIP296	Monthly	Sampled: 10/11/20 Obtained: 27/11/20 Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.015 0.001 0.0011 1460 0.001 0.017 15700 0.083 0.05 0.001 0.198 0.0001 0.01 7.76 4580 0.01 0.109 10.41	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 21 - GIP297	Monthly	Sampled: 18/11/20 Obtained: 27/11/20 Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate	0.005 0.001 0.001 0.0002 102 0.001 0.002 1280 0.03 0.12 0.001 0.061 0.0001 0.002 7.15 217	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium	0.01	mg/L
			Zinc	0.041	mg/L
			SWL	28.15	m
EPA ID No. 22 - GIP298	Monthly	Sampled: 18/11/10 Obtained: 27/11/20 Published: 30/12/2020	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	8330	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	32500	µS/cm
			Copper	0.01	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.078	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.58	pH Unit
			Sulfate	2720	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	23.49	m			
EPA ID No. 23 - GIP299	Monthly	Sampled: 18/11/20 Obtained: 27/11/20 Published: 30/12/2020	Arsenic	0.01	mg/L
			Barium	0.01	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0023	mg/L
			Chloride	5770	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	34000	µS/cm
			Copper	0.01	mg/L
			Iron	0.23	mg/L
			Lead	0.01	mg/L
			Manganese	0.347	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.01	mg/L
			pH	7.6	pH Unit
			Sulfate	11200	mg/L
			Vanadium	0.1	mg/L
Zinc	0.05	mg/L			
SWL	33.31	m			
EPA ID No. 24 - GIP300	Monthly	Sampled: 11/11/20 Obtained: 27/11/20 Published:	Arsenic	0.01	mg/L
			Barium	0.032	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.0016	mg/L
			Chloride	8560	mg/L

		30/12/2020	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.081 0.01 34300 0.038 0.35 0.01 0.174 0.0001 0.416 7.78 3110 0.1 0.072 24.12	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 11/11/20 Obtained: 27/11/20 Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.001 0.016 0.001 0.0005 1190 0.001 0.002 7690 0.018 0.08 0.001 0.046 0.0001 0.002 7.75 1220 0.01 0.044 17.93	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 11/11/20 Obtained: 27/11/20 Published: 30/12/2020	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.01 0.01 0.01 0.033 6020 0.039 0.172 30700 0.429 0.32 0.01 11.6 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.524	mg/L
			pH	7.47	pH Unit
			Sulfate	8820	mg/L
			Vanadium	0.1	mg/L
			Zinc	0.43	mg/L
			SWL	22.24	m