



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[August] [2025]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[AUGUST] [2025] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: 09/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 23/09/2025	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	12.80	m
EPA ID No. 13 - PZH002	Quarterly	Sampled: 09/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 23/09//2025	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L

			Vanadium		mg/L
			Zinc		mg/L
			SWL	25.82	m
EPA ID No. 14 - PZH003	Quarterly	Sampled: 09/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 23/09/2025	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	53.34	m
EPA ID No. 15 - PZH004	Quarterly	Sampled: 09/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 23/09/2025	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	73.24	m
EPA ID No. 16 - PZH005	Quarterly	Sampled: 09/08/2025	Arsenic		mg/L
			Barium		mg/L
		Obtained:	Beryllium		mg/L
			Cadmium		mg/L

		Published: 23/09/2025	Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	9.58	m
EPA ID No. 17 - PZH006	Quarterly	Sampled: 09//08/2025	Arsenic		mg/L
			Barium		mg/L
		Obtained:	Beryllium		mg/L
			Cadmium		mg/L
		Published: 23/09/2025	Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	33.08	m
EPA ID No. 18 - PZH007	Quarterly	Sampled: 09/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 23/09/2025	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L

			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	35.88	m
EPA ID No. 19 - PZH008	Quarterly	Sampled: 11/08/2025	Arsenic	0.006	mg/L
			Barium	0.018	mg/L
		Obtained: 21/08/2025	Beryllium	<0.001	mg/L
			Cadmium	<0.0001	mg/L
			Chloride	3800	mg/L
			Chromium	<0.001	mg/L
		Published: 23/09/2025	Cobalt	<0.001	mg/L
			Conductivity (EC)	13800	µS/cm
			Copper	0.01	mg/L
			Iron	0.08	mg/L
			Lead	<0.001	mg/L
			Manganese	0.051	mg/L
			Mercury	<0.0001	mg/L
			Nickel	<0.001	mg/L
			pH	7.61	pH Unit
			Sulfate	1900	mg/L
			Vanadium	<0.01	mg/L
			Zinc	0.013	mg/L
			SWL	14.73	m
EPA ID No. 20 - PZH009	Quarterly	Sampled: 11/08/2025	Arsenic	0.002	mg/L
			Barium	0.02	mg/L
		Obtained: 21/08/2025	Beryllium	<0.001	mg/L
			Cadmium	0.0002	mg/L
			Chloride	5020	mg/L
			Chromium	0.002	mg/L
		Published: 23/09/2025	Cobalt	0.01	mg/L
			Conductivity (EC)	19300	µS/cm
			Copper	0.821	mg/L
			Iron	8.76	mg/L
			Lead	0.005	mg/L
			Manganese	0.225	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.002	mg/L
			pH	7.74	pH Unit
			Sulfate	3140	mg/L
			Vanadium	<0.01	mg/L
			Zinc	0.034	mg/L

			SWL	10.80	m
EPA ID No. 22 - PZH013	Quarterly	Sampled: 09/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 23/09/2025	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	33.21	m
EPA ID No. 23 - PZH014	Quarterly	Sampled:	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published:	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 24 - PZH015	Quarterly	Sampled:	Arsenic		mg/L
			Barium		mg/L
		Obtained:	Beryllium		mg/L
			Cadmium		mg/L
		Published:	Chloride		mg/L
			Chromium		mg/L

			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 25 - PZH017	Quarterly	Sampled: 11/08/2025	Arsenic	<0.001	mg/L
			Barium	0.028	mg/L
		Obtained: 21/08/2025	Beryllium	<0.001	mg/L
			Cadmium	0.0001	mg/L
		Published: 23/09/2025	Chloride	3520	mg/L
			Chromium	<0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	12300	µS/cm
			Copper	0.019	mg/L
			Iron	0.27	mg/L
			Lead	<0.001	mg/L
			Manganese	0.027	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.006	mg/L
			pH	7.91	pH Unit
			Sulfate	800	mg/L
			Vanadium	<0.01	mg/L
			Zinc	0.033	mg/L
			SWL	35.37	m
EPA ID No. 26 - PZH018	Quarterly	Sampled: 11/08/2025	Arsenic	<0.001	mg/L
			Barium	0.009	mg/L
		Obtained: 21/08/2025	Beryllium	<0.001	mg/L
			Cadmium	<0.0001	mg/L
		Published: 23/09/2025	Chloride	6940	mg/L
			Chromium	<0.001	mg/L
			Cobalt	0.002	mg/L
			Conductivity (EC)	25100	µS/cm
			Copper	0.008	mg/L
			Iron	0.41	mg/L
			Lead	<0.001	mg/L
			Manganese	0.037	mg/L
			Mercury	<0.0001	mg/L

			Nickel	0.004	mg/L
			pH	7.67	pH Unit
			Sulfate	5070	mg/L
			Vanadium	<0.01	mg/L
			Zinc	0.026	mg/L
			SWL	12.05	m
EPA ID No. 27 - PZH019	Quarterly	Sampled:	Arsenic		mg/L
			Barium		mg/L
		Obtained:	Beryllium		mg/L
			Cadmium		mg/L
		Published:	Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 28 - PZH020	Quarterly	Sampled: 09/08/2025	Arsenic		mg/L
			Barium		mg/L
		Obtained:	Beryllium		mg/L
			Cadmium		mg/L
		Published: 23/09/2025	Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	56.90	m
	Quarterly	Sampled:	Arsenic		mg/L

EPA ID No. 29 - PZH021		Obtained:	Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published:	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 30 - PZH022	Quarterly	Sampled: 09/08/2025	Arsenic		mg/L
			Barium		mg/L
		Obtained: Dry	Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
		Published: 23/09/2025	Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 31 - PZH023	Quarterly	Sampled: 09/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained: Dry	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm

		Published: 23/09/2025	Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m

[AUGUST] [2025] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 11/08/2025	Arsenic	<0.010	mg/L
			Barium	0.033	mg/L
			Beryllium	<0.010	mg/L
		Obtained: 21/08/2025	Cadmium	<0.0010	mg/L
			Chloride	8490	mg/L
			Chromium	<0.010	mg/L
		Published: 23/09/2025	Cobalt	<0.010	mg/L
			Conductivity (EC)	31000	µS/cm
			Copper	<0.010	mg/L
			Iron	0.5	mg/L
			Lead	<0.010	mg/L
			Manganese	0.049	mg/L
			Mercury	<0.0001	mg/L
			Nickel	<0.010	mg/L
			pH	7.71	pH Unit
			Sulfate	5490	mg/L
			Vanadium	<0.10	mg/L
			Zinc	<0.050	mg/L
			SWL	6.29	m
EPA ID No. 3 - GIP225	Monthly	Sampled: 24/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 23/09/2025	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L

			SWL	12.41	m
EPA ID No. 4 - GIP234	Quarterly	Sampled: 23/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 23/09/2025	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	24.38	m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 24/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 23/09/2025	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	17.22	m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 24/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L

		Published: 23/09/2025	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	21.54	m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 24/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 23/09/2025	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	17.90	m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 24/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 23/09/2025	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L

			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	24.42	m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 24/08/2025	Arsenic		mg/L
			Barium		mg/L
		Obtained:	Beryllium		mg/L
			Cadmium		mg/L
		Published: 23/09/2025	Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	25.12	m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 24/08/2025	Arsenic		mg/L
			Barium		mg/L
		Obtained:	Beryllium		mg/L
			Cadmium		mg/L
		Published: 23/09/2025	Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	22.60	M

EPA ID No. 14 - GIP292A		Sampled: 23/08/2025	Arsenic	0.083	mg/L
			Barium	0.011	mg/L
			Beryllium	0.272	mg/L
		Obtained: 29/08/2025	Cadmium	5.52	mg/L
			Chloride	1960	mg/L
			Chromium	0.4	mg/L
		Published: 23/09/2025	Cobalt	101	mg/L
			Conductivity (EC)	30200	µS/cm
			Copper	452	mg/L
			Iron	672	mg/L
			Lead	0.014	mg/L
			Manganese	533	mg/L
			Mercury	0.0005	mg/L
			Nickel	29.1	mg/L
			pH	3.3	pH Unit
			Sulfate	55500	mg/L
			Vanadium	0.64	mg/L
			Zinc	541	mg/L
			SWL	10.58	m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 23/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained: Dry	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 23/09/2025	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 18 - GIP294	Monthly	Sampled: 23/08/2025	Arsenic	0.01	mg/L
			Barium	<0.010	mg/L
			Beryllium	0.019	mg/L
		Obtained: 29/08/2025	Cadmium	3.96	mg/L
			Chloride	1950	mg/L
			Chromium	<0.010	mg/L

		Published: 23/09/2025	Cobalt	51	mg/L
			Conductivity (EC)	41100	µS/cm
			Copper	320	mg/L
			Iron	3.79	mg/L
			Lead	<0.010	mg/L
			Manganese	325	mg/L
			Mercury	0.0007	mg/L
			Nickel	16.9	mg/L
			pH	4.45	pH Unit
			Sulfate	43600	mg/L
			Vanadium	<0.10	mg/L
			Zinc	285	mg/L
			SWL	14.87	m
EPA ID No. 19 - GIP295	Monthly	Sampled: 24/08/2025	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
		Obtained:	Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
		Published: 23/09/2025	Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL	18.33	m
EPA ID No. 20 - GIP296	Monthly	Sampled: 23/08/2025	Arsenic	0.001	mg/L
			Barium	0.02	mg/L
			Beryllium	<0.001	mg/L
		Obtained: 29/08/2025	Cadmium	0.0002	mg/L
			Chloride	2790	mg/L
			Chromium	0.001	mg/L
		Published: 23/09/2025	Cobalt	0.002	mg/L
			Conductivity (EC)	16300	µS/cm
			Copper	0.018	mg/L
			Iron	0.29	mg/L
			Lead	0.002	mg/L
			Manganese	0.037	mg/L

			Mercury	0.0001	mg/L
			Nickel	0.011	mg/L
			pH	6.91	pH Unit
			Sulfate	6100	mg/L
			Vanadium	<0.01	mg/L
			Zinc	0.071	mg/L
			SWL	9.46	m
EPA ID No. 27 - GIP313	Monthly	Sampled:	Arsenic		mg/L
			Barium		mg/L
		Obtained:	Beryllium		mg/L
			Cadmium		mg/L
		Published:	Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
			Zinc		mg/L
			SWL		m
EPA ID No. 28 – AT001	Monthly	Sampled: 11/08/2025	Arsenic	0.002	mg/L
			Barium	0.035	mg/L
		Obtained: 21/08/2025	Beryllium	<0.001	mg/L
			Cadmium	0.0003	mg/L
		Published: 23/09/2025	Chloride	5950	mg/L
			Chromium	<0.001	mg/L
			Cobalt	0.006	mg/L
			Conductivity (EC)	19500	µS/cm
			Copper	0.009	mg/L
			Iron	0.09	mg/L
			Lead	<0.001	mg/L
			Manganese	0.078	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.004	mg/L
			pH	7.79	pH Unit
			Sulfate	945	mg/L
			Vanadium	<0.01	mg/L
			Zinc	0.027	mg/L
			SWL	46.69	m

EPA ID No. 29 – AT002	Monthly	Sampled: 11/08/2025	Arsenic	0.001	mg/L
			Barium	0.047	mg/L
			Beryllium	<0.001	mg/L
		Obtained: 21/08/2025	Cadmium	0.0004	mg/L
			Chloride	7910	mg/L
			Chromium	0.014	mg/L
		Published: 23/09/2025	Cobalt	0.002	mg/L
			Conductivity (EC)	24200	µS/cm
			Copper	0.006	mg/L
			Iron	0.15	mg/L
			Lead	<0.001	mg/L
			Manganese	0.065	mg/L
			Mercury	0.0006	mg/L
			Nickel	0.004	mg/L
			pH	7.68	pH Unit
			Sulfate	1800	mg/L
			Vanadium	<0.01	mg/L
			Zinc	0.015	mg/L
			SWL	42.01	m
EPA ID No. 30 – AT003	Monthly	Sampled: 11/08/2025	Arsenic	0.019	mg/L
			Barium	0.004	mg/L
			Beryllium	<0.001	mg/L
		Obtained: 21/08/2025	Cadmium	<0.0001	mg/L
			Chloride	6500	mg/L
			Chromium	<0.001	mg/L
		Published: 23/09/2025	Cobalt	0.005	mg/L
			Conductivity (EC)	21000	µS/cm
			Copper	0.003	mg/L
			Iron	0.05	mg/L
			Lead	<0.001	mg/L
			Manganese	0.031	mg/L
			Mercury	<0.0001	mg/L
			Nickel	0.009	mg/L
			pH	7.99	pH Unit
			Sulfate	1400	mg/L
			Vanadium	0.02	mg/L
			Zinc	0.013	mg/L
			SWL	39.55	m