



Aeris
TRITTON OPERATIONS

Annual Review – Avoca Tank Project
Reporting Year Ending: 31 December 2025

Table 1 - Annual Review title block

Name of operation	Avoca Tank Project
Name of operator	Aeris Resources Limited
Development consent / project approval #	DA 10/2015/004/003
Name of holder of development consent / project approval	Tritton Resources Pty Limited
Mining lease #	ML 1818
Name of holder of mining lease	Tritton Resources Limited
Water Licence #	WAL 31041, WAL 9374, WAL 9375 and WAL 9940
Name of holder of water licence	Tritton Resources Limited
RMP start date	2 August 2022
RMP end date	Perpetual
Annual Review start date	1 January 2025
Annual Review end date	31 December 2025
I, William Olson, certify that this audit report is a true and accurate record of the compliance status of the Avoca Tank Project for the 2025 period, and that I am authorised to make this statement on behalf of Aeris Resources. <i>Note.</i> a) <i>The Annual Review is an ‘environmental audit’ for the purposes of section 122B(2) of the Environmental Planning and Assessment Act 1979. Section 122E provides that a person must not include false or misleading information (or provide information for inclusion in) an audit report produced to the Minister in connection with an environmental audit if the person knows that the information is false or misleading in a material respect. The maximum penalty is, in the case of a corporation, \$1 million and for an individual, \$250,000.</i> b) <i>The Crimes Act 1900 contains other offences relating to false and misleading information: section 192G (Intention to defraud by false or misleading statement—maximum penalty 5 years imprisonment); sections 307A, 307B and 307C (False or misleading applications/information/documents—maximum penalty 2 years imprisonment or \$22,000, or both).</i>	
Name of authorised reporting officer	Shae Martin
Title of authorised reporting officer	Health, Safety, Environment Manager
Signature of authorised reporting officer	
Date	30/06/2026

CONTENTS

1. STATEMENT OF COMPLIANCE	6
2. INTRODUCTION.....	7
2.1. Mine Contacts.....	7
3. APPROVALS	10
4. OPERATIONS SUMMARY	11
4.1. Exploration	11
4.2. Land Preparation	11
4.3. Construction	11
4.4. Mining Operations.....	12
4.5. Mineral Processing	12
4.6. Waste Rock Management.....	13
4.7. Ore and Product Stockpiles.....	13
4.8. Water Management.....	13
4.9. Hazardous Material and Waste Management	14
4.9.1. Hazardous Materials	14
4.9.2. General and Recyclable Waste.....	14
4.10. Register of Site Infrastructure	15
4.10.1. Power Supply	15
4.10.2. Ventilation Fans	15
4.10.3. Explosives Magazine	15
5. ACTIONS REQUIRED FROM PREVIOUS ANNUAL REVIEW	17
6. ENVIRONMENTAL PERFORMANCE	18
6.1. Air Quality.....	18
6.1.1. Environmental Management.....	18
6.1.2. Environmental Performance	20
6.1.3. Comparison against predictions	21
6.1.4. Further Improvements.....	22
6.2. Contaminated Land.....	22
6.2.1. Environmental Management.....	22
6.2.2. Environmental Performance	22
6.2.3. Further Improvements.....	23

6.3.	Flora, Fauna and Weeds	23
6.3.1.	Environmental Management.....	23
6.3.2.	Environmental Performance	23
6.3.3.	Comparison against predictions	23
6.3.4.	Further Improvements.....	23
6.4.	Operational Noise	24
6.4.1.	Environmental Management.....	24
6.4.2.	Environmental Performance	24
6.4.3.	Comparison against predictions	25
6.4.4.	Long term analysis.....	25
6.4.5.	Further Improvements.....	25
6.5.	Aboriginal Heritage.....	25
6.5.1.	Environmental Management.....	26
6.5.2.	Environmental Performance	26
6.5.3.	Comparison Against Predictions	26
6.5.4.	Long Term Analysis	27
6.5.5.	Further Improvements.....	27
6.6.	Bushfire	27
6.6.1.	Environmental Management.....	27
6.6.2.	Environmental Performance	28
6.6.3.	Comparison Against Predictions	28
6.6.4.	Long Term Analysis	28
6.6.5.	Further Improvements.....	28
6.7.	Public Safety	29
6.7.1.	Environmental Management.....	29
6.7.2.	Environmental Performance	29
6.7.3.	Long Term Analysis	29
6.7.4.	Further Improvements.....	29
7.	WATER MANAGEMENT	30
7.1.	Surface Water/Erosion and Sediment Control	30
7.1.1.	Environmental Management.....	30
7.1.2.	Environmental Performance	30
7.1.3.	Further Improvements.....	30

7.2. Groundwater	30
7.2.1. Environmental Management.....	30
7.2.2. Environmental Performance	31
7.2.3. Comparison Against Predictions	33
7.2.4. Long Term Analysis	33
7.2.5. Further Improvements.....	34
8. REHABILITATION.....	35
8.1. Rehabilitation Works	35
8.2. Rehabilitation Trials and Research	35
8.3. Rehabilitation Reporting	35
8.4. Rehabilitation Forward Program	35
8.5. Rehabilitation Risk Assessment.....	36
9. COMMUNITY	37
9.1. Environmental Complaints.....	37
9.2. Community Liaison.....	37
10. INDEPENDENT AUDIT	39
11. INCIDENTS AND NON-COMPLIANCES	43
12. ACTIVITIES PROPOSED IN THE NEXT ANNUAL REVIEW REPORTING PERIOD	44
12.1. Management Plan Review	44
12.2. 2026 Actions.....	44
13. REFERENCES	45
APPENDIX 1 DUST MONITORING - INSOLUBLE SOLIDS AND METALS ANALYSIS.....	47
APPENDIX 2 GROUNDWATER MONITORING DATA	49

1. STATEMENT OF COMPLIANCE

Table 2 - Statement of Compliance

Were all conditions of the relevant approval(s) complied with?	
DC# DA 10/2015/004/003	Yes
EPL# 4501	Yes
ML# 1818	Yes

Table 3 - Non-compliances

Relevant Approval	Cond. No.	Condition Description	Compliance Status	Comment	Where Addressed in Annual Review

Table 4 - Compliance status key for Table 3

Risk level	Colour code	Description
High	Non-compliant	Non-compliance with potential for significant environmental consequences, regardless of the likelihood of occurrence.
Medium	Non-compliant	Non-compliance with: - potential for serious environmental consequences, but is unlikely to occur; or - potential for moderate environmental consequences, but is likely to occur.
Low	Non-compliant	Non-compliance with: - potential for moderate environmental consequences, but is unlikely to occur; or - potential for low environmental consequences, but is likely to occur.
Administrative non-compliance	Non-compliant	Only to be applied where the non-compliance does not result in any risk of environmental harm (e.g. submitting a report to government later than required under approval conditions).

2. INTRODUCTION

This Annual Review has been prepared by Atlantech on behalf of Tritton Resources Pty Ltd (Tritton Resources), a wholly owned subsidiary of Aeris Resources Limited (Aeris Resources) for the Avoca Tank Project (the “Mine”). This Annual Review summarises site activities and monitoring for the 12-month period covering the 2025 calendar year and has been prepared in accordance with the then NSW Department of Planning and Environment *Annual Review Guidelines* (October 2015).

The Mine is located approximately 5km northwest of the village of Girilambone, and approximately 50km northwest of the town Nyngan (**Figure 1**). The principal mineral authority for the Mine is Mining Lease (ML) 1818. For the purpose of this document, the area covered by ML1818 is referred to as the “Mine Site” (see **Figures 1** and **2**).

Tritton Resources operates three other mines in the nearby vicinity: ML 1280 (Murrawombie Copper Mine), ML 1383 (North East Mine), and ML 1544 (Tritton Copper Mine) (**Figure 1**). Collectively, the three mines are generally known as the Tritton Copper Operations (TCO).

This Annual Review covers the following aspects of the Tritton operation:

- Mining activities undertaken on Tritton Mining Lease – ML 1818.
- Exploration activities undertaken on:
 - Tritton ML 1544
 - Exploration License (EL) 6126
 - EL 8084

Although operating under various separate development consents, each mine within the Tritton Copper Operations is intrinsically linked. Environmental and operational management are generally shared between all four sites, with the exception of site-specific consent/approval requirements. Generally, all environmental management plans incorporate the four sites with the exception of rehabilitation management plans and the upcoming Constellation Project. Underground workings at the Mine are accessed via a portal and decline within the Hartmans Pit at the North-East Copper Mine (NECM).


2.1. Mine Contacts

Table 5 provides a list of the site personnel responsible for the activities described in this Annual Review.

Table 5 - Contacts

Position	Name	Site Phone Number
General Manager	Jason Hughes	(02) 6838 1005
Regional Exploration Manager	Chris Raymond	(02) 6838 1130
Health, Safety, Environment Manager	Shae Martin	(02) 6838 1146
Environmental Superintendent	William Olson	(02) 6838 1100
Senior Environmental Advisor	Nathaniel Worcester	(02) 6838 1100
Senior Environmental Advisor	Cordelia Smart	(02) 6838 1100

Figure 1 - Locality Plan and Mineral Authorities



Legend

 Mining Lease

 EL4962

 EL6126

 EL6346

 EL6785

 EL8084

 EL8810

 EL8987

 Major Road

 Road


 Railway

 Watercourse

0 5 10 20 Kilometers

Date Created: 26/03/2026
Map Created By: J Pawson
Map Size: A4 Portrait
Coordinate System: GDA2020 MGA Zone 55
Map Project: Annual Review

Figure 2 - Existing Mine Site Layout



Legend

0 0.2 0.4 0.8 Kilometers

-  ML1818 Boundary
-  ML1383 Boundary
-  Waterbodies
-  Watercourse
-  Diversion Bund
-  Diversion Drain
-  Fence
-  Road
-  Mine Access Road
-  Power Line
-  Water Pipeline
-  Underground Infrastructure

Date Created: 18/06/2026
 Map Created By: J Pawson
 Map Size: A4 Portrait
 Coordinate System: GDA2020 MGA Zone 55
 Map Project: Annual Review

3. APPROVALS

A range of consents, leases and licences have been applied for and granted to enable mining operations to occur and continue at the Mine Site. These are listed in **Table 6**.

It is noted that DA 10/2015/004/003 has been modified two times as follows. Approved dates are identified in parenthesis.

- DA 10/2015/004/001 (10 October 2016) – Original Development Application for the Mine
- DA 10/2015/004/002 (07 October 2021) – Modified under DA 2015/004 to alter mine infrastructure for the mine.
- DA 10/2015/004/003 (15 May 2025) – Administrative updates to remove reference to the Department of Planning and Environment's Hazardous Industry Planning Advisory Paper and any redundant and/or duplicate conditions where covered by other approvals and licences.

Table 6 - Consents, Lease and Licences

Act	Instrument	Instrument Number	Date of Approval	Date of Expiry	Site	Purpose
Environmental Planning and Assessment Act 1979	Development Consent	10/2015/004/003	15 May 2025	15 May 2030	Avoca Tank Project	Mining (Other than coal)
Mining Act 1992	Mining Lease (ML)	1818	05 November 2021	05/11/2042	Avoca Tank Project	Mining (Other than coal)
Protection of the Environment Operations Act 1997	Environmental Protection Licence (EPL)	4501	12 December 1999	N/A	Tritton Copper Operations	Mining (Other than coal)
Water Management Act 2000	Water Access Licence	WAL 9374	24/02/05	Ongoing	Tritton and Murrawombie	High Security Water Licence (705ML)
Water Management Act 2000	Water Access Licence	WAL 9375	24/02/05	Ongoing	Tritton and Murrawombie	General Security Water Licence (210ML)
Water Management Act 2000	Water Access Licence	WAL 9940	01/07/04	Ongoing	Tritton and Murrawombie	Supplementary Water Licence (16ML)
Water Management Act 2000	Water Access Licence	WAL 31041	16/01/2012	24/11/2026	Murrawombie and North East	Underground dewatering

4. OPERATIONS SUMMARY

4.1. Exploration

Exploration activities within ML1818, during 2025, consisted of 30, 695m of diamond drilling.

No surface exploration activities were undertaken.

The location of all mineral authorities maintained by TCO are displayed on **Figure 1**.

Expenditure on the Tritton leases and licences for the 2025 period is listed in **Table 7**.

Table 7 - Exploration Expenditure 2025

Tritton - ML1544	\$226,125
Murrawombie - ML1280	\$145,812
North East - ML1383	\$41,233
Avoca Tank – ML1818	\$71,141
EL4962	\$250,333
EL6126	\$411,862
EL6346	\$80,961
EL6785	\$68,902Tritton cope
EL8084	\$1,778,638
EL8987	\$310,431
EL8810	\$107,514
EL9285	\$97,521
EL6105	\$568
Total	\$3,591,040

All previous exploration activities have been fully rehabilitated to the satisfaction of Tritton Resources and in accordance with the NSW Exploration Code of Practice.

4.2. Land Preparation

All site surface disturbance activities require the completion of a Surface Disturbance Permit. There was one surface disturbance undertaken during the 2025 reporting period. Surface Disturbance (ENV-SDP_165) was undertaken for bushfire compliance with the electrical supply authority requirement of bushfire management and powerline easement.

4.3. Construction

During the 2025 reporting period, no construction work was completed within ML1818. Construction of a new powerline easement was completed that is ancillary to the Avoca Tank Project. This powerline was constructed on the North East Copper Mine premises.

4.4. Mining Operations

Development of the Mine decline continued throughout 2025. A total of 2,189.2m of Capital Development and 708.1m of Operational Development was undertaken during 2025. All waste rock produced was either returned underground for backfilling or crushed for alternative product use such as road base for mine infrastructure. Copper ore was placed on the Mine ROM which was hauled to the TCM for processing. The deepest part of the Mine during the reporting period was at 4,726m RL, which places it approximately 465m below the surface. Mining is undertaken using traditional long-hole open stope methods. The production summary for the Mine since commencement of the Mine decline is shown below in **Table 8**.

Table 8 – Avoca Tank Mine Production Summary

Material	Approved Limit (Specify Source)	Previous Reporting Period (Actual)	This Reporting Period (Actual)	Next Reporting Period (Forecast)
Waste Rock/Overburden	-	256,862t	311,376t	236,773t
ROM Ore (t)	-	283,883t	551,792.41t	348,578t
Product (t)	-	23,540t	14,878.10t	9,399t

The current underground mine layout is shown in **Figure 3**.

The major mining equipment items in use at the Mine are shown below in **Table 9**.

Table 9 - Major Mining Equipment used at the Mine

Equipment	Make	Model	Quantity
Water tuck	Caterpillar	AD55B	0
Dump Truck	Sandvik	TH663	6
Loaders	Sandvik	LH621	4
Jumbo	Sandvik	DD421	1
		DD422	1
Integrated Tool Carrier	Volvo	L120E	1
	Caterpillar	950M	2
Grader	Caterpillar	140H	1
Charge Up	Macleam	AC3-80	2
Store Truck	Hino	GT1322	1
Agitator	Caterpillar	WR820	1

4.5. Mineral Processing

Mineral processing is undertaken at the process plant located at the TCM. The ore material is transported by road trucks utilising an internal haul road to Booramugga / Railway Road and from there to the TCM via Yarrandale Road.

4.6. Waste Rock Management

A total of 311,376t of waste rock was produced during 2025. Waste rock produced from development and mining of the underground mine is hauled via the Mine decline to the portal located within the Hartman Pit. Waste rock is stockpiled on existing waste rock dumps within the Hartmans Pit. Waste rock material is also used for backfilling underground stope voids. During 2025, 220,588t of waste rock was returned underground and 90,788 was trucked to the waste rock emplacement.

4.7. Ore and Product Stockpiles

7,466t of copper ore was produced during 2025 (see **Table 8**). The ore material was stockpiled on the NECM ROM above the Hartman's Pit and then hauled to TCM for processing. Stockpile levels at the end of each month are detailed in **Table 10**.

Table 10 - Ore and Product Balances

Date	Avoca Tank Stockpile Surveyed Closing Balance (t)	Copper Concentrate Produced Across Entire Tritton Operations (t)
January	0	418
February	0	320
March	0	364
April	149	177
May	108	223
June	1,394	644
July	0	2,008
August	0	675
September	0	120
October	645	187
November	2,302	425
December	1,109	2,684

4.8. Water Management

The primary source of operational water for the Mine is the rainfall water captured within the Hartmans Pit (GSW06) and the groundwater intercepted by the mining operation which is also stored in GSW06. The North Dam (GSW09) is a sediment dam which captures runoff from the North-East and Hartmans Waste Rock Emplacement. Water captured in this dam is allowed to settle out any sediments and the water is allowed to evaporate over time. The location of the Mine's water storages are shown in **Figure 3**. The Company are currently licensed for the extraction of 304ML (WAL 31041) from the Lachlan Fold Belt Groundwater Source to account for the take of groundwater inflow to the underground workings at the TCO. WALs held by the Company cumulatively permit the annual extraction of 931 ML of water from Gunningbar Creek via the Macquarie River, providing water supply for the Tritton Copper Operations. An existing pumping station located on Gunningbar Creek (approx. 24 km to the east of Murrawombie Copper Mine) pumps water under this licence, to the Murrawombie Copper Mine, where

it is stored in a raw water dam (GSW03). An existing water pipeline then delivers this water to NECM as required. The Mine uses the existing pump and pipeline infrastructure servicing the NECM. Water extracted under the WALs is primarily used for surface dust suppression and pumped underground for underground mine uses (primarily drilling and dust suppression).

4.9. Hazardous Material and Waste Management

4.9.1. Hazardous Materials

In accordance with the License to Manufacture (under license number: XMNF200001) held under the Explosives Act 2003 (NSW), Tritton Resources is permitted to store hazardous materials at the North-East Copper Mine (explosives and related products).

Control measures required for the storage and use of hazardous materials include the requirement to provide Safety Data Sheets (SDS) for all hazardous materials on site. The SDSs are accessed using a database (Chemalert) or sourced direct from the supplier. SDSs are displayed on/near the product or in a manifest within the area.

Explosives for the Mine are stored in a registered magazine bundled in accordance with AS2187 Explosives – Storage, transport and use, Part 1: Storage. The magazine for the Mine is located at the NECM; the magazine is fenced and access is restricted.

4.9.2. General and Recyclable Waste

As an active mine site, Tritton Resources generates quantities of recyclable and general waste. Tritton Resources employs a contractor to manage the service of general waste and recycling skips. The process involves collecting general waste located in the skip bins with the garbage truck where it undergoes compaction and then is disposed of at the Cobar landfill. All recyclables are collected and taken to Dubbo for processing. The collection is carried out on a fortnightly basis or as otherwise required.

During the 2025 reporting period, TCO recycled approximately 10.05t of waste and a total of approximately 73.456t of general waste was taken to an offsite landfill facility for disposal.

Table 12 presents the approximate volume of each waste stream generated during the reporting period, together with the proportion of waste recycled.

Table 12 - Waste Management Summary

Waste Class	Waste Stream	Total	
		(kg)	(t)
Non-Hazardous (Recycled)	Mixed Recycling	10,035	10.05
	% of Total Waste	5.10%	
Non-Hazardous (Disposal)	Mixed Solid Waste	73,456	73.456
	% of Total Waste	37.30%	

4.10. Register of Site Infrastructure

A range of other infrastructure is utilised on site as part of the Mine and NECM operations. This infrastructure is described below.

4.10.1. Power Supply

Electrical power enters Girilambone via a 66kV line, and using a transformer, is stepped down to 11kV to feed the NECM mining area. Prior to November 2025, the Mine was powered mainly by diesel generators which supplied 11kV power to the mining area. However, now that a fixed line has been installed, this is the main power source, and diesel generation is mostly used as backup.

4.10.2. Ventilation Fans

The North-East pit has a 315kW surface ventilation fan that is used to ventilate the underground mine in association with other auxiliary fans. The Mine continues to operate a single 375kW secondary fan underground.


4.10.3. Explosives Magazine

Explosives for the Mine are stored in a registered magazine bunded in accordance with AS2187. The magazine for the Mine is located at the NECM; the magazine is fenced, and access is restricted.

Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 15 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

2025 Annual Review

Figure 3 – Avoca Tank Project Underground Mine Layout and Ore Body.



Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 16 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

5. ACTIONS REQUIRED FROM PREVIOUS ANNUAL REVIEW

There were no actions identified as a result of the previous Annual Review.

6. ENVIRONMENTAL PERFORMANCE

6.1. Air Quality

The Mine is situated in a semi-arid environment where yearly evaporation rates generally exceed annual rainfall by an approximate factor of five. High evaporation rates cause bare, disturbed ground to be susceptible to wind erosion and the associated formation of dust. The primary activity that contributes to soil dispersal/dust is vehicle use on unsealed roads and tracks. As the Mine is an underground mining operation, dust generated from blasting and loading of ore is not expected at the surface. However, ventilation fans are a source of particulates.

6.1.1. Environmental Management

The following management and mitigation measures are employed to minimise operational impacts from roads and ventilation shafts.

- Minimise the area of surface disturbance and progressively rehabilitate disturbed land as soon as practicable.
- Undertake underground ventilation at the minimum rate required for safe operation of the mining activities.
- Ensure water trucks equipped with spray and sprinkler systems are utilised on roads as required to suppress dust.
- Implement and manage vehicle speed limits on roads to minimise wheel-based dust production.


Development activities, such as the establishment of temporary or permanent surface infrastructure, can also increase exposed soil and dust dispersion through the clearing of vegetation. If clearing of vegetation is required, the area to be cleared is demarcated and only the minimum amount of clearing required is permitted to occur. To further limit the impact of development clearing on dust emission, where possible, prompt rehabilitation of disturbed areas is undertaken.

In order to track the effectiveness of these strategies, deposited dust gauges are located around the Mine Site at suitable locations with respect to the locations of sensitive receptors and prevailing wind direction to monitor the effects of dust dispersion (**Figure 4**). Background air quality sampling is also undertaken to enable comparison of dust generated from the operation from that of the external or existing setting. **Table 11** outlines the dust monitoring program at the Mine, with monitoring activities carried out in accordance with *Australian Standard 3580.10.1:2016 Methods for sampling and analysis of ambient air: Method 10.1: Determination of particulate matter—Deposited matter—Gravimetric method*.

Dust monitoring is routinely sampled on a monthly basis with all dust gauges replaced every 30 days (+/- 2 days). Dust monitoring is undertaken in accordance with the approved Air Quality and Greenhouse Gas Management Plan, Environmental Management Strategy and the NSW government guideline, *Approved Methods for the Modelling and Assessment of Air Pollutants in New South Wales* (EPA, 2022). This document stipulates a maximum annual average deposited dust (insoluble solids) level of 4g/m²/month and a maximum increase in annual average deposited dust levels of 2 g/m²/month (EPA, 2022, p27).

Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 18 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

Figure 4 - Depositional Dust Gauge Locations



Legend

- ML1818 Boundary
- Depositional Dust Gauge

- Major Road
- Road

Table 11 - Dust Monitoring Program

Parameter	Annual Average Concentration Limit	Location	Monitoring Point Identification*	Frequency	Reference/Criteria
Insoluble Solids	4g/m ² / month Increase of 2g/m ² / month	Background	BG1 and BG2	Monthly	Results are compared with those of background monitoring. Insoluble solids are compared to the NSW government guideline, Approved Methods for the Modelling and Assessment of Air Pollutants in New South Wales (EPA 2022).
		Avoca Tank Mine	AVT1, AVT2 and AVT3		

* Refer to **Figure 4** for monitoring identification point locations.

6.1.2. Environmental Performance

Figure 5 presents the annual average deposited dust measurements since monitoring commenced in 2012. A summary of all available deposited dust is presented as **Appendix 1**, and includes the annual average insoluble solids and Cu, Fe, Pb and Zn concentrations recorded at the three dust monitoring locations for the Mine.




Figure 5 - Annual Average Deposited Dust Analysis

There are no compliance trigger levels for heavy metals or insoluble solids at the Mine. Nonetheless, annual average insoluble solids measurements remained below the adopted trigger value of 4g/m²/month as outlined within the *Approved Methods for the Modelling and Assessment of Air Pollutants in New South Wales* (EPA, 2022). Monitoring identified one occurrence where measured insoluble solids exceeded 4g/m²/month during the reporting period on 20 September 2025 at AVT 2 with

6.9g/m²/month being recorded. However, this was an isolated monthly elevated result which did not result in an exceedance to the annual average.

Table 12 presents the increase to the annual average deposited dust measurements between 2024 and 2025. The results of air quality monitoring indicated that the change in concentrations of deposited insoluble solids were less than the increase limit of 2g/m²/month, with a decrease in annual average of deposited dust at ATV 3, and a minor increase at ATV 1 and ATV2.

Table 12 - Depositional Dust Increase g/m²/month

Monitoring Location	2024	2025	Increase (limit 2 g/m ² /month)
AVT 1	1.0	1.03	0.03
AVT 2	1.1	1.89	0.79
AVT 3	1.5	1.06	-0.44

Dust gauge metal results continue to identify the presence of heavy metal concentrations generally in line with background data retrieved at the Girilambone gauges (**Table 13**).

Table 13 - Air Quality Metals Analysis

Site	Dust Gauge Identification	Average Analyte Concentrations (µg/m³)			
		Copper	Iron	Lead	Zinc
Background					
Girilambone	BG1	415	14568	229.94	173.51
Girilambone	BG2	1811.03	10688	81.9	80.87
Avoca Tank Project					
Avoca Tank Mine	AVT1	2606.7	14699	85.74	187
Avoca Tank Mine	AVT2	607.6	22437	50.45	262.94
Avoca Tank Mine	AVT3	630.4	10534	33.9	268.41

No complaints from surrounding neighbours were received in relation to dust emanating from the Mine operation.

6.1.3. Comparison against predictions

The Environmental Impact Statement for the Avoca Tank Project (R.W. Corkery and Co. PTY. Limited, 2014) states that based on the proposed best practice management measures and operational controls, the distance to surrounding residences, the results of the Applicant's existing dust monitoring program and the experience of R.W. Corkery & Co. Pty Limited, the project would be highly unlikely to result in dust levels that would exceed the air quality guidelines at residences surrounding the project site.

The relevant guidelines referred to in the EIS for Avoca Tank (R.W. Corkery, 2014) are the updated *Approved Methods for the Modelling and Assessment of Air Pollutants in New South Wales* (EPA, 2022) which outline that in NSW, accepted practice is that dust-related nuisance can be expected to impact on residential areas when annual average dust deposition levels exceed 4g/m²/month or the existing dust deposition levels as a result of a Proposal would increase by more than 2g/m²/month.

Results of Air Quality monitoring undertaken in 2025 show that Tritton Operations has remained below the guideline trigger values at the Mine.

Doc No: 1		Title: 2025 Annual Review			
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 21 of 49	
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version					

6.1.4. Further Improvements

Air quality management at the Mine Site during 2026 will continue to be undertaken as per the approved Air Quality and Greenhouse Gas Management Plan.

Tritton Resources will continue to adopt an adaptive management approach to air quality management, with ongoing inspections and monitoring of depositional dust results to ensure that the monitoring program is efficient and meets the needs of legislation and operational requirements.

6.2. Contaminated Land

Mining activities have the potential to impact on the intrinsic values of the surrounding landscape. These impacts may be caused by chemical, hydrocarbon or material spills, the release of contaminated water or structural failure of infrastructure.

Tritton Resources endeavours to manage existing contaminated areas and prevent and/or minimise further contamination by ensuring infrastructure and piping arrangements are suitable for their given purpose and that chemical, hydrocarbon and any other potential contamination materials are handled, stored and disposed of appropriately.

6.2.1. Environmental Management

The risk of land contamination at the Mine is considered low due to minimal surface disturbance and limited operational impact. When contamination does occur, it is typically associated with hydrocarbon spills.

All spills, regardless of volume or size, must be cleaned up. Any spill that causes, or has the potential to cause, environmental pollution must be:

- Reported through the Company's incident reporting system.
- Recorded in the onsite environmental database.
- Managed in accordance with the Pollution Incident Response Management Plan (PIRMP), where applicable.

6.2.2. Environmental Performance

The Mine onsite incident management system recorded two spills during the 2025 reporting period:

- Very minor emulsion spill at 5093 Avoca Decline – Operator was tramming an emulsion pod that was not sufficiently tilted back on an integrated tool carrier. Pod slid from the forks and tipped on its side resulting in the lid coming off and emulsion spilling onto the decline. In response to the spill, the decline was closed off and the spill cleaned up prior to the decline reopening.
- Very minor fuel spill at Avoca Fuel Farm – Truck operator was filling the truck via quick fill, the quick fill failed to turn off due to a faulty shut off valve resulting in fuel overflowing from the truck. The spill was contained within bunded area and spill kit was used to clean up the area.

All spills were reported and recorded within the incident management system and appropriate clean-up procedures were implemented.

Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 22 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

6.2.3. Further Improvements

Contaminated land management at the Mine Site during 2026 will continue to be undertaken as per the existing management procedures. Tritton Resources will continue to adopt an adaptive management approach to contaminated land management, with ongoing inspections and monitoring of contaminated land to ensure that the monitoring program is efficient and meets legislative and operational requirements.

6.3. Flora, Fauna and Weeds

6.3.1. Environmental Management

Management of flora and fauna at the Mine is undertaken in accordance with the Tritton Copper Operations' Biodiversity and Land Management Plan.

In order to minimise/eliminate harm to flora and fauna species, all personnel complete a surface disturbance permit for any proposed land disturbance. As part of the permit, a pre-clearance survey is undertaken to identify any fauna within the proposed clearance area and ensure safe relocation, prior to the removal, clearance or destruction of any vegetation (including work associated with exploration). The pre-clearance survey is carried out by a suitably qualified staff.

Management of weeds at the Mine is undertaken in accordance with the Tritton Copper Operations' Biodiversity and Land Management Plan.

6.3.2. Environmental Performance

No flora or fauna surveys were conducted during the reporting period.

Weed monitoring and control operations were not required at Avoca Mine as per the wider environmental management programs across the Tritton Copper Operations. No targeted control actions (i.e. in response to specific target species) occurred during the reporting period.

6.3.3. Comparison against predictions

As part of the EIS for Avoca Tank (R.W. Corkery, 2014), EnviroKey (2014) undertook an assessment of significance of impact in accordance with Draft Guidelines for Threatened Species Assessment (DECCW and DPI July 2005) and the 7 part test of Section 5A of the EP&A Act. It concluded from the assessment of significance of impact and the proposed management measures that the project is unlikely to have a significant impact upon the identified species.

During 2025, there were no incidents relating to flora, fauna or weeds at the Mine. Tritton Operations continues to maintain adequate precautions which includes, but is not limited to, pre-clearance surveys and environmental inspections.

6.3.4. Further Improvements

Pre-clearance surveys will continue to be undertaken prior to any surface disturbance. No large-scale clearing is proposed during 2026 at the Mine. Weed monitoring and control operations will be undertaken as required in accordance with the Biodiversity and Land Management Plan.

Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 23 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

6.4. Operational Noise

Operational noise which may impact surrounding neighbours is primarily generated by haul trucks coming to the surface and road trains hauling ore. Additional noises sources are the ventilation fans which produce a constant droning noise and surface light vehicles.

6.4.1. Environmental Management

To minimise unnecessary noise all equipment is maintained regularly in accordance with the manufacturer's specifications. To further ensure the operation is not generating noise which impacts on any surrounding residents, both noise monitoring and a complaints process is in place. In the event of a noise complaint from any surrounding residences, site personnel will investigate the complaint and implement appropriate mitigation measures and noise monitoring where appropriate.

The possibility of surrounding residences being impacted by Mine operations is considered to be low due to minimal surface vehicle or machinery use and as a result of the significant distances between residences and the mine site.

6.4.2. Environmental Performance

Muller Acoustic Consulting Ltd (MAC) completed an Annual Noise Monitoring Assessment on behalf of Tritton Resources for the Mine on 3 September 2025. Attended noise monitoring was conducted at the three closest residences to the Mine Site: R3, R4 and R6 (NM1, NM2, and NM3, respectively).

Table 14 compares the 2025 results against the previous reporting period. In summary, during the 2025 reporting period, noise levels associated with the Mine were within noise criteria at all monitoring locations. Noise levels during the reporting period were generally consistent with recorded noise levels during the previous reporting period.

Avoca Tank noise sources included haul truck movements and general site hum. Extraneous noise was attributed to traffic, aircraft, and rural sources including insects, birds and dogs barking.

Table 14 - Noise Monitoring Results

Location	Date	Time	LAeq Reading [dB(A)]	LA10 Reading [dB(A)]	LAeq(15min) Reading [dB(A)]	LAeq(15min) Noise Level (DA 10/2015/004/001) [dB(A)]
2024						
NM1 (R3) 'Avondale Residence'	18/09/2024	10:21 AM	45	47	<35	35
	18/09/2024	19:39 PM	48	55	<35	35
	18/09/2024	22:29 PM	32	47	<35	35
NM2 (R4)	18/09/2024	10:44 AM	45	44	<35	35
	18/09/2024	20:04 PM	36	52	<35	35
	18/09/2024	22:52 PM	38	45	<35	35
NM3 (R6)	18/09/2024	09:49 AM	39	41	<35	35
	18/09/2024	20:35 PM	23	29	<35	35

Location	Date	Time	LAeq Reading [dB(A)]	LA10 Reading [dB(A)]	LAeq(15min) Reading [dB(A)]	LAeq(15min) Noise Level (DA 10/2015/004/001) [dB(A)]
	18/09/2024	23:23 PM	24	22	<35	35
2025						
NM1 (R3) 'Avondale Residence'	03/09/2025	10:40AM	49	45	<30	35
	03/09/2025	21:04 PM	51	41	<30	35
	03/09/2025	22:58 PM	52	43	<30	35
NM2 (R4)	03/09/2025	11:02 AM	57	48	<30	35
	03/09/2025	21:28 PM	59	44	<30	35
	03/09/2025	23:22 PM	56	45	<30	35
NM3 (R6)	03/09/2025	09:48 AM	32	36	<30	35
	03/09/2025	20:09 PM	21	24	<30	35
	03/09/2025	22:01 PM	32	25	<30	35

6.4.3. Comparison against predictions

The EIS for Avoca Tank (R.W. Corkery, 2014) stated that the predicted noise levels assessed with the operational phase under worst-case meteorological scenario conditions identified that all residences would comply with the Project Specific Noise Level operational noise criteria of 35dB(A). Furthermore, the EIS states that the Avoca Tank Project Noise Impact Assessment (EMM, 2014) which was undertaken as part of the EIS determined that cumulative noise emissions associated with the Avoca Tank Project and the Girilambone Copper Mine would be insignificant.

Results of attended noise monitoring from 2023 to 2025 show that operations at the Mine have remained below the noise criteria of 35dB(A).

6.4.4. Long term analysis

Based on noise monitoring assessments done since commencement of the Mine in 2023 up until and including 2025, there have been no noise exceedances recorded.

6.4.5. Further Improvements

Tritton Resources will continue to monitor and manage noise in accordance with the approved Tritton Operations Noise and Vibration Management Plan to restrict its impact on nearby neighbours and potential sensitive receivers throughout 2026.

6.5. Aboriginal Heritage

Aboriginal Heritage was assessed during the previous reporting period. The assessment was initiated following a bushfire that burned through parts of ML1818 and ML1383 between 4 and 7 March 2023. As part of the efforts to extinguish the fire, multiple firebreaks were constructed, resulting in additional ground disturbance within the Project Area. The objectives of the Aboriginal Heritage condition

Doc No: 1		Title: 2025 Annual Review			
Site: Tritton	Revision No: 1	Published Date: 30/06/2026		Next Review Date: 30/06/2027	Page: 25 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version					

assessment undertaken at the Mine were to update baseline information for previously recorded Aboriginal sites, to identify any changes in site condition or status that affected parts of ML1818, and to provide recommendations to support future heritage management and inform updates to the Tritton Mines Cultural Heritage Management Plan.

During the assessment the status of all previously identified sites features within the ML1818 were assessed, as presented in **Table 15**.

Table 15 - Aboriginal Heritage Condition Assessment Results

Site Features	AHIMS Reference(s)	Status
Artefact	26-3-0034	Unaffected by the fire and / or emergency response activities
	26-3-0182	
Hearth	26-3-0183	Unaffected by the fire and / or emergency response activities
	26-3-0066	
	26-3-0145	
	26-3-0067	
	26-3-0146	
	26-3-0068	
	26-3-0147	
Modified Tree	26-3-0181	Unaffected by the fire and / or emergency response activities

6.5.1. Environmental Management

To ensure Aboriginal Heritage is not affected, demarcation/fencing of cultural heritage sites and surface disturbance permits are used to assess areas that are required to be cleared. A component of the surface disturbance permit requires a pre-clearance survey to be undertaken which involves an Environmental Officer inspecting the area to be disturbed for archaeological and heritage items or places of interest. Please refer to the Heritage Management Plan for the procedure Tritton Resources will undertake in the event an item/site of possible Aboriginal Heritage is discovered either during the pre-clearance survey or during exploration activities.

6.5.2. Environmental Performance

No previously unidentified items or sites were identified during this reporting period, and no change in the condition of any Heritage items was caused by mining operations.

6.5.3. Comparison Against Predictions

The EIS for Avoca Tank (R.W. Corkery, 2014) assessed the impacts of the Mine on Aboriginal Heritage and concluded that based upon the avoidance of all identified sites occurring within the Project Site and the implementation of mitigation measures, it has been determined that there would be a negligible impact upon the local or regional Aboriginal heritage as a result of the Proposal.

Management of Aboriginal Heritage at the Mine has led to results in the reporting period being consistent with the EIS.

6.5.4. Long Term Analysis

The Aboriginal Heritage Condition Assessment – Tritton Copper Operations (Heritage Now, 2024) found that there was damage to previously identified Aboriginal sites. However, this damage was caused naturally by either erosion, bushfires, or through Scar Tree weathering and cracking. No damage has been caused by the operations at the Mine.

6.5.5. Further Improvements

The approved Heritage Management Plan and legislative requirements will continue to be adhered to during 2026. Furthermore, any external contractors or members of the public who are given permission to undertake any activities on Mine Site land are to be availed the importance of and due diligence required when working around cultural heritage sites.

6.6. Bushfire

Bushfire poses a serious threat to both the Mine operation and the surrounding properties. The following are recognised as the principal potential causes of bushfire within the operational area:

- Fires on equipment and/or occurring as a consequence of maintenance activities on equipment.
- Personnel actions for example smoking or undertaking activities in inappropriate areas or without adequate controls.
- Natural incidents such as lightning strikes.
- External bushfires entering the mine site.

6.6.1. Environmental Management

To protect the mining operation and minimise the potential for the operation to cause a bushfire the following controls are in place for both the Mine and the NECM:

- All relevant buildings / structures will have approved and suitably sized fire extinguisher(s). Their location will be indicated by appropriate signage.
- All fuel and oil storage will be located and constructed in accordance with the requirements of applicable legislation and/or standards and will be fitted with suitable fire suppression systems, as required.
- The ground around fuel and oil storage areas will be kept free of combustible vegetation for at least 3m.
- Designated No Smoking Areas will be clearly marked. These areas include:
 - Within 10m of fuel and oil storage areas.
 - Within 10m of explosive magazines.
 - Within workshops.
 - All buildings and offices.

Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 27 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

- Any areas containing gas cylinders.
- Equipment / vehicles will not be stored / parked on uncleared ground.
- Vehicular access areas will be maintained free of combustible vegetation and windblown litter around all areas of mining-related activities.
- Fire extinguishers are kept on all mobile equipment.
- All fire extinguishers will comply with AS 1841.
- All fire equipment, where appropriate, will be compatible with that of the Rural Fire Service.
- All vehicles maintained according to a routine maintenance schedule informed by OEM direction.
- A fully equipped fire tender will be maintained to provide immediate response to a bushfire.
- Water for firefighting purposes will be sourced from various water storages within the management area.
- A suitable fire break will be established and maintained around the perimeter of the surface infrastructure areas of the Mine. Fire breaks should be a minimum of 6 m wide and kept free of flammable material as far as practicable. Additional fire breaks will be maintained around explosive magazines and flammable material storage areas where necessary.
- Fire breaks are inspected at 6 monthly intervals by the Environmental Officer.

6.6.2. Environmental Performance

No bushfires occurred at or in the vicinity of the Mine during the reporting period.

6.6.3. Comparison Against Predictions

The EIS for Avoca Tank (R.W. Corkery, 2014) concluded that due to the relatively low bush fire risk within the Project Site and proposed management and mitigation measures, the Applicant contends that the Project would not result in a significant adverse bush fire-related risk.

Tritton Operations continues to employ safeguards on site to reduce the potential for bushfires on land under its control and to control any fires that may start on the Project Site.

6.6.4. Long Term Analysis

A bushfire occurred in 2023 with investigations as to the cause of the fire still ongoing. The fire was uncontrolled and reportedly burnt 3444 ha. The fire was reported on in the 2023 Annual Review as well as the 2025 IEA. No further bushfire incidents have occurred on site since operations commenced at the Mine.

6.6.5. Further Improvements

The bushfire management procedures will continue to be adhered to during 2026.

Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 28 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

6.7. Public Safety

Any operating mine can be a potential safety hazard to persons who have not been properly trained or authorised to enter the site. It is therefore imperative that any threat to public safety is eliminated and/or managed appropriately.

6.7.1. Environmental Management

A number of management measures have been developed to maintain public safety. These include the following:

- Fencing around the perimeter of the operation.
- Signage has been installed around the site boundary advising the public that unauthorised entry into active mining areas is not permitted.
- Inspections of boundary fences are conducted to ensure no access can be gained to site other than through the access gates.
- To ensure road safety, all site mobile plant and equipment are required to have a flashing beacon and are to remain under the speed limits of the relevant road rules.

6.7.2. Environmental Performance

Boundary fences were inspected regularly throughout 2025 and repaired where required. No evidence of unauthorised entry was identified during the reporting period.

6.7.3. Long Term Analysis

There have been no public safety incidents on site since the project became operational.

6.7.4. Further Improvements

Continued environmental inspection as required, and implementation of site security measures as per the Rehabilitation Management Plan. The Railway Road entry point at Murrawombie Mine to access through to Avoca Tank is being fenced and will be boom gated in early 2026. This will create a physical barrier against the free flow of traffic from the public road through to operational areas of the mine site.

Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 29 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

7. WATER MANAGEMENT

7.1. Surface Water/Erosion and Sediment Control

7.1.1. Environmental Management

There is no mining related water management infrastructure located within the Mine Site. Pre-existing farm dams on the Mine Site will remain undisturbed by mining operations. There are limited locations within the Mine Site that are susceptible to erosion, primarily limited to the access road and associated drains.

7.1.2. Environmental Performance

No erosion monitoring is currently conducted at the Mine Site. Visual inspection of access roads and drains indicates no erosion of concern or areas that require remediation.

7.1.3. Further Improvements

The Company will continue to adopt an adaptive management approach to surface water and erosion management, with ongoing site inspections to monitor for erosion.

7.2. Groundwater

Mining operations have the potential to impact upon the regional groundwater. These potential impacts can be from extraction of intercepted groundwater to enable safe and efficient underground mining activities or via seepage of contaminated surface waters to underground aquifers. To ensure that any impact on groundwater resources is identified and managed, regular monitoring is undertaken.

7.2.1. Environmental Management

To determine the potential impact on groundwater from operational activities, groundwater monitoring is undertaken. Monitoring of groundwater is currently conducted monthly in accordance with conditional requirements of EPL 4501.

Figure 6 identifies the locations of groundwater monitoring bores for the Mine. B defines the frequency of sampling and the type of analysis undertaken. Groundwater sampling is undertaken in accordance with the Groundwater Sampling Guidelines, EPA February 2022 utilising passive/grab sampling through the use of Hydrasleeves. All equipment is decontaminated to prevent cross-contamination and samples are chilled for storage and transportation.

Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 30 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

Table 16 - Groundwater Monitoring schedule

Site ID*	EPL Point	Analysis Requirements	Frequency	Purpose
AT001	28	Standing Water Level	Monthly	Required by EPL 4501
AT002	29	Arsenic, Barium, Beryllium, Cadmium, Chloride, Chromium, Cobalt, Electrical Conductivity, Copper, Iron, Lead, Manganese, Mercury, Nickel, Sulphate, Vanadium, Zinc and pH		
AT003	30			

* Refer to **Figure 6** for groundwater monitoring location.

7.2.2. Environmental Performance

The following section provides summary of the groundwater monitoring program against applicable criteria. Groundwater results were compared to the ANZECC guidelines for stock watering and irrigation. However, it should be noted that all background groundwater exceeds the guidelines for electrical conductivity, sulphate and total dissolved solids and there is no beneficial use currently for groundwater at or near the Mine Site. This is largely in alignment with regional groundwater quality, which in many locations shows unfavourable characteristics including high salinity that make it unsuitable for agricultural purposes. These bores displayed such characteristics prior to the beginning of operations, as per the EIS.

AT002 is included in the groundwater Trigger Action Response Plan (TARP) as part of the approved TRL Water Management Plan, where drawdown greater than 2m triggers investigation requirements. Monitoring results showed that the standing water level did not reach the trigger threshold at all during the reporting period.


7.2.2.1. Water Quality

Groundwater analytical results have been summarised in **Appendix 2**. Groundwater results are compared to ANZECC (stock) and ANZECC (irrigation) guideline definitions. However, in line with background groundwater results the water has a high salinity level and therefore is unsuitable for domestic or agricultural purposes. Any significant deviations from previous results are a trigger for an investigation and action plan to be implemented.

Water quality was recorded on a monthly basis at all the monitoring locations. Throughout the reporting period the pH was stable ranging between 6.16 – 8.1 pH units where monitoring bore AT002 presented the lowest value and AT003 the highest. EC was shown to have a stable trend at each of the monitoring locations.

The concentrations of all the metals parameters also remained consistent throughout the reporting period at each location. Groundwater quality is also generally consistent between monitoring locations for each of the measured parameters. This indicates that the impact of the mining operation on the surrounding groundwater regime is minimal.

Figure 6 - Groundwater Monitoring Locations



Legend

-  ML1818 Boundary
-  Groundwater Monitoring Location

0 0.15 0.3 0.6 Kilometers

Date Created: 8/04/2026
Map Created By: J Pawson
Map Size: A4 Portrait
Coordinate System: GDA2020 MGA Zone 55
Map Project: Annual Review

7.2.2.2. Standing Water Level

Average groundwater Standing Water Level results from the 2025 reporting period are summarised in **Table 17**. Groundwater levels at all monitoring locations have remained stable throughout the reporting period.

Table 17 - 2025 Average Groundwater Standing Levels

Monitoring Bore	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
AT001	45.46	46.5	45.28	46.18	46.26	46.31	47.26	46.69	46.75	46.85	47.06	47.28
AT002	40.75	40.37	40.39	40.72	40.79	41.29	42.01	42.01	42.75	43.69	44.32	44.98
AT003	38.55	38.65	38.98	39.4	39.45	39.17	39.44	39.55	39.69	39.85	39.78	39.91

7.2.2.3. Water Usage

Groundwater that is dewatered from underground workings is stored within Hartmans Pit (GSW06) at the NECM. The combined water usage at the NECM and the Mine from underground dewatering during the WaterNSW Reporting Year (1 July 2024 to 30 June 2025) was 173.9ML. This value is based on an estimate as there is no meter installed.

7.2.3. Comparison Against Predictions

The EIS for Avoca Tank (R.W. Corkery, 2014) noted the following in relation to existing groundwater quality and matters with the potential to adversely impact on groundwater quality.

- Groundwater within and surrounding the Project Site is of poor quality, with limited beneficial uses.
- Hydrocarbons and other chemicals would be stored and used in accordance with the commitments in the EIS and relevant industry and other standards.
- The contaminated water circuit would be managed as described in the EIS.
- During mining operations dewatering of the proposed mine would ensure that the groundwater gradient would be towards the mine.

In light of the above, the EIS and Tritton Operations contend that the project would not adversely impact on groundwater quality during or following the life of the project.

Tritton Operations continues to implement correct hydrocarbon storage and water management. Groundwater Quality monitoring has shown that the Mine has not negatively impacted groundwater quality.

7.2.4. Long Term Analysis

Standing water levels (SWL) for the past two years have remained constant. However, the average standing water level for 2025 was slightly higher than 2024.

pH levels have remained between 6.16 – 8.21 throughout 2024 and 2025.

Sulphate levels, conductivity and total dissolved solids for the past two years have remained constant with values generally exceeding the ANZECC/ARMCANZ (2000) Livestock guideline values on most

monthly monitoring occasions. These exceedances are in line with background groundwater quality results.

7.2.5. Further Improvements

Tritton Resources will continue to adopt an adaptive management approach to groundwater management, with ongoing inspections and monitoring of groundwater results to ensure that the monitoring program is efficient and meets the needs of legislation and operational requirements.

8. REHABILITATION

8.1. Rehabilitation Works

No surface disturbance or rehabilitation works were undertaken during the reporting period.

8.2. Rehabilitation Trials and Research

No rehabilitation trials were conducted within the Mine Site during the reporting period. Rehabilitation trials do occur within other TCO sites and are presented in their respective Annual Rehabilitation Reports (ARR). Where relevant, information may be used to improve rehabilitation outcomes at the Mine Site.

Six analogue sites have been established in the vicinity of all TCO mines, comprising of three grassland and three woodland sites. Analogue sites will be used to inform rehabilitation progress at all TCO mines.

8.3. Rehabilitation Reporting

Annual rehabilitation reporting is presented in the Annual Rehabilitation Report (ARR) and Forward Program (FWP) for the Mine Site. For reporting purposes, it is combined with the NECM's ARR and FWP. The ARR summarises rehabilitation undertaken during the "Annual Reporting Period" which includes the period from 1 July 2024 to 30 June 2025. The FWP describes the planned rehabilitation activities during the "Forward Program Period" which includes the period from 1 June 2025 to 31 July 2028. **Table 18** lists the rehabilitation works during the ARR reporting period.

Table 18 - Disturbance and Rehabilitation Statistics for Mine and the NECM

Element	Unit	Area (during ARR reporting period)
Current disturbance and rehabilitation progression		
Total surface disturbance footprint	ha	153.22
Total active disturbance	ha	51.97
Land prepared for rehabilitation	ha	0
Ecosystem and land use establishment	ha	0
Ecosystem and land use development	ha	101.26
Rehabilitation Completion	ha	0

8.4. Rehabilitation Forward Program

The Forward Program describes the planned rehabilitation activities during the "Forward Program Period" which includes the period from 1 July 2025 to 30 June 2028.

Table 19 summarises the rehabilitation research and works schedule that relate to the Mine that is intended to be completed during the Forward Program Period.

Table 19 - Rehabilitation Planning Schedule

Year	Studies
2025/2026	- Post Closure Water Management Study (aim to complete 2025/2026) - relies on current Site Wide Water Balance Model. Anticipated that the results will inform post closure water management / licencing requirements. - Development of a program for seed collection/storage and investigation into propagation methods (e.g. on-site nursery or contractor) (aim complete 2025/2026).

8.5. Rehabilitation Risk Assessment

In accordance with Clause 7 of Schedule 8A the *Mining Regulations 2016*, a Rehabilitation Risk Assessment for the Mine was prepared during December 2021. Further information on the outcomes of the Rehabilitation Risk Assessment are presented as part of the *Rehabilitation Management Plan* (RWC, 2024). For reporting purposes, the RMP covers both the Avoca Tank Project and the NECM.

The current version of the Rehabilitation Risk Assessment is Version 4.0 which is currently under review. No hazards or incidences were identified or occurred within the Mine Site during the reporting period that required further review of the Rehabilitation Risk Assessment.

2025 Annual Review

9. COMMUNITY

9.1. Environmental Complaints

No complaints were received during the reporting period.

9.2. Community Liaison

As a major employer to the local community, Tritton Resources has continued to provide employment to the local community either directly, via engagement of local sub-contractors from Nyngan, Hermidale and Girilambone townships or by prioritising sourcing of required materials from local businesses.

Statistical information gathered by Tritton Resources recorded a total workforce of 357 staff at year end 2025. Of the 357 staff, approximately 75% are residential and contribute to the community of Nyngan whilst 25% are staff that travel from elsewhere and reside locally during their rostered working period. Tritton Mine has been actively working towards increasing "local region" employment and believes this is one of the best ways the business can contribute to the community. Employment within the local region has increased from 50% in 2012 to approximately 71% currently and Tritton Mines is now contributing approximately more than 49 million dollars annually in salary and wages to the local regions of Nyngan, Hermidale and Girilambone.

Tritton Resources is dedicated to supporting the local community by working with local business and Australian owned suppliers where possible. Currently almost all of Aeris Resources suppliers are Australian businesses, and over half of them are based in NSW.

During the reporting period, a total of \$58,900 was allocated by Tritton Resources to support the following community groups and causes:

- 2025 Three Rivers Machinery Case IH Nyngan Ag Expo
- Outback Science & Engineering Challenge 2025
- Hermidale Gymkana 2025
- Nyngan Tigers Junior Rugby Registrations
- Contribution towards a shade sail over the playground area
- Sponsorship for Duck Creek Races
- June Triples Bowls Tournament
- Nyngan Show 2025
- Dolly Parton Imagination Library Program
- School Fundraising Programs
- Nyngan Community Christmas
- Various sponsorships
- Installation of lockable bike and scooter racks
- Bogan River Pairs - 4-6th October (long weekend)

Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 37 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

- Fundraising event
- Support for day to day running of athletics
- Christmas celebration
- Christmas Lights Competition
- Australia Day Colouring Competition

The Tritton Community Consultative Committee (CCC) was established with the local Council, Land Councils and local community representatives to provide updates and information on the Tritton Copper Operations (including the Mine).

Tritton CCC meetings were held on 19 March 2025, 4 June 2025 and 24 September 2025, and were attended by Tritton's General Manager and either the Environmental Superintendent or Senior Environmental Adviser. Meeting minutes for the CCC meetings are available on the Tritton website.

10. INDEPENDENT AUDIT

The most recent Independent Environmental Audit (IEA) of the Mine Site was undertaken in 2025 in accordance with Condition C8 of DA10/2015/004/003 and covered the period from 26 May 2023 to 25 May 2025. The IEA identified a total of 10 non-compliances relating to DA10/2015/004/003, 2 non-compliances relating to EPL 4501 and no non-compliances relating to ML 1818.

The IEA Report including Response to Recommendations was provided to Bogan Shire Council on 27 August 2025. No response from Bogan Shire Council was received in response to the IEA submission.

Table 20 provides a summary of the matters identified and the status of Tritton Resources response to the identified issue.

The next Independent Environmental Audit will occur in mid 2028.

Table 20 - Summary of Non-Compliances and Recommendations

Source	No.	Observation	Compliance	Recommendation	Response	2025 Update
DA 10/2015/2004/003	A2	As detailed below, some non-compliances were recorded against the conditions.	Non-Compliant	Refer to actions below.	Noted	N/A
	B8	The Flora and Fauna Management Plan 2022 contains the development site, as per the BDAR and approved plans. This has been updated to the Biodiversity and Land Management Plan, which is draft until approved by Council. This plan does not include the development site, as per the BDAR and approved plans. However, it does include controls that refer to only disturbing areas as approved by the development consent.	Non-Compliant	Include the development site, as per the BDAR and approved plans, in the Biodiversity and Land Management Plan.	Aeris has revised and submitted the Biodiversity and Land Management Plan.	Completed
	B23	The Water Management Plan provided refers to an Erosion and Sediment Control Plan in the Appendices. The Appendix is blank, but the cover page refers to "Murrawombie Erosion and Sediment Control Plan". It is unclear if this extends to the Avoca Tank Project. Some generic information regarding erosion and sediment controls are provided in Section 5. Due to the minimal surface disturbance, the erosion and sediment risk and associated controls would be minimal. The Plan includes groundwater monitoring and mitigation at Avoca Tank Project. The mitigation measures are very general in nature (Section 6.2.1) and could be further clarified. Given the groundwater is unsuitable for domestic or agricultural purposes, it is unclear why the ANZECC stock and irrigation guideline values are being applied. It may be helpful to define "background/baseline" results and what "significant deviations from previous results" mean. Avoca Tank Project does not appear to have any surface water monitoring or mitigation, possibly because there are no surface water storages on site. Consultation with DPI Water is not demonstrated in the Plan or any other supporting document. Aeris indicated the Water Management Plan is currently being updated to address the above deficiencies.	Non-Compliant	Revise the Water Management Plan in consultation with relevant regulators including DPI Water and consider whether an erosion and sediment control plan is required and review if the surface water monitoring strategy is adequate.	Aeris will revise and submit the Water Management Plan within 3 months + 6 weeks of the approval of Modification 9 of the Tritton Copper Mine Development Approval	Ongoing. Water Management Plan was submitted within the required timeframe. The plan is currently still under review by DPHI.
	C1	An Environmental Management Strategy has been prepared and was submitted to Bogan Shire Council on 04 June 2025 and while the email from Council dated 05 June 2025 confirms receipt of the Strategy, to date it has not been approved.	Non-Compliant	Continue to liaise with Bogan Shire Council in regards to the status of the Environmental Management Strategy.	Aeris will continue to liaise with the Bogan Shire Council regarding the approval of the Environmental Management Strategy.	Completed. The Environmental Management Strategy has been approved.
	C2	While some information was missing from the previous plans, including the Water Management Plan, the updated and consolidated 2025 plans have a set structure that contains the required information.	Non-Compliant	Revise the Soil and Water Management Plan to include the information required in C2.	Aeris has revised and submitted the Biodiversity and Land Management Plan.	Completed
	C4	The letter dated 19/07/2023 indicate commencement on 26/05/23 but the Annual Review 2023 suggests mining was occurring in 2021. It has been assumed Council has accepted 26/05/2023 as the commencement date. The letter dated 19/07/2023 requests the timing of the Annual Reviews be changed to calendar year, with the first Annual Review being submitted by the end of March 2024 and subsequent Annual Reviews being submitted by the end of March each year. No evidence was provided to indicate this was accepted by Council but the 2023 and 2024 Annual Review periods were the calendar year. However, the 2023 Annual Review was not dated until 01/08/2024 and the 2024 Annual Review is dated 30 July 2024, so it is considered the Annual Reviews have not been submitted by the due date.	Non-Compliant	Confirm with Council the required submission date and submit the Annual Reviews by that date each year.	Aeris will liaise with Bogan Shire Council regarding a response to the change date request letter (dated 19 July 2023).	Completed. Environmental Management Strategy approved by Bogan Shire Council which details Annual Review requirements. Additionally, DA 10/2015/004/003 (approved by Bogan Shire Council) details Annual Review requirements.
	C4(b)	Section 3 provides details of the monitoring results, Section 5 details complaints. Monitoring results were compared to relevant criteria but not to the predictions from the EIS.	Non-Compliant	In future Annual Reviews, compare the monitoring data to the relevant predictions in the EIS.	Aeris will include monitoring data in comparison to the relevant EIS predictions in the future Annual Reviews.	Ongoing (this Annual Review).
	C4(e)	Actual data was not compared to the predicted impacts.	Non-Compliant	In future Annual Reviews, compare the monitoring data to the relevant predictions in the EIS.	Aeris will include monitoring data in comparison to the relevant EIS predictions in the future Annual Reviews.	N/A Ongoing
	C5	Evidence has not been provided indicating the strategies, plans and programs were reviewed within 3 months of the annual review. The 2023 Bushfire and the modifications also trigger this condition. Aeris reported the Heritage Management Plan and the Biodiversity Management Plan are	Non-Compliant	Review strategies, plans and programs within 3 months of an annual review, incident, audit or modification, as per Condition C5.	Aeris will review all strategies, plans and programs within 3 months of the Independent Environmental Audit and if required revise and submit to the	Completed

Source	No.	Observation	Compliance	Recommendation	Response	2025 Update
		being updated in response to the fire but no evidence was provided. No evidence was provided that the strategies, plans and programs were reviewed within 3 months of these events. Evidence that Council was satisfied was also not provided.			Bogan Shire Council.	
	C7	A bushfire incident was reported as a result of works on site. The fire was uncontrolled and reportedly burnt 3444 ha. The incident report indicates the emergency services and neighbouring properties were notified. There is no record of Bogan Shire Council or other relevant agencies being notified.	Non-Compliant	At the earliest opportunity, notify Bogan Shire Council and any other relevant agency of any incident that causes or threatens to cause material harm to the environment. Within 7 days, provide Bogan Shire Council and any other relevant agency a detailed report of the incident.	Noted	N/A
	C10	The EIS, conditions of consent, complaints register and minutes of the CCC meetings are on the website but not all documents referred to in Condition A2 are provided, nor are all the approvals, approved strategies, plans, programs or annual reviews. It was mentioned during the interviews that Aeris Environmental staff do not have permission to update the website, so getting documents uploaded is not efficient.	Non-Compliant	Provide all documents required by Condition C10 on the website and keep them up to date.	Aeris will review the website and update in accordance with Condition C10. Aeris will keep the website up to date.	Ongoing
	B7	The email evidence provided demonstrates AARC Environmental Solutions Pty Ltd on behalf of the Avoca Tank Project was seeking the satisfaction of the consent authority regarding several environmental management plans, including the Flora and Fauna Management Plan, well before the commencement date. The evidence provided indicates Council provided comments on the plans, but no evidence was provided indicating Council were satisfied with the plan.	Not Verified	Continue to liaise with Council regarding the status of the Biodiversity Management Plan.	Aeris will continue to liaise with Council regarding the approval of the Biodiversity and Land Management Plan.	Ongoing. No comments or feedback provided from BSC on the draft BLMP that was submitted.
	B10	Based on visual observations, the clearing appears to be consistent with that assessed in the BDAR.	Compliant	Obtain a survey to confirm the extent of clearing is consistent with the areas assessed in the BDAR.	Aeris will review the cleared areas in comparison to the BDAR and will continue to manage any clearing in accordance with the Biodiversity and Land Management Plan.	Completed
	B17	Aeris reported the compliance report had been completed but the compliance report was not provided because it was not located during the audit.	Not Verified	Recover the Compliance Report and confirm it has been prepared and submitted to Council, in accordance with Condition B17.	Aeris will consult with Council regarding retrieval of a copy of the Compliance report.	Completed
	B22	The proponent has provided two statements of approval and the NSW Water Register confirmed these are current, the water source was the Lachlan Fold Belt Groundwater Source and they were issued in 2012, which is prior to construction. The volume of water approved and the volume of water taken were not able to verify because the water meter was destroyed in a 2023 bushfire. The meter has been replaced but recent data is not available. The Annual Reviews suggest Aeris is licenced to extract 304ML and the water usage prior to the bushfire was well less than this.	Not Verified	Continue to monitor the groundwater use to confirm it is in accordance with the WAL.	Noted	N/A Ongoing
	B30	The Monthly Summary reports indicates the waste is segregated into different types of waste and the invoice indicates the waste is collected but it could not be confirmed where the waste is taken or if there is a purchasing policy in place to reduce waste.	Not Verified	Maintain records of where waste is taken for disposal, recycling, etc and ensure a purchasing policy is in place to minimise waste.	Noted	N/A Ongoing
	C1(a)	The only Environmental Management Strategy provided was the 2025 version, so it's not verified if the previous version was prepared, submitted and approved by Bogan Shire Council prior to commencement of construction works.	Not Verified	Recover the original Environmental Management Strategy and confirm it was prepared, submitted and approved by Council, prior to commencement of construction.	Aeris will liaise with Bogan Shire Council regarding evidence of approval of the original Environmental Management Strategy	Ongoing. EMS was submitted for approval to Bogan Shire Council in 2021. Site is still seeking evidence of approval.
	C1(f)	(i) Section 5.11.1 External Communication gives a broad overview of how external stakeholder communication is managed. (ii) Section 6.6 Complaints Management sets out how complaints will be recorded, investigated, managed and documented. (iii) Section 6.6.1 Dispute Resolution provides information on who will manage disputes, how and when to escalate to a higher authority. (iv) Section 6.2 describes incident reporting and Section 6.3 Non compliance Management. (v) Section 5.10. Emergency preparedness and Response includes relevant information and links to the Emergency Management Plan and the Pollution Incident Response Management Plan. The Bushfire Management Plan sites under the Emergency Plan. It was	Compliant	Recommend streamlining the process to ensure timely reporting of complaints and upload of monitoring and management documents.	Aeris has implemented a Consultation Manager system and a Community Complaints phoneline that is managed externally 24/7 to handle any complaints in accordance with Condition C1 f).	Completed

Source	No.	Observation	Compliance	Recommendation	Response	2025 Update
		reported during the audit that the environmental team does not have direct access to upload documents on the website. This has caused delays with the relevant information being provided on the website.				
EPL 4501	G2.2	Contact details are provided in the PIRMP but the names are out of date. The phone numbers remain correct. No email addresses are provided, only the general enquiries email address. Potentially seek licence variation to allow use of a shared mailbox as a better solution.	Non-Compliant	Update the PIRMP to include all the contact details required by G2.2. Also consider providing the contact details in a more accessible location e.g. on the website and confirming with the EPA that a general number and email is acceptable.	Aeris has reviewed, revised and published the PIRMP on the Aeris Resources Website	Completed
	G2.3	The contact details in the PIRMP are out of date and no evidence the EPA had been advised of the changes was provided.	Non-Compliant	Inform the EPA, in writing, of the latest contact person and associated contact details.	Aeris will inform EPA in writing of the updated contact person and associated contact details	Completed

11. INCIDENTS AND NON-COMPLIANCES

Non-compliances resulting from the 2025 IEA were identified during the 2025 reporting period and are addressed in Section 10 of this Annual Review. No additional non-compliances or reportable incidents occurred in the 2025 reporting period.

Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 43 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

12. ACTIVITIES PROPOSED IN THE NEXT ANNUAL REVIEW REPORTING PERIOD

12.1. Management Plan Review

In accordance with Condition C5(c) of DA 10/2015/004/003, all strategies, management plans and programs were reviewed and if necessary revised within 3 months of the submission of the 2025 Independent Environmental Audit.

Condition C10(a)(iii) requires all approved strategies, plans and programs required under DA 10/2015/004/003 to be made publicly available on the Aeris website. Tritton Resources acknowledges that not all the documents required under DA 10/2015/004/003 are currently publicly available due to extensive website upgrades being undertaken. Notwithstanding the above, Tritton Resources is in the process of reviewing the majority of the environmental management plans for the Mine and intends to submit the revised plans to the Department for approval during the next reporting period.

12.2. 2026 Actions

The following mining activities are proposed to occur during the next reporting period:

- Continuation of underground mining and ore processing activities.
- Continued monitoring of surface water, groundwater, noise and air quality.
- Progressive rehabilitation of minor Mine and exploration disturbance areas not required for future activities.
- Rehabilitation planning as described in the Forward Program.
- Review and revision where required of applicable management plans.
- Implementation of the approved TRL Biodiversity and Land management Plan.
- Website update/review and publication of all required items in accordance with condition C10(a)(iii).

Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 44 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

13. REFERENCES

ANZECC - Australian and New Zealand Guidelines for Fresh and Marine Water Quality (2000) Volume 1 Chapter 4 Primary Industries Livestock Drinking Water Guidelines.

ANZECC - Australian and New Zealand Guidelines for Fresh and Marine Water Quality (2000) Volume 1 Chapter 4 Primary Industries Irrigation and General Use Water Guidelines.

GHD (2025) Avoca Tank Project Independent Environmental Audit Report 2025

Heritage Now (2024) Aboriginal Heritage Condition Assessment – Tritton Copper Operations

Muller Acoustic Consulting (2025) Annual Noise Monitoring Assessment – Avoca Tank Mine and North East Mine Girilambone, NSW

R.W. Corkery & Co. PTY. Limited (2014) Environmental Impact Statement for the Avoca Tank Project

Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 45 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

Appendices

- Appendix 1 Dust Monitoring – Insoluble Solids and Metals Analysis
- Appendix 2 Groundwater Monitoring Data

Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 46 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

APPENDIX 1 DUST MONITORING - INSOLUBLE SOLIDS AND METALS ANALYSIS

Year	Count	Locations								
		AVT1			AVT2			AVT3		
		Min	Mean	Max	Min	Mean	Max	Min	Mean	Max
Insoluble Solids (g/m²/month)										
2012	4	0.7	1.1	1.5	0.3	1.1	1.5	0.2	0.5	0.6
2013	13	0.1	0.9	2.5	0.2	0.9	2.4	0.1	0.4	0.6
2014	12	0.3	1.0	1.8	0.5	0.9	1.6	0.2	0.6	1.2
2015	12	0.3	1.1	1.6	0.2	1.1	1.7	0.2	0.9	3.5
2016	12	0.1	0.7	1.5	0.1	0.9	2.2	0.4	1.7	5.9
2017	11	0.3	0.7	1.8	0.2	0.8	1.9	0.2	0.5	1.6
2018	12	0.4	1.9	5.0	0.4	1.8	4.1	0.2	1.3	4.6
2019	12	0.5	3.7	16.9	0.6	3.6	18.2	0.4	2.1	12.6
2020	12	0.3	2.0	7.1	0.2	2.1	8.3	0.1	2.1	7.7
2021	12	0.3	0.9	1.8	0.3	1.0	2.2	<0.10	0.5	1.2
2022	12	0.1	0.7	1.3	0.1	1.1	1.8	<0.10	1.2	53.0
2023	11	0.3	0.8	2.0	0.2	1.7	5.7	0.2	0.5	1.8
2024	12	0.2	1.0	5.5	0.1	1.1	2.6	0.1	1.5	6.8
2025	10	0.4	1.0	2.1	0.6	1.9	6.9	0.3	1.1	3.1
Copper (ug/m²/month)										
2012	4	310.0	1982.5	4750.0	212.0	370.0	143.0	301.0	1887.8	4710.0
2013	13	346.0	3036.4	10800.0	137.0	2239.1	1250.0	163.0	1543.9	3020.0
2014	12	581.0	1523.2	4800.0	293.0	1016.8	467.0	535.0	2050.8	4750.0
2015	12	617.0	3246.6	18700.0	241.0	5422.1	1590.0	421.0	2322.9	4650.0
2016	12	255.0	1559.4	4720.0	636.0	3703.7	1110.0	585.0	2572.3	9930.0
2017	11	219.0	2949.2	8770.0	894.0	3546.4	1810.0	103.0	1940.5	3800.0
2018	12	3.5	2267.4	9910.0	3.9	2870.3	2850.0	4.8	1523.1	6640.0
2019	12	161.0	2910.5	13600.0	213.0	5321.8	4670.0	166.0	2563.8	12300.0
2020	12	164.0	3723.3	23200.0	143.0	8053.2	424.0	36.8	4522.5	17900.0
2021	12	585.0	2477.3	5140.0	477.0	12093.1	4230.0	<0.5	2463.5	5570.0
2022	12	<0.5	1666.0	4990.0	<0.5	2241.5	920.0	<0.5	2263.3	7900.0
2023	11	143.0	1406.0	11100.0	<0.5	691.2	1430.0	<0.5	576.9	1940.0
2024	12	56.7	718.6	2740.0	88.7	436.4	872.0	85.8	1028.4	6000.0
2025	10	271.0	2606.7	21000.0	369.0	607.6	1130.0	131.0	630.4	3010.0
Iron (ug/m²/month)										
2012	4	3900.0	7507.5	11100.0	183.0	3074.8	6110.0	53.0	785.8	2720.0
2013	13	974.0	7275.9	29600.0	71.0	1430.1	5800.0	6.0	626.2	5760.0
2014	12	747.0	4172.3	10300.0	113.0	2039.8	12800.0	56.0	1655.8	7480.0
2015	12	594.0	2046.3	4400.0	470.0	2268.0	7040.0	389.0	3622.4	17500.0
2016	12	932.0	4261.8	14800.0	479.0	4799.1	16900.0	987.0	9193.1	29400.0
2017	11	248.0	3335.9	6400.0	288.0	4755.7	13200.0	258.0	3086.0	9010.0
2018	12	9.2	8993.9	22900.0	12.3	14326.0	48000.0	10.5	12333.1	39600.0
2019	12	1080.0	32990.0	103000.0	876.0	31724.7	89400.0	519.0	22406.6	90800.0
2020	12	905.0	15212.9	59800.0	1200.0	20375.8	109000.0	69.2	23277.9	110000.0

Year	Count	Locations								
		AVT1			AVT2			AVT3		
		Min	Mean	Max	Min	Mean	Max	Min	Mean	Max
2021	12	1870.0	6300.8	15400.0	3450.0	11424.2	36300.0	<0.5	5737.7	11400.0
2022	11	<0.5	8741.0	30600.0	<0.5	11058.2	25200.0	728.0	7950.7	43000.0
2023	11	2320.0	7885.5	24200.0	2440.0	20770.0	74100.0	<0.5	4910.0	9330.0
2024	12	894.0	12464.9	56800.0	1880.0	11243.3	32300.0	1100.0	16056.7	78200.0
2025	10	5390	14699	57900	8870	22437	83300	1390	10534	31800
Lead (ug/m²/month)										
2012	4	<0.5	48.8	114.0	33.0	107.7	185.0	60.2	209.6	496.0
2013	13	<0.5	31.5	196.0	<0.5	13.5	49.0	<0.5	71.3	358.0
2014	12	<0.5	34.0	175.0	<0.5	6.0	29.0	<0.5	61.2	313.0
2015	12	<0.5	11.0	69.0	<0.5	1.9	12.0	<0.5	45.3	180.0
2016	12	<0.5	47.0	146.0	<0.5	4.0	42.0	32.0	146.1	374.0
2017	11	<0.5	70.2	328.0	<0.5	3.3	28.0	<0.5	173.2	810.0
2018	12	<0.5	284.8	2520.0	<0.5	249.1	2690.0	<0.5	411.7	2170.0
2019	12	<0.5	78.2	251.0	<0.5	48.7	147.0	<0.5	164.8	1050.0
2020	12	<0.5	39.2	178.0	<0.5	24.4	124.0	<0.5	114.3	644.0
2021	12	<0.5	22.1	98.2	<0.5	2.9	28.8	<0.5	35.1	244.0
2022	12	<0.5	37.7	304.0	<0.5	41.8	327.0	<0.5	29.1	94.4
2023	11	<0.5	56.6	336.0	<0.5	26.7	121.0	<0.5	12.6	92.0
2024	12	0.5	162.0	654.0	0.5	11.7	66.5	0.5	48.6	240.0
2025	10	<0.50	85.74	160	<0.50	50.45	75.2	<0.50	33.9	33.9
Zinc (mg/m²/month)										
2012	4	26.0	266.8	617.0	26.0	93.3	143.0	<0.5	518.4	1090.0
2013	13	17.0	305.5	1690.0	17.0	258.1	1250.0	<0.5	498.5	2020.0
2014	12	39.0	250.5	726.0	45.0	149.8	467.0	88.0	662.9	1420.0
2015	12	22.0	176.3	420.0	21.0	358.9	1590.0	<0.5	534.8	2340.0
2016	12	117.0	512.8	1450.0	101.0	489.8	1110.0	98.0	1998.6	13700.0
2017	11	32.0	431.4	1310.0	<0.5	438.2	1810.0	<0.5	526.0	1850.0
2018	12	<0.5	522.4	3190.0	<0.5	870.0	2850.0	<0.5	1276.0	3910.0
2019	12	25.4	851.9	2960.0	<0.5	1157.6	4670.0	<0.5	1208.5	5970.0
2020	12	15.2	107.9	266.0	22.2	147.6	424.0	<0.5	334.7	1090.0
2021	12	52.5	120.4	353.0	70.0	551.8	4230.0	<0.5	397.5	2040.0
2022	12	<0.5	227.9	791.0	<0.5	256.3	920.0	<0.5	471.4	3610.0
2023	11	<0.5	141.4	385.0	<0.5	274.0	1430.0	<0.5	97.1	199.0
2024	12	32.7	502.8	2620.0	34.8	197.7	872.0	85.8	1457.9	6000.0
2025	10	<0.5	187	341	97.4	262.94	753	<0.5	268.41	1180

APPENDIX 2 GROUNDWATER MONITORING DATA

Doc No: 1		Title: 2025 Annual Review		
Site: Tritton	Revision No: 1	Published Date: 30/06/2026	Next Review Date: 30/06/2027	Page: 49 of 49
This document is UNCONTROLLED once printed – refer to Tritton CDMS for CONTROLLED version				

Date	Arsenic Diss (mg/L)	Barium Diss (mg/L)	Beryllium Diss (mg/L)	Cadmium Diss (mg/L)	Calcium Diss (mg/L)	Chloride Diss (mg/L)	Chromium Diss (mg/L)	Cobalt Diss (mg/L)	Copper Diss (mg/L)	Iron Diss (mg/L)	Lead Diss (mg/L)	Magnesium Diss (mg/L)	Manganese Diss (mg/L)	Mercury Diss (mg/L)	Nickel Diss (mg/L)	Potassium Diss (mg/L)	Sodium Diss (mg/L)	Standing Water Level (m)	Sulfate as SO4 Diss (mg/L)	Vanadium Diss (mg/L)	Zinc Diss (mg/L)	pH	Conductivity (µS/cm)	Total Dissolved Solids @ 180° C (mg/L)	
ANZECC/ARMCANZ (2000) Livestock guideline value	0.5			0.01	1000		1	1	1		0.1			0.002	1				1000		20	6-9	See TDS	4000	
AT001																									
6/01/2025			0.001		23	186						26				10	105	45.46	38			7.13	883	462	
12/02/2025			0.001		18	103						13				10	68		39			7.64	584	382	
13/02/2025																		46.5				7.59	694	404	
9/03/2025			0.001		210	5380						638				56	2900	45.28	1220			7.35	16600	13400	
6/04/2025			0.001		162	6650						711				36	3160	46.18	1440			7.11	18700	14400	
9/05/2025			0.001		312	5810						709				39	3230	46.26	1750			7.96	21000	13400	
10/06/2025			0.001		305	6150						728				36	3350	46.31	1370			7.58	18800	12500	
13/07/2025			0.001		258	6180						641				33	2860	47.26	1570			7.49	17500	12800	
11/08/2025	0.002	0.035	0.001	0.0003	280	5950	0.001	0.006	0.009	0.09	0.001	671	0.078	0.0001	0.004	37	2960	46.69	945	0.01	0.027	7.79	19500	12200	
9/09/2025	0.001	0.035	0.001	0.0002	242	6200	0.001	0.005	0.002	0.05	0.001	726	0.071	0.0001	0.004	38	3290	46.75	1510	0.01	0.012	7.91	18900	12700	
15/10/2025	0.001	0.038	0.001	0.0004	268	6000	0.001	0.007	0.012	0.05	0.001	693	0.095	0.0001	0.005	34	3040	46.85	1210	0.01	0.048	7.48	18600	14100	
13/11/2025	0.001	0.034	0.001	0.0003	231	6680	0.001	0.004	0.007	0.05	0.001	676	0.065	0.0001	0.004	28	2980	47.06	1170	0.01	0.021	7.54	19100	13000	
15/12/2025	0.001	0.033	0.001	0.0008	276	5270	0.001	0.006	0.031	0.05	0.001	667	0.071	0.0001	0.016	42	2980	47.28	1330	0.01	0.097	7.21	19200	14000	
Average	0.0012	0.035	0.001	0.0004	215	5047	0.001	0.006	0.012	0.06	0.001	575	0.076	0.0001	0.007	33	2577	46.49	1133	0.01	0.041	7.52	14620	10288	
AT002																									
6/01/2025			0.001		17	92						12				10	56	40.75	16			7.33	477	344	
12/02/2025			0.001		1	1						1				1	1		1			6.16	9	10	
13/02/2025																		40.37				6.97	53.6	35	
9/03/2025			0.001		428	7880						821				95	3890	40.39	1790			7.15	22800	21000	
6/04/2025			0.001		423	7260						804				66	3860	40.72	1860			6.93	22800	18600	
10/05/2025			0.001		519	7340						774				66	3900	40.79	1850			7.78	25900	17700	
10/06/2025			0.001		521	8020						815				66	4060	41.29	1750			7.56	22800	16200	
13/07/2025			0.001		498	7930						796				67	3840	42.01	1990			7.36	21900	16500	
11/08/2025	0.001	0.047	0.001	0.0004	488	7910	0.014	0.002	0.006	0.15	0.001	776	0.065	0.0006	0.004	64	3700	42.01	1800	0.01	0.015	7.68	24200	15500	
9/09/2025	0.001	0.049	0.001	0.0012	403	7950	0.001	0.009	0.097	0.05	0.001	786	0.036	0.0002	0.034	65	3940	42.75	1700	0.01	0.321	7.75	23400	16800	
15/10/2025	0.001	0.049	0.001	0.0004	452	7410	0.001	0.001	0.062	0.05	0.001	760	0.014	0.0012	0.004	64	3670	43.69	1540	0.01	0.037	7.34	23200	18700	
13/11/2025	0.001	0.044	0.001	0.0005	391	8260	0.001	0.001	0.003	0.05	0.001	752	0.005	0.0001	0.003	64	3680	44.32	1550	0.01	0.008	7.36	23400	16100	
15/12/2025	0.001	0.042	0.001	0.0007	472	6960	0.001	0.003	0.08	0.05	0.001	748	0.019	0.0001	0.024	61	3680	44.98	1770	0.01	0.145	7.08	24000	18100	
Average	0.001	0.047	0.001	0.0006	384	6418	0.004	0.003	0.05	0.07	0.001	654	0.028	0.0004	0.014	57	3190	42.01	1468	0.01	0.105	7.27	18072	13507	
AT003																									
6/01/2025			0.001		20	118						16				7	86	38.55	25			7.44	651	373	
13/02/2025			0.001		57	1780						134				19	1310	38.65	486			7.49	7090	4440	
9/03/2025			0.001		87	5730						373				68	4020	38.98	1360			7.6	18200	14200	
6/04/2025			0.001		110	6230						394				42	4090	39.4	1220			7.22	20400	13600	
9/05/2025			0.001		119	6410						384				43	4210	39.45	1460			8.1	22500	13100	
10/06/2025			0.001		122	6690						403				42	4380	39.17	1430			7.84	20000	13100	
13/07/2025			0.001		110	6570						388				41	4120	39.44	1640			7.67	19800	14400	
11/08/2025	0.019	0.004	0.001	0.0001	113	6500	0.001	0.005	0.003	0.05	0.001	379	0.031	0.0001	0.009	41	3930	39.55	1400	0.02	0.013	7.99	21000	12900	
9/09/2025	0.02	0.004	0.001	0.0001	94	6600	0.001	0.004	0.006	0.07	0.001	403	0.028	0.0001	0.014	43	4390	39.69	1410	0.03	0.021	8.04	20700	13100	
15/10/2025	0.02	0.003	0.001	0.0001	106	6090	0.001	0.002	0.003	0.05	0.001	383	0.022	0.0001	0.01	41	4010	39.85	1290	0.03	0.008	7.6	20300	14200	
13/11/2025	0.016	0.004	0.001	0.0001	89	7000	0.001	0.003	0.042	0.05	0.001	363	0.027	0.0003	0.01	32	3860	39.78	1230	0.03	0.055	7.73	20600	12900	
15/12/2025	0.009	0.004	0.001	0.0003	110	5530	0.001	0.004	0.032	0.05	0.001	373	0.052	0.0001	0.022	49	3980	39.91	1380	0.02	0.072	7.38	20600	13600	
Average	0.017	0.004	0.001	0.0001	95	5437	0.001	0.004	0.017	0.05	0.001	333	0.032	0.0001	0.013	39	3532	39.37	1194	0.03	0.034	7.68	17653	11659	