

Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[October] [2026]

Environmental Protection License 11254
TRITTON COPPER MINE
YARRANDALE ROAD, HERMIDALE, NSW, 2831
http:/www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued

Environmental Protection License 4501
TRITTON COPPER MINE
BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831
http:/www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued

Aeris
TRITTON OPERATIONS

EPL11254 Groundwater Reporting Data

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
12	**PZH001**	**Annual**	**25/07/2026**	**4/10/2026**	Arsenic	mg/L	0.002
					Barium	mg/L	0.012
					Beryllium	mg/L	0.001
					Cadmium	mg/L	0.0001
					Chloride	mg/L	3250
					Chromium	mg/L	0.001
					Cobalt	mg/L	0.001
					Conductivity	us/cm	13334
					Copper	mg/L	0.001
					Iron	mg/L	0.47
					Lead	mg/L	0.001
					Manganese	mg/L	0.105
					Mercury	mg/L	0.0001
					Nickel	mg/L	0.002
					pH	pH unit	7.69
					Sulfate	mg/L	2460
					SWL	m	43.97
					Vanadium	mg/L	0.01
					Zinc	mg/L	0.01

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
13	**PZH002**	**Annual**	**25/07/2026**	**4/10/2026**	Arsenic	mg/L	0.001
					Barium	mg/L	0.011
					Beryllium	mg/L	0.001
					Cadmium	mg/L	0.0001
					Chloride	mg/L	3210
					Chromium	mg/L	0.001
					Cobalt	mg/L	0.001
					Conductivity	us/cm	12646
					Copper	mg/L	0.001
					Iron	mg/L	0.09
					Lead	mg/L	0.001
					Manganese	mg/L	0.289
					Mercury	mg/L	0.0001
					Nickel	mg/L	0.006
					pH	pH unit	7.83
					Sulfate	mg/L	2390
					SWL	m	27.54
					Vanadium	mg/L	0.01
					Zinc	mg/L	0.024

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
14	**PZH003**	**Annual**	**25/07/2026**	**4/10/2026**	Arsenic	mg/L	0.004
					Barium	mg/L	0.027
					Beryllium	mg/L	0.001
					Cadmium	mg/L	0.0001
					Chloride	mg/L	5640
					Chromium	mg/L	0.001
					Cobalt	mg/L	0.004
					Conductivity	us/cm	19921
					Copper	mg/L	0.001
					Iron	mg/L	11.3
					Lead	mg/L	0.001
					Manganese	mg/L	1.63
					Mercury	mg/L	0.0001
					Nickel	mg/L	0.014
					pH	pH unit	7.62
					Sulfate	mg/L	3590
					SWL	m	52.74
					Vanadium	mg/L	0.01
					Zinc	mg/L	0.01

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
15	**PZH004**	**Annual**	**25/07/2026**	**4/10/2026**	Arsenic	mg/L	0.001
					Barium	mg/L	0.009
					Beryllium	mg/L	0.001
					Cadmium	mg/L	0.0001
					Chloride	mg/L	5110
					Chromium	mg/L	0.001
					Cobalt	mg/L	0.001
					Conductivity	us/cm	16830
					Copper	mg/L	0.002
					Iron	mg/L	0.05
					Lead	mg/L	0.001
					Manganese	mg/L	0.022
					Mercury	mg/L	0.0003
					Nickel	mg/L	0.005
					pH	pH unit	7.63
					Sulfate	mg/L	1260
					SWL	m	69.14
					Vanadium	mg/L	0.01
					Zinc	mg/L	0.021

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
16	**PZH005**	**Annual**	**25/07/2026**	**4/10/2026**	Arsenic	mg/L	0.005
					Barium	mg/L	0.015
					Beryllium	mg/L	0.001
					Cadmium	mg/L	0.0001
					Chloride	mg/L	4690
					Chromium	mg/L	0.001
					Cobalt	mg/L	0.007
					Conductivity	us/cm	14360
					Copper	mg/L	0.001
					Iron	mg/L	0.47
					Lead	mg/L	0.001
					Manganese	mg/L	0.687
					Mercury	mg/L	0.0001
					Nickel	mg/L	0.016
					pH	pH unit	7.65
					Sulfate	mg/L	953
					SWL	m	14.9
					Vanadium	mg/L	0.01
					Zinc	mg/L	0.006

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
17	**PZH006**	**Quarterly**	**6/09/2026**		Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Iron	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					Nickel	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					SWL	m	38.94
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
18	**PZH007**	**Quarterly**	**6/09/2026**		Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Iron	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					Nickel	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					SWL	m	42.43
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
19	**PZH008**	**Annual**	**15/06/2026**		Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Iron	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					Nickel	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					SWL	m	14.99
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
20	**PZH009**	**Annual**	**15/05/2026**		Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Iron	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					Nickel	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					SWL	m	11.81
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
22	**PZH013**	**Quarterly**	**6/09/2026**		Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Iron	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					Nickel	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					SWL	m	34.34
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
23	**PZH014**	**Annual**	**22/07/2026**		Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Iron	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					Nickel	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					SWL	m	41.17
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
24	**PZH015**	**Annual**	**22/07/2026**		Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Iron	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					Nickel	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					SWL	m	42.5
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
25	**PZH017**	**Annual**	**15/05/2026**		Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					SWL	m	33.34
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
26	**PZH018**	**Annual**	**15/05/2026**		Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					SWL	m	11.92
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
27	**PZH019**	**Quarterly**	**6/09/2026**		Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					SWL	m	81.15
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
28	**PZH020**	**Annual**	**14/06/2026**		Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					SWL	m	51.81
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
29	**PZH021**	**Quarterly**	**6/09/2026**		Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					SWL	m	42.43
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
30	**PZH022**	**Annual**	**Consistently Dry**		Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					SWL	m	
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
31	**PZH023**	**Annual**	**Consistently Dry**		Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					SWL	m	
					Vanadium	mg/L	
					Zinc	mg/L	

Aeris
TRITTON OPERATIONS

EPL4501 Monitoring Data Summaries Condition R1.5

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
2	GIP224	Monthly SWL Quarterly Sample	SWL 03/09/2026 Water Quality 03/09/2026	17/10/2026	SWL	mbTOC	8.43
					Arsenic	mg/L	0.01
					Barium	mg/L	0.023
					Beryllium	mg/L	0.01
					Cadmium	mg/L	0.001
					Chloride	mg/L	9200
					Chromium	mg/L	0.01
					Cobalt	mg/L	0.01
					Conductivity	us/cm	28715
					Copper	mg/L	0.01
					Iron	mg/L	1.04
					Lead	mg/L	0.01
					Manganese	mg/L	0.104
					Mercury	mg/L	0.0001
					Nickel	mg/L	0.03
					pH	pH unit	7.09
					Sulfate	mg/L	4960
					Vanadium	mg/L	0.1
					Zinc	mg/L	0.05

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
3	GIP225	Monthly SWL Quarterly Sample	SWL 08/09/2026 Water Quality 08/09/2026	6/10/2026	SWL	mbTOC	13.49
					Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Iron	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					Nickel	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
4	GIP234	Monthly SWL Annual Sample	SWL 10/09/2026 Water Quality 17/06/2026	5/10/2026	SWL	mbTOC	24.11
					Arsenic	mg/L	0.001
					Barium	mg/L	0.009
					Beryllium	mg/L	0.001
					Cadmium	mg/L	0.0001
					Chloride	mg/L	7990
					Chromium	mg/L	0.001
					Cobalt	mg/L	0.001
					Conductivity	us/cm	26289
					Copper	mg/L	0.001
					Iron	mg/L	0.17
					Lead	mg/L	0.001
					Manganese	mg/L	0.009
					Mercury	mg/L	0.0001
					Nickel	mg/L	0.001
					pH	pH unit	7.68
					Sulfate	mg/L	2250
					Vanadium	mg/L	0.01
					Zinc	mg/L	0.005

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
5	GIP273	Monthly SWL Quarterly Sample	SWL 03/09/2026 Water Quality 03/09/2026	5/10/2026	SWL	mbTOC	17.16
					Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Iron	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					Nickel	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
6	GIP276	Monthly SWL Annual Sample	SWL 09/09/2026 Water Quality 16/10/2025	21/10/2026	SWL	mbTOC	21.74
					Arsenic	mg/L	0.01
					Barium	mg/L	0.024
					Beryllium	mg/L	0.01
					Cadmium	mg/L	0.001
					Chloride	mg/L	10300
					Chromium	mg/L	0.01
					Cobalt	mg/L	0.01
					Conductivity	us/cm	31431
					Copper	mg/L	0.01
					Iron	mg/L	0.5
					Lead	mg/L	0.01
					Manganese	mg/L	0.056
					Mercury	mg/L	0.0001
					Nickel	mg/L	0.01
					pH	pH unit	7.5
					Sulfate	mg/L	3020
					Vanadium	mg/L	0.1
					Zinc	mg/L	0.05

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
8	GIP277	Monthly SWL Annual Sample	SWL 09/09/2026 Water Quality 16/10/2025	16/10/2026	SWL	mbTOC	17.31
					Arsenic	mg/L	0.001
					Barium	mg/L	0.029
					Beryllium	mg/L	0.001
					Cadmium	mg/L	0.0001
					Chloride	mg/L	652
					Chromium	mg/L	0.001
					Cobalt	mg/L	0.001
					Conductivity	us/cm	3423
					Copper	mg/L	0.001
					Iron	mg/L	0.06
					Lead	mg/L	0.001
					Manganese	mg/L	0.13
					Mercury	mg/L	0.0001
					Nickel	mg/L	0.012
					pH	pH unit	7.62
					Sulfate	mg/L	295
					Vanadium	mg/L	0.01
					Zinc	mg/L	0.02

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
9	**GIP278**	**Monthly SWL** **Annual Sample**	**No Longer Accessible**		SWL	mbTOC	
					Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Iron	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					Nickel	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
10	**GIP279A**	**Monthly SWL** **Annual Sample**	**SWL 09/09/2026** **Water Quality 16/10/2025**	**17/10/2026**	SWL	mbTOC	25.21
					Arsenic	mg/L	0.001
					Barium	mg/L	0.027
					Beryllium	mg/L	0.001
					Cadmium	mg/L	0.0016
					Chloride	mg/L	9830
					Chromium	mg/L	0.001
					Cobalt	mg/L	0.001
					Conductivity	us/cm	26132
					Copper	mg/L	0.033
					Iron	mg/L	0.05
					Lead	mg/L	0.001
					Manganese	mg/L	0.022
					Mercury	mg/L	0.0001
					Nickel	mg/L	0.046
					pH	pH unit	7.04
					Sulfate	mg/L	2780
					Vanadium	mg/L	0.01
					Zinc	mg/L	0.351

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
11	**GIP280A**	**Monthly SWL** **Quarterly Sample**	**SWL 08/09/2026** **Water Quality 17/06/2026**	**5/10/2026**	SWL	mbTOC	22.66
					Arsenic	mg/L	0.001
					Barium	mg/L	0.023
					Beryllium	mg/L	0.001
					Cadmium	mg/L	0.0001
					Chloride	mg/L	6070
					Chromium	mg/L	0.001
					Cobalt	mg/L	0.001
					Conductivity	us/cm	19688
					Copper	mg/L	0.001
					Iron	mg/L	0.05
					Lead	mg/L	0.001
					Manganese	mg/L	0.037
					Mercury	mg/L	0.0001
					Nickel	mg/L	0.001
					pH	pH unit	7.8
					Sulfate	mg/L	1700
					Vanadium	mg/L	0.01
					Zinc	mg/L	0.005

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
14	**GIP292A**	**Monthly**	**8/09/2026**	**21/10/2026**	SWL	mbTOC	13.44
					Arsenic	mg/L	0.17
					Barium	mg/L	0.01
					Beryllium	mg/L	0.322
					Cadmium	mg/L	5.29
					Chloride	mg/L	1400
					Chromium	mg/L	1.38
					Cobalt	mg/L	92.3
					Conductivity	us/cm	33992
					Copper	mg/L	496
					Iron	mg/L	509
					Lead	mg/L	0.025
					Manganese	mg/L	584
					Mercury	mg/L	0.0004
					Nickel	mg/L	28.9
					pH	pH unit	3.39
					Sulfate	mg/L	44400
					Vanadium	mg/L	0.58
					Zinc	mg/L	472

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
16	**GIP292AS**	**Monthly**	**Consistently Dry**		SWL	mbTOC	
					Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Iron	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					Nickel	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
18	**GIP294**	**Monthly SWL** **Quarterly Sample**	**SWL 03/09/2026** **Water Quality 03/09/2026**	**21/10/2026**	SWL	mbTOC	16.63
					Arsenic	mg/L	0.01
					Barium	mg/L	0.01
					Beryllium	mg/L	0.01
					Cadmium	mg/L	4.14
					Chloride	mg/L	1510
					Chromium	mg/L	0.01
					Cobalt	mg/L	40.3
					Conductivity	us/cm	46567
					Copper	mg/L	233
					Iron	mg/L	0.5
					Lead	mg/L	0.01
					Manganese	mg/L	288
					Mercury	mg/L	0.0005
					Nickel	mg/L	16.9
					pH	pH unit	4.48
					Sulfate	mg/L	43800
					Vanadium	mg/L	0.1
					Zinc	mg/L	224

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
19	**GIP295**	**Monthly SWL** **Quarterly Sample**	**SWL 08/09/2026** **Water Quality 08/09/2026**	**18/10/2026**	SWL	mbTOC	18.28
					Arsenic	mg/L	
					Barium	mg/L	
					Beryllium	mg/L	
					Cadmium	mg/L	
					Chloride	mg/L	
					Chromium	mg/L	
					Cobalt	mg/L	
					Conductivity	us/cm	
					Copper	mg/L	
					Iron	mg/L	
					Lead	mg/L	
					Manganese	mg/L	
					Mercury	mg/L	
					Nickel	mg/L	
					pH	pH unit	
					Sulfate	mg/L	
					Vanadium	mg/L	
					Zinc	mg/L	

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
20	**GIP296**	**Monthly**	**3/09/2026**	**21/10/2026**	SWL	mbTOC	11.53
					Arsenic	mg/L	0.001
					Barium	mg/L	0.01
					Beryllium	mg/L	0.001
					Cadmium	mg/L	0.0001
					Chloride	mg/L	1590
					Chromium	mg/L	0.001
					Cobalt	mg/L	0.001
					Conductivity	us/cm	16333
					Copper	mg/L	0.001
					Iron	mg/L	0.05
					Lead	mg/L	0.001
					Manganese	mg/L	0.031
					Mercury	mg/L	0.0001
					Nickel	mg/L	0.005
					pH	pH unit	7.36
					Sulfate	mg/L	5370
					Vanadium	mg/L	0.01
					Zinc	mg/L	0.019

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
27	**GIP313**	**Monthly**	**8/09/2026**	**21/10/2026**	SWL	mbTOC	28.47
					Arsenic	mg/L	0.079
					Barium	mg/L	0.038
					Beryllium	mg/L	0.096
					Cadmium	mg/L	5.63
					Chloride	mg/L	3170
					Chromium	mg/L	0.014
					Cobalt	mg/L	74.1
					Conductivity	us/cm	40108
					Copper	mg/L	239
					Iron	mg/L	1.9
					Lead	mg/L	0.019
					Manganese	mg/L	797
					Mercury	mg/L	0.0006
					Nickel	mg/L	30.1
					pH	pH unit	3.52
					Sulfate	mg/L	43800
					Vanadium	mg/L	0.1
					Zinc	mg/L	346

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
28	**AT001**	**Monthly**	**7/09/2026**	**5/10/2026**	SWL	mbTOC	48.96
					Arsenic	mg/L	0.001
					Barium	mg/L	0.033
					Beryllium	mg/L	0.001
					Cadmium	mg/L	0.0002
					Chloride	mg/L	5840
					Chromium	mg/L	0.001
					Cobalt	mg/L	0.004
					Conductivity	us/cm	18741
					Copper	mg/L	0.002
					Iron	mg/L	0.05
					Lead	mg/L	0.001
					Manganese	mg/L	0.051
					Mercury	mg/L	0.0001
					Nickel	mg/L	0.009
					pH	pH unit	7.74
					Sulfate	mg/L	1190
					Vanadium	mg/L	0.01
					Zinc	mg/L	0.01

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
29	**AT002**	**Monthly**	**7/09/2026**	**5/10/2026**	SWL	mbTOC	48.47
					Arsenic	mg/L	0.001
					Barium	mg/L	0.041
					Beryllium	mg/L	0.001
					Cadmium	mg/L	0.0003
					Chloride	mg/L	7260
					Chromium	mg/L	0.001
					Cobalt	mg/L	0.001
					Conductivity	us/cm	22827
					Copper	mg/L	0.001
					Iron	mg/L	0.05
					Lead	mg/L	0.001
					Manganese	mg/L	0.006
					Mercury	mg/L	0.0001
					Nickel	mg/L	0.003
					pH	pH unit	7.58
					Sulfate	mg/L	1540
					Vanadium	mg/L	0.01
					Zinc	mg/L	0.005

Point ID	Name	Frequency	Last Sampled	Sample Date	Pollutant	Unit	Value
30	**AT003**	**Monthly**	**7/09/2026**	**6/10/2026**	SWL	mbTOC	41.12
					Arsenic	mg/L	0.013
					Barium	mg/L	0.005
					Beryllium	mg/L	0.001
					Cadmium	mg/L	0.0001
					Chloride	mg/L	6250
					Chromium	mg/L	0.001
					Cobalt	mg/L	0.004
					Conductivity	us/cm	19944
					Copper	mg/L	0.001
					Iron	mg/L	3.95
					Lead	mg/L	0.001
					Manganese	mg/L	0.162
					Mercury	mg/L	0.0001
					Nickel	mg/L	0.008
					pH	pH unit	7.71
					Sulfate	mg/L	1250
					Vanadium	mg/L	0.01
					Zinc	mg/L	0.005